

SYBASE®

Installation and Administration Guide

Mainframe Connect Client Option

12.6

[IBM IMS and MVS]

DOCUMENT ID: DC36561-01-1260-01

LAST REVISED: May 2005

Copyright © 1991-2005 by Sybase, Inc. All rights reserved.

This publication pertains to Sybase software and to any subsequent release until otherwise indicated in new editions or technical notes. Information in this document is subject to change without notice. The software described herein is furnished under a license agreement, and it may be used or copied only in accordance with the terms of that agreement.

To order additional documents, U.S. and Canadian customers should call Customer Fulfillment at (800) 685-8225, fax (617) 229-9845.

Customers in other countries with a U.S. license agreement may contact Customer Fulfillment via the above fax number. All other international customers should contact their Sybase subsidiary or local distributor. Upgrades are provided only at regularly scheduled software release dates. No part of this publication may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without the prior written permission of Sybase, Inc.

Sybase, the Sybase logo, ADA Workbench, Adaptable Windowing Environment, Adaptive Component Architecture, Adaptive Server, Adaptive Server Anywhere, Adaptive Server Enterprise, Adaptive Server Enterprise Monitor, Adaptive Server Enterprise Replication, Adaptive Server Everywhere, Adaptive Warehouse, Afaia, Answers Anywhere, Anywhere Studio, Application Manager, AppModeler, APT Workbench, APT-Build, APT-Edit, APT-Execute, APT-Translator, APT-Library, AvantGo Mobile Delivery, AvantGo Mobile Inspection, AvantGo Mobile Marketing Channel, AvantGo Mobile Pharma, AvantGo Mobile Sales, AvantGo Pylon, AvantGo Pylon Application Server, AvantGo Pylon Conduit, AvantGo Pylon PIM Server, AvantGo Pylon Pro, Backup Server, BizTracker, ClearConnect, Client-Library, Client Services, Convoy/DM, Copernicus, Data Pipeline, Data Workbench, DataArchitect, Database Analyzer, DataExpress, DataServer, DataWindow, DataWindow .NET, DB-Library, dbQueue, Developers Workbench, Direct Connect Anywhere, DirectConnect, Distribution Director, e-ADK, E-Anywhere, e-Biz Impact, e-Biz Integrator, E-Whatever, EC Gateway, ECMAP, ECRTP, eFulfillment Accelerator, Embedded SQL, EMS, Enterprise Application Studio, Enterprise Client/Server, Enterprise Connect, Enterprise Data Studio, Enterprise Manager, Enterprise SQL Server Manager, Enterprise Work Architecture, Enterprise Work Designer, Enterprise Work Modeler, eProcurement Accelerator, EWA, Financial Fusion, Financial Fusion Server, Gateway Manager, GlobalFIX, iAnywhere, iAnywhere Solutions, ImpactNow, Industry Warehouse Studio, InfoMaker, Information Anywhere, Information Everywhere, InformationConnect, InternetBuilder, iScript, Jaguar CTS, jConnect for JDBC, M2M Anywhere, Mach Desktop, Mail Anywhere Studio, MainframeConnect, Maintenance Express, Manage Anywhere Studio, M-Business Channel, M-Business Network, M-Business Server, MDI Access Server, MDI Database Gateway, media.splash, MetaWorks, mFolio, Mirror Activator, MySupport, Net-Gateway, Net-Library, New Era of Networks, ObjectConnect, ObjectCycle, OmniConnect, OmniSQL Access Module, OmniSQL Toolkit, Open Biz, Open Client, Open Client/Connect, Open Client/Server, Open Client/Server Interfaces, Open Gateway, Open Server, Open ServerConnect, Open Solutions, Optima++, PB-Gen, PC APT Execute, PC DB-Net, PC Net Library, PocketBuilder, Pocket PowerBuilder, Power++, power.stop, PowerAMC, PowerBuilder, PowerBuilder Foundation Class Library, PowerDesigner, PowerDimensions, PowerDynamo, PowerScript, PowerSite, PowerSocket, Powersoft, PowerStage, PowerStudio, PowerTips, Powersoft Portfolio, Powersoft Professional, PowerWare Desktop, PowerWare Enterprise, ProcessAnalyst, QAnywhere, Rapport, RemoteWare, RepConnector, Replication Agent, Replication Driver, Replication Server, Replication Server Manager, Replication Toolkit, Report-Execute, Report Workbench, Resource Manager, RFID Anywhere, RW-DisplayLib, RW-Library, S-Designer, SDF, Secure SQL Server, Secure SQL Toolset, Security Guardian, SKILS, smart.partners, smart.parts, smart.script, SQL Advantage, SQL Anywhere, SQL Anywhere Studio, SQL Code Checker, SQL Debug, SQL Edit, SQL Edit/TPU, SQL Everywhere, SQL Modeler, SQL Remote, SQL Server, SQL Server Manager, SQL SMART, SQL Toolset, SQL Server/CFT, SQL Server/DBM, SQL Server SNMP SubAgent, SQL Station, SQLJ, STEP, SupportNow, S.W.I.F.T. Message Format Libraries, Sybase Central, Sybase Client/Server Interfaces, Sybase Financial Server, Sybase Gateways, Sybase IQ, Sybase MPP, Sybase SQL Desktop, Sybase SQL Lifecycle, Sybase SQL Workgroup, Sybase User Workbench, SybaseWare, Syber Financial, SyberAssist, SybFlex, SyBooks, System 10, System 11, System XI (logo), SystemTools, Tabular Data Stream, TradeForce, Transact-SQL, Translation Toolkit, UltraLite, UltraLite.NET, UNIBOM, Unilib, Uninull, Unisep, Unistring, URK Runtime Kit for UniCode, VisualWriter, VQL, WarehouseArchitect, Warehouse Control Center, Warehouse Studio, Warehouse WORKS, Watcom, Watcom SQL, Watcom SQL Server, Web Deployment Kit, Web.PB, Web.SQL, WebSights, WebViewer, WorkGroup SQL Server, XA-Library, XA-Server, XcelleNet, and XP Server are trademarks of Sybase, Inc.

02/05
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.

All other company and product names used herein may be trademarks or registered trademarks of their respective companies.

Use, duplication, or disclosure by the government is subject to the restrictions set forth in subparagraph (c)(1)(ii) of DFARS 52.227-7013 for the DOD and as set forth in FAR 52.227-19(a)-(d) for civilian agencies.

Sybase, Inc., One Sybase Drive, Dublin, CA 94568.

Contents

About This Book	v
CHAPTER 1 Understanding the Client Option	1
What is the Client Option?	1
Client Option communications.....	2
Communication flow	3
Client Option security	3
CHAPTER 2 Planning Your Installation	5
Choosing a network driver	5
General criteria for choosing a driver	5
Planning the installation	6
Installation media	7
Pre-installation tasks	7
Task list	7
CHAPTER 3 Installation and Configuration	13
Installation and configuration	13
Libraries and samples	19
CHAPTER 4 Using isql	21
Invoking isql	21
STEPLIB.....	21
Example	22
APPENDIX A Customization Options.....	23
Overview	23
Customizing global options (SYGWMCST).....	24
Using the IBM z/OS conversion environment and services	27
Customizing mainframe character set conversion options (SYGWMCXL)	28
Overriding the supplied SBCS translation tables	28

Defining new SBCS translation tables.....	30
Defining new character set entries.....	32
Customizing dynamic network drivers (SYGWDRIV).....	34
CICS network drivers	34
Customizing the TCP/IP driver (SYGWHOST)	36
Macro parameters	36
Macro formats	37
Defining license keys (SYGWLKEY).....	38
Building a global customization module (SYGWXCPH).....	38
APPENDIX B	
Translation Tables	41
Understanding the ASCII-EBCDIC and EBCDIC-ASCII translation tables	41
Default ASCII_8 translation tables	44
ASCII_8, ASCII-to-EBCDIC translation table	45
ASCII_8, EBCDIC-to-ASCII translation table	46
Default ISO_1 translation tables	47
ISO_1 ASCII-to-EBCDIC translation table	48
ISO_1 EBCDIC-to-ASCII translation table	49
Default cp437 (code page 437) translation tables.....	50
cp437 ASCII-to-EBCDIC translation table.....	51
cp437 EBCDIC-to-ASCII translation table.....	52
Default cp850 (code page 850) translation tables.....	53
cp850 ASCII-to-EBCDIC translation table.....	54
cp850 EBCDIC-to-ASCII translation table.....	55
Glossary	57
Index	73

About This Book

This book describes how to install and configure the Client Option for IMS and MVS. It includes planning considerations, installation instructions, configuration instructions, and troubleshooting information.

This preface includes the following topics:

Topic	Page
Audience	v
Product name changes	v
How to use this book	vi
Related documents	vi
Other sources of information	vii
Sybase certifications on the Web	vii
Sybase EBFs and software maintenance	viii
Conventions	viii
If you need help	x

Audience

The guidelines and instructions in this book are intended for those who install, configure, and maintain Sybase® mainframe components on an IBM z/Series mainframe computer. This book refers to anyone performing these tasks as the Client Option administrator.

This book assumes that you have a working knowledge of system administration for your environment.

Product name changes

The following table describes new names for products in the 12.6 release of the Mainframe Connect Integrated Product Set (IPS).

Old product names	New product name
<ul style="list-style-type: none">• Open ClientConnect™ for CICS• Open ClientCONNECT for CICS	Mainframe Connect Client Option for CICS
<ul style="list-style-type: none">• Open ClientConnect for IMS and MVS• Open ClientCONNECT for IMS and MVS	Mainframe Connect Client Option for IMS and MVS

Old product names	New product name
<ul style="list-style-type: none"> • Open ServerConnect™ for CICS • Open ServerCONNECT for CICS 	Mainframe Connect Server Option for CICS
<ul style="list-style-type: none"> • Open ServerConnect for IMS and MVS • Open ServerCONNECT for IMS and MVS 	Mainframe Connect Server Option for IMS and MVS
<ul style="list-style-type: none"> • MainframeConnect™ for DB2 UDB • MainframeCONNECT for DB2/MVS-CICS 	Mainframe Connect DB2 UDB Option for CICS
<ul style="list-style-type: none"> • DirectConnect™ for OS/390 • DirectCONNECT for DB2/MVS 	Mainframe Connect DirectConnect for z/OS Option

The new product names are used throughout this book.

The following table shows where to find the information you need in this book.

To		See
<i>Understand</i>	The Client Option	Chapter 1, “Understanding the Client Option”
<i>Plan</i>	For installation and configuration	Chapter 2, “Planning Your Installation”
<i>Install</i>	The Client Option	Chapter 3, “Installation and Configuration”
<i>Access</i>	A server or host-based database using the Interactive SQL utility (isql)	Chapter 4, “Using isql”
<i>Customize</i>	The Client Option	Appendix A, “Customization Options”
<i>Reference</i>	Default translation tables to customize SBCSs	Appendix B, “Translation Tables”

How to use this book

Related documents

For the latest product information, refer to the release bulletins for the Client Option.

You may also need to refer to the following related documentation:

- Mainframe Connect Client Option for CICS *Installation and Administration Guide*
- Mainframe Connect Client Option and Server Option *Messages and Codes*

- Mainframe Connect Client Option *Programmer's Reference for C*
- Mainframe Connect Client Option *Programmer's Reference for COBOL*
- Mainframe Connect Client Option *Programmer's Reference for PL/I*
- Mainframe Connect Client Option *Programmer's Reference for Client Services Applications*

Other sources of information

Use the Sybase Getting Started CD, the SyBooks™ CD, and the Sybase Product Manuals Web site to learn more about your product:

- The Getting Started CD contains release bulletins and installation guides in PDF format, and may also contain other documents or updated information not included on the SyBooks CD. It is included with your software. To read or print documents on the Getting Started CD, you need Adobe Acrobat Reader, which you can download at no charge from the Adobe Web site using a link provided on the CD.
- The SyBooks CD contains product manuals and is included with your software. The Eclipse-based SyBooks browser allows you to access the manuals in an easy-to-use, HTML-based format.

Some documentation may be provided in PDF format, which you can access through the PDF directory on the SyBooks CD. To read or print the PDF files, you need Adobe Acrobat Reader.

Refer to the *SyBooks Installation Guide* on the Getting Started CD, or the *README.txt* file on the SyBooks CD for instructions on installing and starting SyBooks.

- The Sybase Product Manuals Web site is an online version of the SyBooks CD that you can access using a standard Web browser. In addition to product manuals, you will find links to EBFs/Maintenance, Technical Documents, Case Management, Solved Cases, newsgroups, and the Sybase Developer Network.

To access the Sybase Product Manuals Web site, go to Product Manuals at <http://www.sybase.com/support/manuals/>.

Sybase certifications on the Web

Technical documentation at the Sybase Web site is updated frequently.

❖ Finding the latest information on product certifications

- 1 Point your Web browser to Technical Documents at <http://www.sybase.com/support/techdocs/>.
- 2 Select Products from the navigation bar on the left.

-
- 3 Select a product name from the product list and click Go.
 - 4 Select the Certification Report filter, specify a time frame, and click Go.
 - 5 Click a Certification Report title to display the report.

❖ **Creating a personalized view of the Sybase Web site (including support pages)**

Set up a MySybase profile. MySybase is a free service that allows you to create a personalized view of Sybase Web pages.

- 1 Point your Web browser to Technical Documents at <http://www.sybase.com/support/techdocs/>.
- 2 Click MySybase and create a MySybase profile.

Sybase EBFs and software maintenance

❖ **Finding the latest information on EBFs and software maintenance**

- 1 Point your Web browser to the Sybase Support Page at <http://www.sybase.com/support>.
- 2 Select EBFs/Maintenance. If prompted, enter your MySybase user name and password.
- 3 Select a product.
- 4 Specify a time frame and click Go. A list of EBF/Maintenance releases is displayed.

Padlock icons indicate that you do not have download authorization for certain EBF/Maintenance releases because you are not registered as a Technical Support Contact. If you have not registered, but have valid information provided by your Sybase representative or through your support contract, click Edit Roles to add the “Technical Support Contact” role to your MySybase profile.

- 5 Click the Info icon to display the EBF/Maintenance report, or click the product description to download the software.

Conventions

This section describes the syntax and style conventions used in this book.

Note Throughout this book, all references to Adaptive Server™ Enterprise also apply to its predecessor, SQL Server. Also, Adaptive Server Enterprise (ASE) and Adaptive Server (AS) are used interchangeably

The Client Option uses 8-character function names, while other versions of Client-Library use longer names. This book uses the long version of Client-Library names with one exception: The 8-character version is used in syntax statements. For example, CTBCMDPROPS has 11 letters. In the syntax statement, it is written CTBCMDPR, using 8 characters. You can use either version in your code.

The following table explains the syntax conventions used in this book.

Symbol	
()	Parentheses indicate that parentheses are included as part of the command.
{ }	Braces indicate that you must choose at least one of the enclosed options. Do not type the braces when you type the option.
[]	Brackets indicate that you can choose one or more of the enclosed options, or none. Do not type the brackets when you type the options.
	The vertical bar indicates that you can select only one of the options shown. Do not type the bar in your command.
,	The comma indicates that you can choose one or more of the options shown. Separate each choice by using a comma as part of the command.

The following table explains style conventions used in this book.

This type of information	Looks like this
Gateway-Library function names	TDINIT, TDRESULT
Client-Library™ function names	CTBINIT, CTBRESULTS
Other executables (DB-Library™ routines, SQL commands) in text	the dbrpcparam routine, a select statement
Directory names, path names, and file names	<i>/usr/bin directory, interfaces file</i>
Variables	<i>n bytes</i>
Adaptive Server® Enterprise datatypes	<i>datetime, float</i>
Sample code	<code>01 BUFFER PIC S9(9) COMP SYNC. 01 BUFFER PIC X(n) .</code>
User input	<code>01 BUFFER PIC X(n)</code>
Client-Library and Gateway-Library function argument names	<i>BUFFER, RETCODE</i>

This type of information	Looks like this
Client-Library function arguments that are input (I) or output (O)	<i>COMMAND</i> – (I) <i>RETCODE</i> – (O)
Names of objects stored on the mainframe	SYCTSAA5
Symbolic values used with function arguments, properties, and structure fields	CS-UNUSED, FMT-NAME, CS-SV-FATAL
Client-Library property names	CS-PASSWORD, CS-USERNAME
Client-Library and Gateway-Library datatypes	CS-CHAR, TDSCHAR

All other names and terms appear in this typeface.

If you need help

Each Sybase installation that has purchased a support contract has one or more designated people who are authorized to contact Sybase Technical Support. If you cannot resolve a problem using the manuals or online help, please have the designated person contact Sybase Technical Support or the Sybase subsidiary in your area.

Understanding the Client Option

This chapter includes the following topics:

Topic	Page
What is the Client Option?	1
Client Option communications	2

What is the Client Option?

Client Option is a programming environment that provides Open Client™ Client-Library routines for use in building mainframe client applications.

The Client Option runs on an IBM z/Series or plug-compatible mainframe computer. It uses TCP/IP communications and is available for CICS, IMS TM and native MVS host transaction processors.

This guide will focus on the Client Option installation and administration for IBM IMS TM and MVS. For information relating to the Client Option for CICS, refer to the *Mainframe Connect Client Option for CICS Installation and Administration Guide*.

Client Option applications can communicate with two kinds of servers:

- Adaptive Server Enterprise and Open Server™ on PCs and several mid-range UNIX platforms.
- Server Option applications running in a separate region on the mainframe.

Client Option applications can send requests to Adaptive Server Enterprise, Open Server applications, and Server Option applications such as the DB2 UDB Option for CICS.

Adaptive Server
Enterprises

Client Option applications can send requests to Adaptive Server Enterprises indirectly in a two-tier (gateway-less) environment using TCP. See the following section for more information on the two-tier environment.

Server Option


Client Option applications can send requests directly to Server Option applications.

Note Mainframe ClientConnect (MCC) is no longer being provided or supported. Sybase recommends that you migrate from a three-tier (gateway-enabled) environment to a two-tier environment using TCP.

Client Option communications

The following diagram shows a basic Client Option configuration in a two-tier (gateway-less) environment for TCP/IP only.

Figure 1-1: Client Option in a two-tier TCP environment



Communication flow

This section describes what happens at the mainframe and at the server in the Client Option processing.

At the mainframe

A Client Option application calls a pre-written procedure, such as a stored procedure or an Open Server application. All calls from the Client Option to remote nodes are processed using TCP/IP. For requests to an Open Server, the client can access any data available to the Open Server application.

The called procedure or transaction executes and returns results to the calling Client Option application, which can use the results for local processing. If the client has permission, the client transaction can update data at remote sites by inserting, modifying, and deleting entries in database tables or other data storage systems.

isql utility

The Client Option includes isql, a utility that allows users to send SQL language commands using TSO. Users specify the server, user ID, password and the input file containing the SQL statements. For more information about using isql with the Client Option, see Chapter 4, “Using isql.”

Server-Host Mapping Table

For TCP/IP, the Client Option includes a Server-Host Mapping Table that allows you to define servers for two-tier environments. For more information, see Appendix A, “Customization Options.”

At the server

Typically, a server accepts requests from a client and returns results. The server can be an Adaptive Server Enterprise, an Open Server, or Server Option on the mainframe.

From the server standpoint, a request from an IBM host is no different than a request from a Sybase client. The Client Option performs ASCII-EBCDIC translations and datatype conversions.

Client Option security

Security for the Client Option processing can be configured to require permission to:

- Log into the target server or desired IMS TM region

- Use specific commands, stored procedures or transactions, and data objects at the target server

For more information about:

- *Adaptive Server Enterprise security*: Refer to the chapter called “Security Administration,” in the *Adaptive Server Enterprise System Administration Guide*.
- *Security for requests that go through DirectConnect for z/OS Option*: Refer to the *Mainframe Connect DirectConnect for z/OS Option User's Guide for Transaction Router Services*.
- *Mainframe security*: Refer to documentation provided with IMS TM and MVS, or the appropriate mainframe security system.

Planning Your Installation

This chapter explains issues to consider prior to installing the Client Option and covers the following topics:

Topic	Page
Choosing a network driver	5
Planning the installation	6

Choosing a network driver

The Client Option supports concurrent use of multiple network drivers, providing additional flexibility and ease of installation for sites configured to run TCP/IP.

The network drivers can be invoked from the same Client Option and Server Option common code base. The appropriate network driver is loaded dynamically at the time the program executes.

You must use the SYGWDRIV macro to define the network drivers to be used with the Client Option and Server Option. For each operating environment, the default SYGWXCPH member provided contains the SYGWDRIV macro definitions for all of the supported network drivers pertinent to the technology. The person installing the Client Option should edit the appropriate *IxHOST* member to comment-out the drivers that your site does not intend to use.

General criteria for choosing a driver

This section lists the network drivers used by the Client Option for IMS or MVS.

Operating environment

The following drivers are supported for the Client Option for IMS and MVS:

- IBM TCP/IP
- CPIC for IMS or MVS

Note Interlink TCP/IP is no longer supported.

The following table indicates which drivers can be used by the Client Option for IMS and MVS in a two-tier environment and to communicate with the Server Option for CICS or for IMS.

Driver	Gateway-less	To Server Option for CICS	To Server Option for IMS
<i>TCPIMS</i>	X ¹		
<i>TCPMVS</i>	X ²		
<i>CPICIMS</i>		X ¹	X ¹
<i>CPICMVS</i>		X ²	X ²

1. The Client Option for IMS

2. The Client Option for MVS

Planning the installation

This section includes the following topics:

- Installation media
- Pre-installation tasks

Installation media

The Client Option is distributed on CD or in downloadable form. The Client Option is no longer distributed on tape.

Note EBFs for the Client Option are no longer distributed by tape. For information on obtaining the latest EBFs for the Client Option, see the Mainframe Connect Client Option for IMS and MVS *Release Bulletin*.

Pre-installation tasks

Installation requires completing the following pre-installation tasks, which are explained in the following subsections. You should skip those tasks that do not pertain to the option or options you have chosen to install.

1. Verify the platforms, components, and distributed software
2. Verify the space requirements
3. Determine JCL and system information
4. Determine CICS and DB2 UDB information
5. Determine compiler information
6. Determine Client Option information
7. Determine ftp information
8. Plan the security requirements
9. Identify the change control requirements
10. Back up the release libraries (upgrades only)
11. Determine the library names
12. Verify the connectivity

Task list

Following is the list of tasks to be performed prior to installation.

1. Verify the platforms, components, and distributed software

See the Mainframe Connect Client Option for IMS and MVS *Release Bulletin*.

2. Verify the space requirements

Verify the space required install the Client Option. The total space required for the Client Option is approximately 15.5MB.

Note You can duplicate various libraries to support the configuration of your environment. However, duplication requires additional space.

3. Determine JCL and system information

Determine the following information to be used in the installation procedure:

- JCL jobcard values – used in the final installation jobs run in TSO.
- High-level qualifier – used as a prefix for data sets generated during installation.
- Volume serial number – indicates where generated data sets are cataloged.
- Unit parameter value – indicates the device requirements for cataloging generated data sets.
- Work unit – used for temporary work data sets.
- Customer CICS, IMS, and MVS LOADLIBs – pre-cataloged partitioned data sets (PDSs) or partitioned data sets extended (PDSE) into which configuration modules and sample programs are to be linked.

4. Determine CICS and DB2 UDB information

Determine the following information if you intend to install a component that uses CICS or DB2 UDB:

- High-level qualifier for CICS system data sets.
- RDO data set name (DSN), which is the name of the CICS RDO (DFHCSD) containing the application resource definitions used by your CICS region.
- RDO group list, which is the RDO group list used by your CICS region when executing an initial start.

- The CICS region APPLID, which is the VTAM APPLID for your CICS region.
- DB2 system data sets high-level qualifier, which is the high-level qualifier used for DB2 system data sets.
- DB2 exit data set name.
- DB2 data set name (DSN).

5. Determine compiler information

Determine the following information if you intend to install an API component:

- LE370 high-level qualifier, used for the Language Environment 370.
- COBOL compiler name, which is the module used to execute COBOL in your environment.
- COBOL compiler LOADLIB, which is the system LOADLIB where your COBOL compiler module resides.
- PL/1 compiler name, which is the module used to execute PL/1 in your environment.
- PL/1 compiler LOADLIB, which is the system LOADLIB where your PL/1 compiler module resides.
- C compiler data sets high-level qualifier, which is the high-level qualifier used for C.
- TCP/IP data sets high-level qualifier.

6. Determine Client Option information

Determine the following information for use in installing the Client Option:

- TCP address space name.
- Remote server name, which is the name by which your Client Option applications will refer to the remote server.
- Remote TCP host name, which is the DNS name for the remote server.
- Remote server TCP host port, which is the TCP/IP port used by the remote server.

7. Determine ftp information

Determine the following information needed to establish an ftp connection to your mainframe:

- User ID.
- Password.
- Mainframe host name.
- Control port number, which is the listener port used by your mainframe ftp server, usually 21.
- TCP address space name.
- Volume serial number or unit. You may specify either a volume serial number (VOL=SER) and unit assignment for ftp to use, or allow ftp to use default values.
- Log path name, which indicates where ftp log information is to be written.

8. Plan the security requirements

Review your security requirements with your security administrator. You may also need to consult with your network administrator.

9. Identify the change control requirements

Create a change control plan that includes:

- All the tasks that need to be considered for installation
- The different groups that need to be aware of the environment change, such as field personnel and groups involved in administering applications, z/OS, security, change control, and scheduling
- A schedule, including cut-off dates for specific tasks

10. Back up the release libraries (upgrades only)

If you are upgrading an existing release of the Client Option, Sybase strongly recommends that you back up the entire set of release libraries before beginning this installation.

11. Determine the library names

The shipped library names are unique for this release. If you are upgrading, decide whether you want to use your current library names. If this is a new release, you still might want to consider how to name the files.

You do not have to remove previous releases from your Sybase libraries because default names shipped with this release create an entirely unique set of release libraries. You can change them, however, based on naming standards at your site.

Note When the upgrade is complete and tested, be sure to replace the old LOADLIB name or add the new LOADLIB name to the DFHRPL concatenation for the selected CICS region(s), as described in the installation instructions.

If you are going to continue to use the old Sybase library names, delete all members before installing the new ones with the new version.

12. Verify the connectivity

You may use the standard LAN ping utility to ensure connectivity between z/OS and the workstation.

This chapter describes how to install the Client Option for IMS and MVS.

Topic	Page
Installation and configuration	13
Libraries and samples	19

Before you begin

Be sure you completed the tasks in Chapter 2, “Planning Your Installation.”

Installation and configuration

The following two procedures describe the installation steps necessary to install all Mainframe Connect options from the InstallShield wizard and to complete the installation for the Client Option for IMS and MVS. You should skip those installation steps that do not pertain to the option or options you have chosen to install.

Note The InstallShield wizard runs only on Windows.

❖ Installing from the InstallShield wizard

- 1 Start the InstallShield wizard from CD by executing *setupwin.exe*, which is in the root directory.

The initial dialog box displays the options available for installation. Click Next and Back to navigate through the wizard. To cancel the installation, click Cancel.

- 2 Click Next, and accept the terms of the user-license agreement by selecting your country in the drop-down list and selecting the option to indicate that you agree with the terms.

- 3 Click Next, and select the components you want to install.

Note If you are installing the Server Option for CICS API or the DB2 UDB Option for CICS, the Server Option for CICS Runtime component will be automatically selected as you proceed to the next screen.

- 4 Enter the license keys for the components you purchased.
- 5 Click Next, and provide the following JCL and system information:
 - *JCL Line 1-3*: Enter a valid jobcard. This is used to run the final installation jobs in TSO.
 - *High Level Qualifier*: The high-level qualifier is used as a prefix for all data sets generated during installation.
 - *Volume*: The volume serial number indicates where generated data sets are cataloged.
 - *Unit*: The unit parameter value indicates the device requirements for cataloging generated data sets.
 - *Work Unit*: This is for the use of temporary work data sets.
 - *Customer CICS, IMS, and MVS Loadlibs*: These are pre-cataloged partitioned data sets (PDSs) or partitioned data sets extended (PDSE) into which configuration modules and sample programs are to be linked. For CICS, this data set should be in the DFHRPL configuration ahead of other Sybase libraries.

Click Next.

- 6 If you have chosen to install an option that uses CICS, DB2, or IMS, provide the following information where it applies. Otherwise, skip to the next step.
 - *CICS system datasets hlq*: The high-level qualifier for CICS system data sets is used to locate *SDFHLOAD* and other CICS libraries.
 - *RDO Dataset*: The RDO data set name is the name of the CICS RDO (DFHCSD) containing the application resource definitions used by your CICS region.
 - *RDO Group List*: The RDO group list is the RDO group list used by your CICS region when executing an initial start.
 - *CICS Region Applid*: The CICS region APPLID is the VTAM APPLID for your CICS region.

- *DB2 system datasets hlq*: The DB2 system data sets high-level qualifier is used for DB2 system data sets.
- *DB2 Exit Dataset*: This is the name of the DB2 exit data set used by your DB2 region.
- *DB2 DSN Name*: This is the data set name (DSN) of your DB2 region.
- *IMS datasets hlq*: The high-level qualifier for IMS system data sets is used to locate IMS libraries.

Click Next.

- 7 If you have chosen to install an API component, provide the following compiler information, which is used to configure JCL for compiling sample programs. Otherwise, skip to the next step.
 - *LE/370 datasets hlq*: The LE370 high-level qualifier is used for the Language Environment 370 and is used here to locate data sets like *CEELKED*.
 - *COBOL Compiler Name*: The COBOL compiler name is the module used to execute COBOL in your environment.
 - *COBOL Compiler Loadlib*: The COBOL compiler LOADLIB is the system LOADLIB in which your COBOL compiler module resides.
 - *PLI Compiler Name*: The PLI compiler name is the module used to execute PLI in your environment.
 - *PLI Compiler Loadlib*: The PLI compiler LOADLIB is the system LOADLIB in which your PLI compiler module resides.
 - *C compiler datasets hlq*: The C compiler data sets high-level qualifier is the high-level qualifier used for C and is used to locate data sets like *SBCCMP*.
 - *TCP/IP datasets hlq*: The TCP/IP data sets high-level qualifier is used to locate data sets like *SEZATCP*.

Click Next.

- 8 If you have chosen to install the Client Option for CICS, provide the following information for configuring a host connection definition for the Client Option. Otherwise, skip to the next step.
 - *TCP Address Space Name*: This is the name of your TCP/IP region.
 - *Server Name*: This is the name by which your Client Option applications refers to the remote server.

- *Server TCP Host Name*: This is the DNS name for the remote server.
- *Server TCP Host Port*: This is the TCP/IP port used by the remote server.

Click Next.

- 9 If you have chosen to install the Server Option for CICS or the DB2 UDB Option for CICS, provide the following information for configuring a TCP/IP listener for these options. Otherwise, skip to the next step.

- *TCP Address Space Name*: This is the name of your TCP/IP region.
- *Listener Port*: This is the port on which the option listens.

Note The Server Option for CICS and the DB2 UDB Option for CICS share the same TCP/IP listener.

Click Next.

- 10 Click Next until the wizard displays the information you entered in steps 5 through 8. Review this information and, if necessary, click Back to return to previous screens and make corrections.

- 11 Click Next until the wizard displays a dialog box for ftp information. Provide the following data for establishing an ftp session to your mainframe:

- *Userid*: This is the mainframe user ID for the ftp session.
- *Password*: This is the password for the ftp session.
- *Mainframe Host Name*: This is the mainframe DNS name.
- *FTP Port*: This is the control port used by your mainframe ftp server, usually 21.
- *VOL/UNIT Assignment*: Specify either a volume serial number and unit assignment for ftp, or allow ftp to use default values.

Note If you specify a volume serial number that does not exist, ftp hangs until the mainframe responds to a message requesting that the volume be mounted.

- *Log FTP Commands*: This indicates where ftp log information is to be written. This log information may be useful in troubleshooting ftp problems.

The InstallShield wizard will create JCL and upload the selected components to your mainframe once you click Next.

12 Close the InstallShield wizard.

To complete the installation of your Mainframe Connect components, review and submit JCL from TSO. If you are installing multiple components, Sybase strongly suggests that you install in the following sequence:

- 1 Client Option for CICS
- 2 Server Option for CICS
- 3 DB2 UDB Option for CICS
- 4 Any other options

Use the following procedure to complete your installation for the Client Option for IMS. If you are installing the Client Option for MVS, skip to the next procedure.

❖ **Completing the installation for IMS**

- 1 Locate the installation JCL for the Client Option for IMS in *hlq.OCC126.IMS.JCL*, where *hlq* is the high-level qualifier you specified in step 5.
- 2 Run the following jobs in the order they are described here:
 - *IxRECV*: This job runs IKJEFT01 to use the TSO RECEIVE command to build and populate the product libraries.
 - *IxHOST*: This job assembles and links the Client Option for IMS customization module, character sets, licensing, and remote host definitions. You may rerun this job at any time to change configuration and character sets or to add, remove, or modify remote host definitions.
 - *IxDELETE*: This optional job deletes the data sets in the TSO XMIT form used for the installation.
- 3 Run the following jobs if you want to compile and link-edit the sample applications provided with the Client Option for IMS:
 - *SCTCOBI*: This job compiles and links the sample COBOL applications that use the Client Option interface.

- *SCTCOB2*: This job compiles and links the sample COBOL applications that act as Server Option applications that make Client Option calls.

Note This job can be run only if the Server Option has been installed.

- *SCTC1*: This job compiles and links the sample C applications that use the Client Option interface.
- *SCTMAP*: This job generates MFS maps for the sample programs.
- *SCTPLI1*: This job compiles and links the sample PL/1 applications that use the Client Option interface.
- *SCTPLI2*: This job compiles and links the sample PL/1 applications that act as Server Option applications that make Client Option calls.

Note This job can be run only if the Server Option has been installed.

- *SCTPSB*: This job generates IMS PSBs for the sample programs.
- *SCTPSB*: This job creates and initializes the IMS database for the sample programs.

❖ **Completing the installation for MVS**

- 1 Locate the installation JCL for the Client Option for MVS in *hlq.OCC126.MVS.JCL*, where *hlq* is the high-level qualifier you specified in step 5.
- 2 Run the following jobs in the order they are described here:
 - *IxRECV*: This job runs IKJEFT01 to use the TSO RECEIVE command to build and populate the product libraries.
 - *IxHOST*: This job assembles and links the Client Option for MVS customization module, character sets, licensing, and remote host definitions. You may rerun this job at any time to change configuration and character sets or to add, remove, or modify remote host definitions.
 - *IxDELETE*: This optional job deletes the data sets in the TSO XMIT form used for the installation.
- 3 Run the following jobs if you want to compile and link-edit the sample applications provided with the Client Option for MVS:

- *SCTISQL*: This job contains the JCL for executing the SYISQL program.
- *SCTMCOB*: This job compiles and links the sample COBOL application programs that use the Client Option.
- *SCTMPA5*: This job contains the JCL for executing the SYCTMPA5 application program.
- *SCTMPB5*: This job contains the JCL for executing the SYCTMPB5 application program.
- *SCTMPC5*: This job contains the JCL for executing the SYCTMPC5 application program.
- *SCTMPD5*: This job contains the JCL for executing the SYCTMPD5 application program.

Libraries and samples

For a list and description of the libraries, sample programs, JCL, and transactions for your product, see the *CONTENTS* member of the *JCL* data set.

Using isql

The `isql` utility enables you to send SQL requests from your TSO prompt. The Client Option routes the SQL requests to the specified server and returns the results at your terminal.

Note The IBM C370 runtime library is required for `isql`.

Invoking isql

The MVS `isql` utility can be invoked as a standard batch program using the following parameters:

- `SE`—Server name (SQL Server or Open Server)
- `U`—User ID
- `PAS`—Password
- `NETDRIVER`—Driver type used to establish a connection. For the IBM TCP/IP driver, use `TCPIBM`. For the CPIC driver, use `CPIC`.
- `LOGINCSET`—Name of the character set to be used for logging in to the remote server. Some possible values are `iso_1`, `utf8`, and `sjis`.
- `DISPCCSID`—CCSID to be used for displaying the server result set. Some possible values are 500, 1025, and 277.

The `LOGINCSET` and `DISPCCSID` parameters are to be used only when the `USEIBMUNICODE` option in the `SYGWXCPH` module is set to `Y`. For more information, see Appendix A, “Customization Options.”

STEPLIB

The `STEPLIB` DD statements must point to the following:

- Client Option MVS load library
- C370 runtime libraries
- SYGWXCPH module
- *TCPIP.SEZALINK* data set (for TCP/IP connections)

Example

The following is an example of a simple MVS isql invocation.

```
/MYJOB JOB ...
//GO      EXEC PGM=SYISQL,
//        PARM='SE(SYBASE10),U(sa),PAS(NULL),NETDRIVER(TCPIBM)',
//        REGION=4096K
//*
//* The following 2 lines are an example of using the new
//* Unicode support parameters when USEIBMUNICODE=Y.
//*
//* PARM='SE(ase1),U(sa),PAS(NULL),NETDRIVER(TCPIBM),DISPCSID(500),LOG*
//*          INCSET(utf8)',
//*
//STEPLIB DD DSN=SYBASE.OCC126.MVS.LOADLIB,DISP=SHR
//        DD DSN=CEE.SCEERUN,DISP=SHR
//*      DD DSN=TCPIP.SEZALINK,DISP=SHR <-- Change
//*
//SYSPRINT DD SYSOUT=*
//SYSUDUMP DD SYSOUT=*
//SYSTEM   DD SYSOUT=*
//*
//SYBSQLIN DD *
SELECT * FROM SYBASE.SAMPLETB
go
/*
//
```

Note An example of a batch isql invocation is provided in *SYBASE.OCC126.MVS.JCL(SYIHTSQL)*.

Customization Options

This appendix includes the following topics:

Topic	Page
Overview	23
Customizing global options (SYGWCST)	24
Using the IBM z/OS conversion environment and services	27
Customizing mainframe character set conversion options (SYGWCXL)	28
Customizing dynamic network drivers (SYGWDRIV)	34
Customizing the TCP/IP driver (SYGWHOST)	36
Defining license keys (SYGWLKEY)	38
Building a global customization module (SYGWXCPH)	38

Overview

You can customize Sybase mainframe access components to meet the requirements at your site. The customization load module SYGWXCPH is a table created by assembling and linking five macros:

- SYGWCST is a global customization macro.
- SYGWCXL is a character set conversion macro.
- SYGWDRIV specifies which dynamic network driver(s) are used at the site.
- SYGWHOST provides mapping between Sybase Server names and TCP/IP addresses or host names.
- SYGWLKEY is a license key macro.

The SYGWXCPH table is shared by the Client Option and the Server Option.

Customizing global options (SYGWMCST)

SYGWMCST, one of the macros in table SYGWXCPH, provides options for customizing the the Client Option and the Server Option. Some Server Option parameters are used only for customizing the DB2 UDB Option for CICS. You can customize SYGWMCST using the provided JCL member.

The following table describes SYGWMCST parameters. These apply to both the Client Option and Server Option, except where noted.

Table A-1: Complete list of SYGWMCST parameters

Parameter	Default	Format	Purpose
<i>ACCESSCODE</i> (Server Option only)	blank	Up to 32 characters	<p>Defines an access code, which is then compared to the access code supplied by Server Option programs using TDGETUSR.</p> <p>If the access codes do not match, the client password is not returned to the caller of Server Option programs using TDGETUSR.</p> <p>See the appropriate Mainframe Connect Server Option <i>Programmer's Reference</i> for details on TDGETUSR.</p>
<i>ACCESSCODESW</i> (Server Option only)	N	Y or N	<p>Turns on/off access code comparison (see <i>ACCESSCODE</i> value).</p> <p>When <i>ACCESSCODESW</i>=N (default), the logged-in password is always returned to the caller of Server Option programs using TDGETUSR.</p> <p>When <i>ACCESSCODESW</i>=Y, the logged-in password is returned only if the access code passed to TDGETUSR matches the access code specified in SYGWMCST <i>ACCESSCODE</i>.</p>
<i>CHARSETSRV</i>	iso_1	Up to 32 characters	<p>Specifies the default character set that the Client Option or Server Option uses internally. The valid values are iso_1 and utf8.</p> <hr/> <p>Note The value utf8 is valid only if <i>USEIBMUNICODE</i> is set to Y.</p>
<i>DEBUGSW</i>	N	Y or N	<p>Specifies whether or not debugging messages, used in troubleshooting, should be displayed in the system log.</p>

Parameter	Default	Format	Purpose
<i>DECPOINT</i> (<i>Server Option only</i>)	'.'	Either a decimal point or comma delimited by single quotation marks	Decimal point indicator, used only with the DB2 UDB Option for CICS.
<i>DEFLTPROTOCOL</i>	TCP	TCP	Specifies the default network driver protocol.
<i>DQUOTETRAN</i> (<i>Server Option only</i>)	Y	Y or N	Used only with the DB2 UDB Option for CICS. Make this setting consistent with your DB2 configuration. When <i>DQUOTETRAN</i> =Y (default), double quotes are translated to single quotes in incoming SQL text. If you are using an ODBC driver, set <i>DQUOTETRAN</i> =N. Note If you are using double-byte or multibyte characters for DB2 metadata, set <i>DQUOTETRAN</i> =N.
<i>IMSLOGTYPE</i> (<i>IMS TM only</i>)	A1	A value greater than or equal to A0	Specifies a log type. IMS TM reserves values less than A0.
<i>LONGVARTRUNC</i>	N	Y or N	Indicates whether to truncate <i>LongVarChar</i> and <i>VarBinary</i> . <i>For CICS only:</i> Coordinate this setting with the DirectConnect for z/OS Option TRS. If either this parameter or the TRS <i>TruncateLV</i> configuration property is set for truncation, truncation occurs. If you do not want truncation, set this parameter to N and make sure the TRS <i>TruncateLV</i> configuration property is set to No. See the Mainframe Connect DirectConnect for z/OS Option <i>User's Guide for Transaction Router Services</i> .

Parameter	Default	Format	Purpose
<i>MVSDDNAME</i> (<i>IMS TM and MVS only</i>)	blank	From 1 to 8 characters	<p>The DD name of the MVS Open Client/Open Server log file. If this parameter is left blank (the default), MVS transactions are not logged. If you enter a DD name of 1-8 characters, MVS transactions are logged. The name specified here must match a DD name specified in each MVS transaction profile job.</p> <p><i>MVSDDNAME</i> must match a DD name specified in the JCL for one of the following:</p> <ul style="list-style-type: none"> • An MVS job • An MVS started task • The MVS transaction profile (if run in an APPC initiator as a transaction)
<i>NATLANGUESRV</i>	us_english	Up to 32 characters	<p>Designates the default national language used by the Client Option or Server Option. Also see the <i>CHARSETSRV</i> property.</p>
<i>ROWLIMIT</i> (<i>Server Option only</i>)	0 (zero)		<p>Used only by the DB2 UDB Option for CICS. When <i>ROWLIMIT</i>=0, there is no limit to the number of rows that can be sent.</p> <p><i>ROWLIMIT</i>=<i>n</i>, where <i>n</i> indicates the global limit of rows that can be sent.</p>
<i>USEIBMUNICODE</i>	N	Y or N	<p>Specifies whether or not Unicode support for a particular z/OS installation is enabled through the IBM conversion environment and services.</p> <ul style="list-style-type: none"> • If <i>USEIBMUNICODE</i>=Y, IBM support is used for character set conversions. • If <i>USEIBMUNICODE</i>=N, conversion is accomplished through the product-supplied translation tables.

Note If *USEIBMUNICODE*=Y, all character sets that are to be used at a particular site must have entries created with the SYGWMCXL macro.

See “Using the IBM z/OS conversion environment and services.”

Note The following parameters are no longer used:

- *DBCS*
 - *NOUDTTRAN*
 - *PARSEXITNAME*
 - *PARSEXITSW*
-

Using the IBM z/OS conversion environment and services

Unicode support in the Client Option and Server Option is based on Unicode support provided by IBM z/OS, including the conversion environment and conversion services. When the conversion environment and services are installed and set up, the Client Option and Server Option can convert character streams from one Coded Character Set Identifier (CCSID) to another. This functionality is provided in addition to the support for language and character sets offered in previous versions.

To install IBM Unicode support, use the following procedure.

❖ Installing IBM Unicode support

- 1 Create an *IMAGE* member in *SYS1.PARMLIB* using the CUNMIUTL utility.
- 2 Copy the *CUNIMG01* member from *WORK.IMAGE* to *SYS1.PARMLIB*. The *CUNIMG01* member is loaded into z/OS using the following command:

```
SET UNI=01
```

The following command displays the current active image and the character set conversions defined for that image:

```
DISPLAY UNI, ALL
```

To enable Unicode support for the Client Option and Server Option, set the *USEIBMUNICODE* configuration parameter to Y. The *USEIBMUNICODE* parameter is specified in the SYGWMCST macro in the SYGWXCPH customization module. For more information on installing Unicode support for IBM z/OS, see “Support for Unicode Using Conversion Services” (SA22-7649-01).

Customizing mainframe character set conversion options (SYGWMCXL)

SYGWMCXL is the character set conversion macro in the table SYGWXCPH. The following considerations apply in using the SYGWMCXL macro:

- When Unicode support is disabled (*USEIBMUNICODE=N*) and the original translation method is used, SYGWMCXL can be used to override supplied SBCS translation tables or to define new SBCS translation tables.
- When Unicode support is enabled (*USEIBMUNICODE=Y*), SYGWMCXL is used to create definition entries for the character sets to be used in the Client Option or Server Option conversions at a particular installation. These entries are created in addition to system-generated entries.

Note All EBCDIC-to-ASCII and ASCII-to-EBCDIC translation for the Client Option or the Server Option occurs on the mainframe.

Overriding the supplied SBCS translation tables

For SBCS, shipped character sets are called *predefined*, and the character sets you define are called *user-definable*.

Predefined character sets

Predefined SBCSs shipped with the product include:

SBCS	Definition
ascii_8	Default used for logins and for IBM cp1027 (code page 1027) support
cp437 (code page 437)	Used by IBM PCs
cp850 (code page 850)	IBM/Microsoft Multilingual Character Set, used by IBM PCs
iso_1 (ascii 0819)	International ISO standard, 8-bit character set for many systems, and the default for Adaptive Server Enterprise on several platforms
mac (Macintosh Roman)	Default used by Macintosh systems
roman8	Default Hewlett-Packard proprietary character set

Note Unpredictable failures can occur if the character set names are changed from lowercase to uppercase.

User-defined character sets

You can change all attributes for user character sets. The SBCS settings of the parameters for SYGWMCXL are:

Table A-2: SYGWMCXL parameters for SBCS

Parameter	Value
A2E	Optional ASCII-to-EBCDIC translate overrides
E2A	Optional EBCDIC-to-ASCII translate overrides
CHARSET	Name of the SBCS
CHARSETBYTES	S for SBCS
TYPE	Valid types: <ul style="list-style-type: none"> • INITIAL • ENTRY (default) • FINAL

If there is no override entry for a predefined character set, a default entry is generated with the appropriate translation tables and other attributes for that character set. A total of 99 character sets, including custom-generated character set entries, is supported.

The minimum translate customization entries are:

```
SYGWMCXL TYPE=INITIAL  
SYGWMCXL TYPE=FINAL
```

These entries generate all of the predefined SBCSs.

Defining new SBCS translation tables

For SBCSs, you can modify the translation tables shipped with the product and create new translation tables with names you define.

Warning! Do not use the shipped table names for the tables you create.

If you create new tables for the Server Option in a three-tier environment, you must coordinate with the person responsible for the Sybase client. The client uses the names of the tables you create to issue logins to the DirectConnect for z/OS Option TRS.

When you finish customizing the SBCS translation tables, rebuild the SYGWXCPH module, and load the new module for your revisions to take effect. Instructions are provided in “Building a global customization module (SYGWXCPH)” on page 38.

Overriding defaults and creating new tables on the mainframe

The SYGWMCXL macro generates translation tables to convert between ASCII and EBCDIC character sets. Default translation tables are generated for the following ASCII character sets:

- ascii_8
- cp437
- cp850
- iso_1
- mac

- roman8

Note Unpredictable failures can occur if the character set names are changed from lowercase to uppercase.

These default tables also provide the “base” for any character set changes or new tables you want to define. For details on the base translate tables, see Appendix B, “Translation Tables.”

You can change all attributes for user character sets. An entry is added to the translate table, specifying the appropriate character set attributes. Two examples follow for overriding defaults.

The first example, Figure A-1, shows how to use A2E and E2A macro parameters to override the ASCII-to-EBCDIC defaults. You can use uppercase or lowercase to define the parameters.

When you override the ASCII-to-EBCDIC defaults, the appropriate base table is picked up as a template for the character overrides or user-defined character sets, thus generating a default table. In the following example, the client is using `us_english`, which is not predefined.

The second example shows how to modify the default character set, `iso_1`, for Hebrew, creating a new table:

Figure A-1: Using A2E and E2A example

<p><i>Start overrides in column 16.</i></p> <p>↓</p>	<pre>SYGWMCXL TYPE=INITIAL SYGWMCXL TYPE=ENTRY CHARSET=iso_1, CHARSETBYTES=S, A2E=(0C-40,0A-40), E2A=(7F-20) SYGWMCXL TYPE=FINAL</pre>	<p><i>Put continuation mark in column 72.</i></p> <p>↓</p>
--	--	--

This example converts both of the following:

- ASCII form feeds (x'0C') and line feeds (x'0A') to EBCDIC spaces (x'40')
- EBCDIC DELs (x'7F') to ASCII space (x'20')

Table A-3: SYGWMCXL macro parameters

Parameter	Value
<i>CHARSET</i>	The name of the SBCS or DBCS character set.
<i>CHARSET BYTES</i>	An S to denote SBCS, or a D to denote DBCS.
<i>CCSID</i>	The CCSID for the character set.
<i>CHARSETYPE</i>	The type of character set. A denotes ASCII, and E denotes EBCDIC.
<i>CHARSIZE</i>	The maximum length of a character, from 1 to 4 bytes.
<i>PAD</i>	The padding character. The value of this parameter depends on the character set type. For ASCII, the padding character is 20. For EBCDIC, the padding character is 40.

Note If *USEIBMUNICODE=Y*, all character sets that are to be used at a particular site must have entries created with the SYGWMCXL macro.

The following examples illustrate definitions for Russian and Japanese EBCDIC character sets, which are code pages 1025 and 939, respectively.

Example: code page 1025

```
SYGWMCXL TYPE=ENTRY,
CHARSET=Russian, CHARSETBYTES=S,
CCSID=1025, CHARTYPE=E, CHARSIZE=1, PAD=40
```

Example: code page 939

```
SYGWMCXL TYPE=ENTRY,
CHARSET=cp939, CHARSETBYTES=D,
CCSID=939, CHARTYPE=E, CHARSIZE=2, PAD=40
```

In addition to the default ASCII SBCS translation tables, the following names are used to generate system entries for ASCII DBCS character sets:

- *sjis* – Japanese code page cp943 or cp932
- *ucjis* – Japanese code page cp33722
- *cp950* – traditional Chinese Big5 or cp950
- *cp936* – simplified Chinese GBK or cp936

If you use any of these names, you do not need to create a new definition.

Customizing dynamic network drivers (SYGWDRIV)

SYGWDRIV, a macro in the SYGWXCPH table, defines the dynamic network drivers for the the Client Option or Server Option.

Note If you are using a TCP/IP driver, you must also configure the SYGWHOST macro.

CICS network drivers

The following default drivers are shipped with the Client Option or Server Option, depending on the environment:

Table A-4: CICS network drivers

Driver	Load module name	Comments
LU 6.2	LU62CICS	Uses CICS LU 6.2 API
IBM TCP/IP	TCPCICS	Uses IBM EZACICAL API
CPIC	CPICCICS	Uses CICS CPIC Support

The CICS JCL member *IxHOST* contains the following macro definitions, which set up support for all three network drivers:

```

SYGWDRIV TYPE=INITIAL
*
SYGWDRIV TYPE=ENTRY, ENV=CICS, NETD=LU62
SYGWDRIV TYPE=ENTRY, ENV=CICS, NETD=CPIC
SYGWDRIV TYPE=ENTRY, ENV=CICS, NETD=TCP
*
SYGWDRIV TYPE=FINAL
    
```

Using the CPI-C CICS network driver

If you use the CPI-C CICS driver, you must use CEDDA to define an entry in the CICS PARTNER Table. Due to an IBM requirement, each Partner entry must be exactly 8 characters in length and use A-Z, 0-9. If your actual server name is not 8 characters, put an alias for it in your *interfaces* file.

For example:

Figure A-2: CEDA panel

```

OBJECT CHARACTERISTICS                                CICS RELEASE = 0410

CEDA View PARTner( MYSERVER )
  PARTner      : MYSERVER
  Group       : GROUP42
  Description  : SIDE INFO ENTRY TO GET TO mymcg
REMOTE LU NAME
  NETName     : U6T42P0M
  NETWork    :
SESSION PROPERTIES
  Profile     : SYOCPROF
REMOTE TP NAME
  Tpname     :
  Xtpname    : 94A8948387

                                           SYSID=CICS APPLID=CICS41

PF1 HELP 2 COM 3 END          6 CRSR 7 SBH 8 SFH 9 MSG 10 SB 11 SF 12 CNCL

```

Enter the PARTner and Remote TP name field values as follows:

- **PARTner**—This must be *exactly* 8 characters long. An alias for the eight-character name should be added to the *interfaces* file if necessary.
- **Remote TP name**—If the name of your server is in uppercase, enter it in the Tpname field. If the name of your server is in lowercase, enter the EBCDIC hexadecimal name in the Xtpname field.

Note If you enter a lowercase name in the Tpname field, CEDA changes it to uppercase and an erroneous entry is passed.

Customizing the TCP/IP driver (SYGWHOST)

The SYGWHOST macro is part of the SYGWXCPH global customization module. This macro is used only for the Client Option in connections from the mainframe to other applications. It is required only if you are using a TCP/IP driver, in which case you must configure SYGWHOST to define the mapping between Sybase server names and TCP/IP addresses or host names. Do not depend on the default shipped with the installation to work in your environment.

For the Server Option, only the TYPE=INITIAL and TYPE=FINAL macros are required. The TYPE=ENTRY macros are required only for the Client Option.

This section documents the following topics:

- Macro parameters
- Macro formats

Macro parameters

There are six parameters in the SYGWHOST macro:

Parameter	Definition
<i>HOSTNAME</i>	The name of the host on which the Sybase server resides. The maximum length of the host name is 24 characters. If a value is provided for the <i>IPADDR</i> parameter, the <i>HOSTNAME</i> parameter is ignored, and no DNS search is performed.
<i>IBMTCPADDRSPACE</i>	Designates the name of the IBM TCP/IP address space. This parameter can be specified as either of the following: <ul style="list-style-type: none"> • A hard-coded value of up to 8 characters. • A system symbolic name. System symbolic names are defined in the IEASYMxx PARMLIB member and are limited to seven characters preceded by “&&”. For example, the symbolic name “SYBTCP” would be designated as follows: <pre>IBMTCPADDRSPACE=&&SYBTCP</pre> Symbolic names allow the use of a common SYGWXCPH configuration module across multiple LPARs, even if each LPAR has a different TCP address space name. The default address space name is TCPIP.
<i>IPADDR</i>	The IP address of the host on which the Sybase server resides. If a value is provided for this parameter, the <i>HOSTNAME</i> parameter is ignored.

Parameter	Definition
<i>LISTENER</i>	One of the following: <ul style="list-style-type: none"> • <i>LAN</i> if the listen port is for a LAN-based server (default) • <i>CICS</i> if the listen port is for an CICS Server Option listener • <i>IMS</i> if the listen port is for an IMS TM Server Option listener
<i>LSTNPORT</i>	The listen port of the server specified by <i>SERVERNAME</i> .
<i>SERVERNAME</i>	The 1-30 byte name of a Sybase server.

Macro formats

There are three macro formats: `TYPE=INITIAL`, `TYPE=ENTRY`, and `TYPE=FINAL`.

TYPE=INITIAL

The format of `TYPE=INITIAL` is:

```
SYGWHOST TYPE=INITIAL
```

TYPE=ENTRY

The format of `TYPE=ENTRY` is:

```
SYGWHOST TYPE=ENTRY
  IBMTCPADRSPCNAME=&&TCP,
  LISTENER=(LAN,CICS,IMS)
  LSTNPORT=99999,
  SERVERNAME=sybase10,
  HOSTNAME=myhost
```

TYPE=FINAL

The format of `TYPE=FINAL` is:

```
SYGWHOST TYPE=FINAL
```

Defining license keys (SYGWLKEY)

The SYGWLKEY macro is part of the SYGWXCPH global customization module. It is used to define the customer license key that is verified at runtime.

Note This macro currently applies only to the options for IMS and MVS.

There are two parameters in this macro:

Parameter	Definition
<i>PRODUCT</i>	The product related to the license key, either the Client Option or the Server Option.
<i>KEY</i>	Defines the license key given for a product. The license key is a 22-character numeric value.

The following is an example of SYGWLKEY.

```
SYGWLKEY TYPE=INITIAL
SYGWLKEY TYPE=ENTRY, PRODUCT=OCC, KEY=19320-00000-20$*#-#19$B
SYGWLKEY TYPE=ENTRY, PRODUCT=OSC, KEY=19300-00000-00E2G-4K##6
SYGWLKEY TYPE=FINAL
```

Note For the Client Option and Server Option for CICS, the license keys are kept in a VSAM file. Run the generated job *IxLIC* to install these.

Building a global customization module (SYGWXCPH)

The install process in Chapter 3, “Installation and Configuration” creates the the *IxTCP* job (where *x* is an integer that denotes the order in which the job is to be run in the overall sequence of jobs). The *IxTCP* job can be run to create a basic version of the SYGWXCPH global customization module, which contains the following macros:

- SYGWMCST
- SYGWMCXL
- SYGWDRIV
- SYGWHOST

- SYGWLKEY, for IMS or MVS
- TDSGLOB, a relocatable object module

The SYGWLKEY macro is for IMS or MVS and a relocated object module, TDSGLOB.

Translation Tables

This appendix includes the following topics:

Topic	Page
Understanding the ASCII-EBCDIC and EBCDIC-ASCII translation tables	41
Default ASCII_8 translation tables	44
Default ISO_1 translation tables	47
Default cp437 (code page 437) translation tables	50
Default cp850 (code page 850) translation tables	53

Understanding the ASCII-EBCDIC and EBCDIC-ASCII translation tables

This appendix shows the default settings for the ASCII-EBCDIC and EBCDIC-ASCII translation tables before any user overrides.

Note The translation tables shown here are used in data conversion only if Unicode support is disabled and *USEIBMUNICODE=N*.

The four pairs of default tables are:

- `ascii_8`
- `iso_1`
- `cp437`
- `cp 850`

Note The `ascii_8` default table also provides the “base” for `roman8` (HP), `ibmascii`, `mac` (Macintosh Roman), and user-definable character sets.

Each pair includes a table for ASCII-to-EBCDIC translation, and one for EBCDIC-to-ASCII translation.

Note As supplied, all ASCII character sets translate to and from EBCDIC code page 500 on the mainframe by default.

For the ASCII-to-EBCDIC tables, find the leftmost hexadecimal ASCII digit to the left of the table as a digit followed by an underscore. Find the rightmost hexadecimal ASCII digit on top of the table as a digit preceded by an underscore.

Here is an example from the default table in the section “ASCII_8, ASCII-to-EBCDIC translation table” on page 45.

Figure B-1: Example from the ASCII_8, ASCII-to-EBCDIC translation table

	0	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>
0_	00	01	02	03	37	2D	2E	2F	16	05	25	0B	0C	0C	0E	0F
1_	10	11	12	13	3C	3D	32	26	18	19	3F	27	1C	1D	1E	1F
2_	40	5A	7F	7B	5B	6C	50	7D	4D	5D	5C	4E	6B	60	4B	61

↑
 ASCII x'26' is translated
 to EBCDIC x'50'.

To locate ASCII x'26', find row 2_ to the left of the table, and proceed along that row to the column headed by _6. At the intersection is x'50'. Therefore, ASCII x'26' is translated to EBCDIC x'50'.

For the EBCDIC-to-ASCII tables, find the leftmost hexadecimal EBCDIC digit to the left of the table as a digit followed by an underscore. Find the rightmost hexadecimal EBCDIC digit on top of the table as a digit preceded by an underscore.

Here is an example from the default table in “ASCII_8, ASCII-to-EBCDIC translation table” on page 45.

Figure B-2: Example from the ASCII_8, EBCDIC-to-ASCII translation table

	0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	20	09	20	7F	20	20	20	0B	0C	0D	0E	0F
1_	10	11	12	13	20	20	08	20	18	19	20	20	1C	1D	1E	1F
2_	20	20	1C	20	20	0A	17	1B	20	20	20	20	20	05	06	07

↑
 EBCDIC x'26' is translated to
 ASCII x'17'.

To locate EBCDIC x'26', find row 2_ on the left side of the table; then proceed along that row to the column headed by _6. At the intersection is x'17'. Therefore, EBCDIC x'26' is translated to ASCII x'17'.

Warning! If you create a new table from a default table, give the new table a unique name and coordinate with the appropriate person at the Sybase client site. The client can use the name to issue logins to TRS.

Default ASCII_8 translation tables

This section contains the following tables:

- ASCII_8, ASCII-to-EBCDIC translation table
- ASCII_8, EBCDIC-to-ASCII translation table

The ASCII-to-EBCDIC translation tables in this section are the base tables for the following predefined system SBCSs:

- `ascii_8`
- `roman8`
- `mac`
- `ibmascii`

Use these tables as the base ASCII-to-EBCDIC translation table for user-definable character sets.

ASCII_8, ASCII-to-EBCDIC translation table*Figure B-3: ASCII_8, ASCII-to-EBCDIC translation table*

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	37	2D	2E	2F	16	05	25	0B	0C	0D	0E	0F
1_	10	11	12	13	3C	3D	32	26	18	19	3F	27	1C	1D	1E	1F
2_	40	5A	7F	7B	5B	6C	50	7D	4D	5D	5C	4E	6B	60	4B	61
3_	F0	F1	F2	F3	F4	F5	F6	F7	F8	F9	7A	5E	4C	7E	6E	6F
4_	7C	C1	C2	C3	C4	C5	C6	C7	C8	C9	D1	D2	D3	D4	D5	D6
5_	D7	D8	D9	E2	E3	E4	E5	E6	E7	E8	E9	AD	E0	BD	5F	6D
6_	79	81	82	83	84	85	86	87	88	89	91	92	93	94	95	96
7_	97	98	99	A2	A3	A4	A5	A6	A7	A8	A9	8B	6A	9B	A1	07
8_	80	81	82	83	84	85	86	87	88	89	8A	8B	8C	8D	8E	8F
9_	90	91	92	93	94	95	96	97	98	99	9A	4A	9C	9D	9E	9F
A_	A0	A1	A2	A3	A4	A5	A6	A7	A8	A9	5F	AB	AC	AD	AE	AF
B_	B0	B1	B2	4F	B4	B5	B6	B7	B8	B9	BA	BB	BC	BD	BE	BC
C_	AB	C1	C2	C3	BF	8F	C6	C7	C8	C9	CA	CB	CC	CD	CE	CF
D_	D0	D1	D2	D3	D4	D5	D6	D7	D8	BB	AC	DB	DC	DD	DE	DF
E_	E0	E1	E2	E3	E4	E5	E6	E7	E8	E9	EA	EB	EC	ED	EE	EF
F_	F0	9E	AE	8C	F4	F5	F6	F7	A1	AF	FA	FB	FC	FD	9F	FF

ASCII_8, EBCDIC-to-ASCII translation table

Figure B-4: ASCII_8, EBCDIC-to-ASCII translation table

	0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	20	09	20	7F	20	20	20	0B	0C	0D	0E	0F
1_	10	11	12	13	20	20	08	20	18	19	20	20	1C	1D	1E	1F
2_	20	20	1C	20	20	0A	17	1B	20	20	20	20	20	05	06	07
3_	20	20	16	20	20	20	20	04	20	20	20	20	14	15	20	1A
4_	20	20	20	20	20	20	20	20	20	20	9B	2E	3C	28	2B	B3
5_	26	20	20	20	20	20	20	20	20	20	21	24	2A	29	3B	AA
6_	2D	2F	20	20	20	20	20	20	20	20	7C	2C	25	5F	3E	3F
7_	20	20	20	20	20	20	20	20	20	60	3A	23	40	27	3D	22
8_	20	61	62	63	64	65	66	67	68	69	20	7B	F3	20	20	C5
9_	20	6A	6B	6C	6D	6E	6F	70	71	72	20	7D	20	20	F1	FE
A_	20	7E	73	74	75	76	77	78	79	7A	20	C0	DA	5B	F2	F9
B_	20	20	20	20	20	20	20	20	20	20	20	D9	BF	5D	20	C4
C_	7B	41	42	43	44	45	46	47	48	49	20	20	20	20	20	20
D_	7D	4A	4B	4C	4D	4E	4F	50	51	52	20	20	20	20	20	20
E_	5C	20	53	54	55	56	57	58	59	5A	20	20	20	20	20	20
F_	30	31	32	33	34	35	36	37	38	39	20	20	20	20	20	20

Default ISO_1 translation tables

This section contains the following tables:

- ISO_1 ASCII-to-EBCDIC translation table
- ISO_1 EBCDIC-to-ASCII translation table

The ASCII-to-EBCDIC translation tables in this section are the base table for the predefined system iso_1 character set.

ISO_1 ASCII-to-EBCDIC translation table

Figure B-5: ISO_1 ASCII-to-EBCDIC translation table

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	37	2D	2E	2F	16	05	25	0B	0C	0D	0E	0F
1_	10	11	12	13	3C	3D	32	26	18	19	3F	27	1C	1D	1E	1F
2_	40	4F	7F	7B	5B	6C	50	7D	4D	5D	5C	4E	6B	60	4B	61
3_	F0	F1	F2	F3	F4	F5	F6	F7	F8	F9	7A	5E	4C	7E	6E	6F
4_	7C	C1	C2	C3	C4	C5	C6	C7	C8	C9	D1	D2	D3	D4	D5	D6
5_	D7	D8	D9	E2	E3	E4	E5	E6	E7	E8	E9	4A	E0	5A	5F	6D
6_	79	81	82	83	84	85	86	87	88	89	91	92	93	94	95	96
7_	97	98	99	A2	A3	A4	A5	A6	A7	A8	A9	C0	BB	D0	A1	07
8_	20	21	22	23	24	15	06	17	28	29	2A	2B	2C	09	0A	1B
9_	30	31	1A	33	34	35	36	08	38	39	3A	3B	04	14	3E	FF
A_	41	AA	B0	B1	9F	B2	6A	B5	BD	B4	9A	6A	BA	CA	AF	BC
B_	90	8F	EA	FA	BE	A0	B6	B3	9A	DA	9B	8B	B7	C7	B9	AB
C_	64	65	62	66	63	67	9E	69	74	71	72	73	78	75	76	77
D_	AC	69	ED	EE	EB	EF	EC	BF	80	FD	FE	FB	FC	AD	AE	59
E_	44	45	42	46	43	47	9C	48	54	51	52	53	58	55	56	57
F_	8C	49	CD	CE	CB	CF	CC	E1	70	DD	DE	DB	DC	8D	8E	DF

ISO_1 EBCDIC-to-ASCII translation table*Figure B-6: ISO_1 EBCDIC-to-ASCII translation table*

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	9C	09	86	7F	97	8D	8E	0B	0C	0D	0E	0F
1_	10	11	12	13	9D	85	08	87	18	19	92	8F	1C	1D	1E	1F
2_	80	81	82	83	84	0A	17	1B	88	89	8A	8B	8C	05	06	07
3_	90	91	16	93	94	95	96	04	98	99	9A	9B	14	15	9E	1A
4_	20	A0	E2	E4	E0	E1	E3	E5	E7	F1	5B	2E	3C	28	2B	21
5_	26	E9	EA	EB	E8	ED	EE	EF	EC	DF	5D	24	2A	29	3B	5E
6_	2D	2F	C2	C4	C0	C1	C3	C5	C7	D1	A6	2C	25	5F	3E	3F
7_	F8	C9	CA	CB	C8	CD	CE	CF	CC	60	3A	23	40	27	3D	22
8_	D8	61	62	63	64	65	66	67	68	69	AB	BB	F0	FD	FE	B1
9_	B0	6A	6B	6C	6D	6E	6F	70	71	72	AA	BA	E6	B8	C6	A4
A_	B5	7E	73	74	75	76	77	78	79	7A	A1	BF	D0	DD	DE	AE
B_	A2	A3	A5	B7	A9	A7	B6	BC	BD	BE	AC	7C	AF	A8	B4	D7
C_	7B	41	42	43	44	45	46	47	48	49	AD	F4	F6	F2	F3	F5
D_	7D	4A	4B	4C	4D	4E	4F	50	51	52	B9	FB	FC	F9	FA	FF
E_	5C	F7	53	54	55	56	57	58	59	5A	B2	D4	D6	D2	D3	D5
F_	30	31	32	33	34	35	36	37	38	39	B3	DB	DC	D9	DA	9F

Default cp437 (code page 437) translation tables

This section contains the following tables:

- cp437 ASCII-to-EBCDIC translation table
- cp437 EBCDIC-to-ASCII translation table

The ASCII-to-EBCDIC translation tables in this section are the base tables for the predefined system cp 437 (code page 437) character set.

cp437 ASCII-to-EBCDIC translation table*Figure B-7: cp437 ASCII-to-EBCDIC translation table*

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	37	2D	2E	2F	16	05	25	0B	0C	0D	0E	0F
1_	10	11	12	13	B6	B5	32	26	18	19	1C	27	07	1D	1E	1F
2_	40	4F	7F	7B	5B	6C	50	7D	4D	5D	5C	4E	6B	60	4B	61
3_	F0	F1	F2	F3	F4	F5	F6	F7	F8	F9	7A	5E	4C	7E	6E	6F
4_	7C	C1	C2	C3	C4	C5	C6	C7	C8	C9	D1	D2	D3	D4	D5	D6
5_	D7	D8	D9	E2	E3	E4	E5	E6	E7	E8	E9	4A	E0	5A	5F	6D
6_	79	81	82	83	84	85	86	87	88	89	91	92	93	94	95	96
7_	97	98	99	A2	A3	A4	A5	A6	A7	A8	A9	C0	BB	D0	A1	3F
8_	68	DC	51	42	43	44	47	48	52	53	54	57	56	58	63	67
9_	71	9C	9E	CB	CC	CD	DB	DD	DF	EC	FC	B0	B1	B2	3E	B4
A_	45	55	CE	DE	49	69	9A	9B	AB	9F	BA	B8	B7	AA	8A	8B
B_	3C	3D	62	6A	64	65	66	20	21	22	70	23	72	73	74	BE
C_	76	77	78	80	24	15	8C	8D	8E	FF	06	17	28	29	9D	2A
D_	2B	2C	09	0A	AC	AD	AE	AF	1B	30	31	FA	1A	33	34	35
E_	36	59	08	38	BC	39	A0	BF	CA	3A	FE	3B	04	CF	DA	14
F_	EE	8F	46	75	FD	EB	E1	ED	90	EF	B3	FB	B9	EA	BD	41

cp437 EBCDIC-to-ASCII translation table

Figure B-8: cp437 EBCDIC-to-ASCII translation table

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	EC	09	CA	1C	E2	D2	D3	0B	0C	0D	0E	0F
1_	10	11	12	13	EF	C5	08	CB	18	19	DC	D8	1A	1D	1E	1F
2_	B7	B8	B9	BB	C4	0A	17	1B	CC	CD	CF	D0	D1	05	06	07
3_	D9	DA	16	DD	DE	DF	E0	04	E3	E5	E9	EB	B0	B1	9E	7F
4_	20	FF	83	84	85	A0	F2	86	87	A4	5B	2E	3C	28	2B	21
5_	26	82	88	89	8A	A1	8C	8B	8D	E1	5D	24	2A	29	3B	5E
6_	2D	2F	B2	8E	B4	B5	B6	8F	80	A5	B3	2C	25	5F	3E	3F
7_	BA	90	BC	BD	BE	F3	C0	C1	C2	60	3A	23	40	27	3D	22
8_	C3	61	62	63	64	65	66	67	68	69	AE	AF	C6	C7	C8	F1
9_	F8	6A	6B	6C	6D	6E	6F	70	71	72	A6	A7	91	CE	92	A9
A_	E6	7E	73	74	75	76	77	78	79	7A	AD	A8	D4	D5	D6	D7
B_	9B	9C	9D	FA	9F	15	14	AC	AB	FC	AA	7C	E4	FE	BF	E7
C_	7B	41	42	43	44	45	46	47	48	49	E8	93	94	95	A2	ED
D_	7D	4A	4B	4C	4D	4E	4F	50	51	52	EE	96	81	97	A3	98
E_	5C	F6	53	54	55	56	57	58	59	5A	FD	F5	99	F7	F0	F9
F_	30	31	32	33	34	35	36	37	38	39	DB	FB	9A	F4	EA	C9

Default cp850 (code page 850) translation tables

This section contains the following tables:

- cp850 ASCII-to-EBCDIC translation table
- cp850 EBCDIC-to-ASCII translation table

The EBCDIC-to-ASCII translation tables in this section are the base tables for the predefined system cp 850 (code page 850) character set.

cp850 ASCII-to-EBCDIC translation table

Figure B-9: cp850 ASCII-to-EBCDIC translation table

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	37	2D	2E	2F	16	05	25	0B	0C	0D	0E	0F
1_	10	11	12	13	3C	3D	32	26	18	19	1C	27	07	1D	1E	1F
2_	40	4F	7F	7B	5B	6C	50	7D	4D	5D	5C	4E	6B	60	4B	61
3_	F0	F1	F2	F3	F4	F5	F6	F7	F8	F9	7A	5E	4C	7E	6E	6F
4_	7C	C1	C2	C3	C4	C5	C6	C7	C8	C9	D1	D2	D3	D4	D5	D6
5_	D7	D8	D9	E2	E3	E4	E5	E6	E7	E8	E9	4A	E0	5A	5F	6D
6_	79	81	82	83	84	85	86	87	88	89	91	92	93	94	95	96
7_	97	98	99	A2	A3	A4	A5	A6	A7	A8	A9	C0	BB	D0	A1	3F
8_	68	DC	51	42	43	44	47	48	52	53	54	57	56	58	63	67
9_	71	9C	9E	CB	CC	CD	DB	DD	DF	EC	FC	70	B1	80	BF	FF
A_	45	55	CE	DE	49	69	9A	9B	AB	AF	BA	B8	B7	AA	8A	8B
B_	2B	2C	09	21	28	65	62	64	B4	38	31	34	33	B0	B2	24
C_	22	17	29	06	20	2A	46	66	1A	35	08	39	36	30	3A	9F
D_	8C	AC	72	73	74	0A	75	76	77	23	15	14	04	6A	78	3B
E_	EE	59	EB	ED	CF	EF	A0	8E	AE	FE	FB	FD	8D	AD	BC	BE
F_	CA	8F	1B	B9	B6	B5	E1	9D	90	BD	B3	DA	FA	EA	3E	41

cp850 EBCDIC-to-ASCII translation table*Figure B-10: cp850 EBCDIC-to-ASCII translation table*

	_0	_1	_2	_3	_4	_5	_6	_7	_8	_9	_A	_B	_C	_D	_E	_F
0_	00	01	02	03	DC	09	C3	1C	CA	B2	D5	0B	0C	0D	0E	0F
1_	10	11	12	13	DB	DA	08	C1	18	19	C8	F2	1A	1D	1E	1F
2_	C4	B3	C0	D9	BF	0A	17	1B	B4	C2	C5	B0	B1	05	06	07
3_	CD	BA	16	BC	BB	C9	CC	04	B9	CB	CE	DF	14	15	FE	7F
4_	20	FF	83	84	85	A0	C6	86	87	A4	5B	2E	3C	28	2B	21
5_	26	82	88	89	8A	A1	8C	8B	8D	E1	5D	24	2A	29	3B	5E
6_	2D	2F	B6	8E	B7	B5	C7	8F	80	A5	DD	2C	25	5F	3E	3F
7_	9B	90	D2	D3	D4	D6	D7	D8	DE	60	3A	23	40	27	3D	22
8_	9D	61	62	63	64	65	66	67	68	69	AE	AF	D0	EC	E7	F1
9_	F8	6A	6B	6C	6D	6E	6F	70	71	72	A6	A7	91	F7	92	CF
A_	E6	7E	73	74	75	76	77	78	79	7A	AD	A8	D1	ED	E8	A9
B_	BD	9C	BE	FA	B8	F5	F4	AC	AB	F3	AA	7C	EE	F9	EF	9E
C_	7B	41	42	43	44	45	46	47	48	49	F0	93	94	95	A2	E4
D_	7D	4A	4B	4C	4D	4E	4F	50	51	52	FB	96	81	97	A3	98
E_	5C	F6	53	54	55	56	57	58	59	5A	FD	E2	99	E3	E0	E5
F_	30	31	32	33	34	35	36	37	38	39	FC	EA	9A	EB	E9	9F

Glossary

access code	A number or binary code assigned to programs, documents, or folders that allows authorized users to access them.
access service	A logical server application, used with an access service library, to which clients connect. Each DirectConnect for z/OS Option server can have multiple access services.
Access Service Library (ACSLIB)	A component of the DirectConnect for z/OS Option, a service library that provides access to non-Sybase data contained in a database management system or other type of repository. Each such repository is called a “target.” Each access service library interacts with exactly one target and is named accordingly. See also service library and access service .
Adaptive Server Enterprise	The server in the Sybase Client-Server architecture. It manages multiple databases and multiple users, tracks the actual location of data on disks, maintains mapping of logical data description to physical data storage, and maintains data and procedure caches in memory. Formerly known as SQL Server.
advanced program-to-program communication (APPC)	Hardware and software that characterize the LU 6.2 architecture and its various implementations in products. See also logical unit 6.2 (LU 6.2) .
AMD2	The default name of the CICS transaction in the DB2 UDB Option for CICS that allows clients to submit SQL statements to DB2 UDB. Compare with SYRT .
American Standard Code for Information Interchange	See ASCII (American Standard Code for Information Interchange) .
API	See application program interface (API) .
APPC	See advanced program-to-program communication (APPC) .

APPC/MVS APPC/MVS is an SNA application that extends APPC support to the OS/390 operating system. The primary role of APPC/MVS is to provide full LU 6.2 capability to OS/390 applications to allow communication with other applications in a distributed SNA network.

Note SNA is no longer supported for the Client Option.

APPC communications link Hardware and software configured to enable a remote transaction program to establish an APPC conversation with a partner transaction program in an SNA network. See also **Systems Network Architecture (SNA)**.

application program A program that is specific to the solution of an application problem.

application program interface (API) A functional interface, supplied by an operating system or other licensed program, that allows an application program written in a high-level language to use specific data or functions of the operating system or the licensed program.

argument A value supplied to a function or procedure that is required to evaluate the function.

ASCII (American Standard Code for Information Interchange) A 7-bit standard code that permits transmittal of text, numbers, and some special characters among systems. Characters are represented by the numbers between 32 and 127, inclusive. The set includes uppercase and lowercase letters, numbers, and frequently-used special characters (such as \$ & ; : # . ,).

batch A group of records or data processing jobs brought together for processing or transmission.

bind SQL statements from a compiled mainframe program where the access to DB2 UDB was optimized and saved as static SQL in an application plan.

boundary session control block (BSB) A block of memory used to establish a connection between nodes in an SNA network architecture.

Note SNA is no longer supported for the Client Option.

C/370 An application programming language. Open Client Client-Library is available for C.

call The action of bringing a computer program, a routine, or a subroutine into effect, usually by specifying the entry conditions and jumping to an entry point.

character data Data in the form of letters and special characters, such as punctuation marks.

character set	A set of specific (usually standardized) characters with an encoding scheme that uniquely defines each character. ASCII is a common character set.
character string	A sequence of consecutive characters that are used as a value.
CICS	See Customer Information Control System (CICS) .
CICS region	The CICS area of the computer system in which an application is running.
client	In client/server systems, the part of the system that sends requests to servers and processes the results of those requests. See also client/server . Contrast with server .
client application	Software that is responsible for the user interface, including menus, data entry windows, and report formats or an application that sends requests to another application that acts as a server. See also client , client/server , server .
Client Option	A Sybase product that provides capability for the mainframe to act as a client to LAN-based resources. See client .
client/server	An architecture in which the client is an application that handles the user interface and local data manipulation functions, while the server provides data processing access and management for multiple clients. See also client application .
Client Services Application (CSA)	A customer-written CICS program initiated on the host that uses the Sybase API to invoke Client Option for DB2 UDB as a client to Client Option or to SQL Server. See also application program interface (API) .
COBOL (common business-oriented language)	A high-level programming language, based on English, that is used primarily for business applications.
code page	An assignment of graphic characters and control function meanings to all code point.
commit	An instruction to a database to make permanent all changes made to one or more database files since the last commit or rollback operation, and to make the changed records available to other users. Contrast with rollback .
common area	A control section used to reserve a main storage area that can be referred to by other modules.
common business-oriented language	See COBOL (common business-oriented language) .

Common Programming Interface (CPI)	Specifies the languages and services used to develop applications across SAA environments. The elements of the CPI specification are divided into two parts: processing logic and services.
compile	To translate all or part of a program that is expressed in a high-level language into a computer program that is expressed in an intermediate language, an assembler language, or a machine language.
connectivity	The capability to attach a variety of functional units without modifying them.
control section (CSECT)	The part of a program specified by the programmer to be a relocatable unit, all elements of which are to be loaded into adjoining main storage locations.
control statement	In programming languages, a statement that is used to alter the continuous sequential execution of statements; a control statement may be a conditional statement, or an imperative statement.
conversation	a) A dialog between a user and an interactive data processing system. b) Within the context of APPC, an exchange of information or a sequence of messages sent between two transaction programs. Conversations take place between two LUs over an established session. Also, a sequence of messages sent between two applications (for instance, client application and SQL Server).
CSECT	See control section (CSECT) .
cursor	In SQL, a named control structure used by an application program to point to a row of data. The position of the row is within a table or view, and the cursor is used interactively to select rows from the columns.
Customer Information Control System (CICS)	An IBM-licensed program that enables transactions entered at remote terminals to be processed concurrently by user-written application programs. It includes facilities for building, using, and maintaining databases.
data area	A storage area used by a program or device to hold information.
database	A set of related data tables and other database objects that are organized and presented to serve a specific purpose.
database management system (DBMS)	A computer-based system for defining, creating, manipulating, controlling, managing, and using databases. The software for using a database can be part of the database management system, or it can be a stand-alone database system.
data definition statement (DD statement)	A job control statement describing a data set associated with a specific job step. See also job control language (JCL) .

data object	In a program, an element of data structure, such as a file, array, or operand, that is needed for the execution of a program and that is named or otherwise specified by the allowable character set of the language in which the program is coded.
data queue	An object that communicates and stores data used by several programs in a job or between jobs.
data record	A collection of items of information from the standpoint of its use in an application, as the user supplies it. The data record is stored physically separate from its associated control information in a control interval.
data set	The major unit of data storage and retrieval, consisting of a collection of data in one of several prescribed arrangements and described by control information to which the system has access.
data set name (DSN)	The term or phrase used to identify a data set.
data source	A collection of data, such as a database.
datatype	In programming languages, a set of values together with a set of permitted operations.
DBCS	See double-byte character set (DBCS) .
DB-Library	A Sybase and Microsoft API that allows client applications to interact with ODS applications. See also application program interface (API) .
DBMS	See database management system (DBMS) .
DB2 UDB	An IBM relational database management system.
DB2 UDB Option for CICS	A Sybase mainframe solution that provides dynamic access to DB2 UDB data. It replaces the OmniSQL Access Module for DB2 UDB-CICS and the functionality in the MDI Access Server™. See also Customer Information Control System (CICS) , DB2 UDB , Multiple Virtual Storage (OS/390) .
DD statement	See data definition statement (DD statement) .
delimiter	A character that groups or separates words or values in a line of input.
direct access storage device (DASD)	A device in which access time is effectively independent of the location of the data.

DirectConnect for z/OS Option	A Sybase Open Server application that provides access management for non-Sybase databases, copy management (transfer), and remote systems management. Each DirectConnect for z/OS Option consists of a server and one or more service libraries to provide access to a specific data source. The DirectConnect for z/OS Option replaces the products “MDI Database Gateway” and “Net-Gateway.”
DirectConnect Manager	A Sybase Windows application that provides remote management capabilities for DirectConnect for z/OS Option products. These capabilities include starting, stopping, creating, and copying services.
directory	A type of file containing the names and controlling information for other files or other directories.
disk volume	A disk pack or part of a disk storage module.
double-byte character set (DBCS)	A set of characters in which each character is represented by 2 bytes. Languages such as Japanese, Chinese, and Korean, which contain more symbols than can be represented by 256 code points, require double-byte character sets. Because each character requires 2 bytes, the typing, display, and printing of DBCS characters requires hardware and programs that support DBCS. Contrast with single-byte character set (SBCS) .
driver	A system or device that enables a functional unit to operate.
dump	To record, at a particular moment, the contents of all or part of one storage device in another storage device. Dumping is usually for the purpose of debugging.
dynamic SQL	Pertaining to the preparation and processing of SQL source statements within a program while the program runs. The SQL source statements are contained in host-language variables rather than being coded directly into the application program. The SQL statement can change several times while the program runs. Contrast with static SQL .
EBCDIC (Extended Binary-Coded Decimal Interchange Code)	A coded character set of 256 8-bit characters.
embedded SQL (ESQL)	SQL statements that are embedded within a program and are prepared in the program preparation process before the program runs. After it is prepared, the statement itself does not change, although values of host variables specified within the statement might change.

enable	In interactive communications, to load and start a subsystem, or to design a product in such a way as to facilitate the inclusion of national language functions.
end-of-file	A coded character recorded on a data medium to indicate the end of the medium or end of data.
environment variable	A variable that describes how an operating system runs and the devices it recognizes.
error log	A data set or file in a product or system where error information is stored for later access.
error message	A message that a program issues, usually to the client application, when it detects an error condition.
ESQL	See embedded SQL (ESQL) .
execute	To carry out an instruction.
exit routine	A user-written routine that receives control at predefined user exit points.
expression	In programming languages, a language construct for computing a value from one or more operands; for example, literals, identifiers, array references, and function calls.
external call interface	A CICS client facility that allows a program to call a CICS application as if the calling program had been linked synchronously from a previous program instead of started from a terminal.
FCT	See forms control table (FCT) .
field	The smallest identifiable part of a record.
file	A collection of related data that is stored and retrieved by an assigned name.
format	In programming languages, a language construct that specifies the representation, in character form, of data objects in a file.
forms control table (FCT)	An object that contains the special processing requirements for output data streams received from a host system by a remote session.
gateway	Connectivity software that allows two or more computer systems with different network architectures to communicate. Contrast with router .
globalization	The combination of internationalization and localization. See also internationalization, localization .

global variable	A variable defined in one portion of a computer program and used in at least one other portion of the computer program. Contrast with local variable .
group ID	A combination of alphanumeric characters that corresponds to a specific group name. The group ID can often be substituted in commands that take a group name as a value.
handler	A routine that controls a program's reaction to specific external events; for example, an interrupt handler.
hexadecimal	A system of numbers to the base 16; hexadecimal digits range from 0 through 9 and A through F, where A represents 10 and F represents 16.
host	The mainframe or other machine on which a database, an application, or a program resides.
IMS TM	See Information Management System Transaction Monitor (IMS TM) .
Information Management System Transaction Monitor (IMS TM)	A database/data communication (DB/DC) system that can manage complex databases and networks.
interface	Hardware, software, or both, that links systems, programs, or devices.
internationalization	The process of extracting locale-specific components from the source code and moving them into one or more separate modules, making the code culturally neutral so it may be localized for a specific culture. See also globalization . Contrast with localization .
invoke	To start a command, procedure, or program.
JCL	See job control language (JCL) .
job	A collection of related programs, identified by appropriate job control statements.
job control language (JCL)	In OS/390, a control language used to identify a job to an operating system and to describe the job's requirements.
kanji	A graphic character set consisting of symbols used in Japanese idiographic alphabets. Each character is represented by 2 bytes.
keyword	In programming languages, a lexical unit that, in certain contexts, characterizes some language construct; a keyword normally has the form of an identifier.
LAN	See local area network (LAN) .
length	The number of characters in a character string.

library	<p>a) A named area on disk that can contain programs and related information (not files). A library consists of different sections, called library members.</p> <p>b) A partitioned data set containing file members for the mainframe.</p>
library member	A named collection of records or statements in a library.
line feed	The movement of the print or display position to the corresponding position on the next line.
linkage	In computer security, combining data or information from one information system with data or information from another system with the intention to derive additional information; for example, the combination of computer files from two or more sources.
linkage editor	A computer program for creating load modules from one or more object modules or creating load modules by resolving cross references among the modules and, if necessary, adjusting addresses.
link-edit	To create a loadable computer program by means of a linkage editor. See also linkage editor .
load module	All or part of a computer program in a form suitable for loading into main storage for execution. A load module is usually the output of a linkage editor.
local area network (LAN)	A computer network located on the user's premises and covering a limited geographical area. Communication within a local area network is not subject to external regulations; however, communication across the LAN boundary can be subject to some form of regulation.
localization	The process of preparing an extracted module for a target environment. The following items are addressed: messages are displayed and logged in the user's language; numbers, money, dates, and time are represented using the user's cultural convention; and documents are displayed in the user's language. See also globalization . Contrast with internationalization .
local variable	A variable that is defined and used only in one specified portion of a computer program. Contrast with global variable .
log file	The log file maintained by the Client Option Server. The server log file contains entries of events for each service managed by the Client Option Server.
logical unit (LU)	A type of network-accessible unit that enables end users to gain access to network resources and communicate with each other.

logical unit 6.2 (LU 6.2)	A type of logical unit that supports general communication between programs in a distributed processing environment. See also advanced program-to-program communication (APPC) .
login	The act of gaining access to a computer system by entering identification and authentication information at the workstation.
LU	See logical unit (LU) .
LU 6.2	See logical unit 6.2 (LU 6.2) .
macro	An instruction in a source language that is to be replaced by a defined sequence of instructions in the same source language and that can also specify values for parameters in the replaced instructions.
mainframe	A large computer, in particular, one to which other computers can be connected so that they can share facilities the mainframe provides; for example, a System/370 computing system to which personal computers are attached so that they can upload and download programs and data.
mainframe access products	Sybase products that enable client applications to communicate with mainframes in a client/server environment. See client/server .
main storage	Program-addressable storage from which instructions and other data can be loaded directly into registers for subsequent execution or processing.
map	A set of values that have defined correspondence with the quantities or values of another set.
member	A partition of a partitioned data set.
module	A program unit that is discrete and identifiable with respect to compiling, combining with other units, and loading; for example, the input to or output from an assembler, compiler, linkage editor, or executive routine.
Multiple Virtual Storage (OS/390)	An IBM operating system that runs on most mainframes. It supports 24-bit addressing up to 16 megabytes.
OS/390	See Multiple Virtual Storage (OS/390) .
NCP	See Network Control Program (NCP) .
Net-Gateway	An end-of-life Sybase product that provided communication between a mainframe and a LAN server. Net-Gateway was the “ancestor” of the DirectConnect for z/OS Option Transaction Router Service.

nest	To incorporate one or more structures of one kind into a structure of the same kind; for example, to nest one loop (the nested or inner loop) within another loop (the nesting or outer loop); to nest one subroutine within another subroutine.
network	A configuration of data processing devices and software connected for information exchange.
Network Control Program (NCP)	An IBM licensed program that provides communication controller support for single-domain, multiple-domain, and interconnected network capability.
null	A pointer that does not point to a data object.
object	A passive entity that contains or receives information but cannot change the information it contains. In Client Option, objects include rows, tables, databases, stored procedures, triggers, defaults, and views.
object code	Output from a compiler or assembler that is also executable machine code or is suitable for processing to produce executable machine code. Contrast with source code .
ODBC	See Open Database Connectivity (ODBC) .
OmniConnect	Translates Sybase SQL syntax into statements that DB2 UDB can process.
Open Client	A Sybase product that provides customer applications, third-party products, and other Sybase products with the interfaces required to communicate with Open Client and Open Server applications.
Open Client application	An application written using Open Client libraries.
Open Database Connectivity (ODBC)	A Microsoft API that allows access to both relational and non-relational databases. ODBC allows client application developers to produce vendor-neutral Windows applications that can access data sources without including code for a specific database. See also application program interface (API) .
Open Server	A Sybase product that provides the tools and interfaces required to create a custom server. For example, clients can route requests to the DirectConnect for z/OS Option, which is an Open Server application that they configured to meet specific needs, such as the preprocessing of SQL statements or decision making about routing RPCs to Transaction Router Service for DB2 UDB or to other servers. See the Open Server documentation for information about this product.
OS PL/1 Version II	An application programming language. Open Client Client-Library and Open Server Gateway-Library are both available for PL/1.

overwrite	To write into an area of storage, thereby destroying the data previously stored in the same area.
parameter	A variable that is given a constant value for a specified application and that can denote the application. Contrast with property .
parse	In systems with time sharing, to analyze the operands entered with a command and create a parameter list for the command processor from the information.
PARTNER table	A CICS table through which the CPI-C maps.
pipe	To direct data so that the output from one process becomes the input to another process. The standard output of one command can be connected to the standard input of another with the pipe operator (<code> </code>). Two commands connected in this way constitute a pipeline.
platform	The operating system environment in which a program runs.
PL/1	See Programming Language/I (PL/1) .
pointer	A data element that indicates the location of another data element.
precompile	To process programs containing SQL statements before they are compiled. SQL statements are replaced with statements that will be recognized by the host language compiler. The output from this precompile includes source code that can be submitted to the compiler and used in the bind process.
Programming Language/I (PL/1)	A programming language designed for use in a wide range of commercial and scientific computer applications.
property	A setting for a server or service that defines the characteristics of the service, such as how events are logged or how datatypes are converted. Contrast with parameter .
protocol	A set of rules that governs the behavior of computers communicating on a network.
pseudocode	A set of instructions that is logically structured but does not follow the syntax of any particular programming language.
RDBMS	See relational database management system (RDBMS) .
relational database	A database in which data is viewed as being stored in tables consisting of columns (data items) and rows (units of information). Data from different tables can be combined to form new data relationships.

relational database management system (RDBMS)	An application that controls relational databases. See also relational database . Contrast with database management system (DBMS) .
remote procedure call (RPC)	A stored procedure executed on a different Client Option server from the one onto which a user is logged.
remote stored procedure (RSP)	A customer-written CICS program that resides on the mainframe and communicates with Client Option for CICS. See also Customer Information Control System (CICS) . Contrast with Client Services Application (CSA) .
resource table	A main storage table that associates each resource identifier with an external logical unit (LU) or application program.
return code	A value returned to a program to indicate the results of an operation requested by that program.
rollback	An instruction to a database to back out of the changes requested in a unit of work. Contrast with commit .
router	An attaching device that connects two LAN segments, which use similar or different architectures, at the OSI reference model network layer. Contrast with gateway .
routine	A program, or part of a program, that can have general or frequent use.
RPC	See remote procedure call (RPC) .
RSP	See remote stored procedure (RSP) .
SAA	See System Application Architecture .
SBCS	See single-byte character set (SBCS) .
server	A functional unit that provides shared services to workstations over a network. Contrast with client . See client/server .
Server Option	A Sybase product that provides capability for programmatic access to mainframe data.
service	A functionality available to DirectConnect for z/OS Option applications. It is the pairing of a service library and a set of specific configuration properties.
service library	A set of configuration properties that determine service functionality. Examples of service libraries include access service libraries, transfer service libraries, administrative service libraries, and transaction router service libraries. See also Access Service Library (ACSLIB) .

shell	A command interpreter that acts as an interface between the user and the operating system. A shell can contain another shell nested inside it; the outer shell is the parent shell, and the inner shell is the child.
single-byte character set (SBCS)	A character set in which each character is represented by a 1-byte code. Contrast with double-byte character set (DBCS) .
SNA	See Systems Network Architecture (SNA) .
socket	A unique host identifier created by the concatenation of a port identifier with a TCP/IP address.
source code	The input to a compiler or assembler, written in a source language. Contrast with object code .
source language	A language from which statements are translated.
SPAREA (Stored Procedure Communication Area)	An area in which a CSA exchanges information with the Client Option.
SQL	See structured query language (SQL) .
SQLDA (SQL descriptor area)	A set of variables used in the processing of certain SQL statements. The SQLDA is intended for dynamic SQL programs.
SQL descriptor area	See SQLDA (SQL descriptor area) .
SQL Server	See Adaptive Server Enterprise .
staging	The movement of data from an off-line or low-priority device back to an online or higher-priority device, usually on demand of the system or on request of a user.
stand alone	An operation that is independent of any other device, program, or system.
standard input (STD input)	The primary source of data entered into a command. Standard input comes from the keyboard unless redirection or piping is used, in which case standard input can be from a file or the output from another command.
statement	A basic unit of SQL, which is a single SQL operation, such as select, update, or delete.
static SQL	SQL statements that are embedded within a program and are prepared during the program preparation process before the program runs. After being prepared, the statement itself does not change, although values of host variables specified by the statement can change. Contrast with dynamic SQL .

STD input	See standard input.
Stored Procedure Communication Area	See SPAREA (Stored Procedure Communication Area) .
string	In programming languages, the form of data used for storing and manipulating text. For example, in PL/1, a string is a sequence of characters or bits that is treated as a single data item; and in SQL, a string is a character string.
structured field	A mechanism that permits variable-length data or non-3270 data to be encoded for transmission in the 3270 data stream.
structured query language (SQL)	An IBM industry-standard language for processing data in a relational database.
stub	A program module that transfers remote procedure calls and responses between a client and a server. See client, server .
syntax	The rules for how to construct a statement.
SYRT	SYRT is the default name of the CICS transaction in Omni SQL Access Module for DB2 UDB that allows clients to submit SQL statements to DB2 UDB. It has been replaced by AMD2 (the DB2 UDB Option for CICS).
System Application Architecture	SAA is an architecture composed of a set of selected software interfaces, conventions, and protocols designed to provide a framework for developing distributed applications. The key benefits of SAA are: portability, consistency, and connectivity. The components of SAA are specifications for the key application interfaces points: common user access, common communication support, and common programming interface.
Systems Administrator	A user authorized to handle Client Option system administration, including creating user accounts, assigning permissions, and creating new databases.
Systems Network Architecture (SNA)	An IBM proprietary plan for the logical structure, formats, protocols, and operational sequences for transmitting information units through networks and controlling network configuration and operation. See also advanced program-to-program communication (APPC) .
<hr/> Note SNA is no longer supported for the Client Option. <hr/>	
Systems Programmer	A programmer who plans, generates, maintains, extends, and controls the use of an operating system with the aim of improving overall productivity of an installation.

table	An array of data or a named data object that contains a specific number of unordered rows. Each item in a row can be unambiguously identified by means of one or more arguments.
Tabular Data Stream (TDS)	The proprietary Sybase protocol that defines the format of data transmitted between client and server programs in an efficient, self-describing manner.
temporary storage	In computer programming, storage locations reserved for intermediate results.
transaction	An exchange between a program on a local system and a program on a remote system that accomplishes a particular action or result.
transfer	A DirectConnect for z/OS Option feature that allows users to move data or copies of data from one database to another.
transient	A program or subroutine that does not reside in main storage or in a temporary storage area for such a program.
Transaction Router Service (TRS)	A DirectConnect for z/OS Option product used when the mainframe acts as a transaction server to route requests from remote clients to a mainframe transaction and return results to the clients. See also DirectConnect for z/OS Option .
Transmission Control Protocol/Internet Protocol (TCP/IP)	A set of communication protocols that supports peer-to-peer connectivity functions for both local and wide area networks.
troubleshoot	To detect, locate, and eliminate errors in computer programs or faults in hardware.
TRS	See Transaction Router Service (TRS) .
variable	An entity that is assigned a value.
VS COBOL II	An application programming language. Open Client Client-Library and Open Server Gateway-Library are both available for COBOL.
workstation	A terminal, microcomputer, or personal computer usually one that is connected to a mainframe or to a network, at which a user can perform tasks.
z/OS	An IBM operating system that runs on most mainframes. It supports 24-bit addressing up to 16 megabytes. See Multiple Virtual Storage (OS/390) .

Index

A

- ACCESSCODE SYGWMCST parameter 24
- ACCESSCODESW SYGWMCST parameter 24
- ASCII_8 translation tables
 - ASCII_8 ACSII-to-EBCDIC 45
 - ASCII_8 EBCDIC-to-ASCII 46

C

- CEDA panel 35
- CHARSETSRV SYGWMCST parameter 24
- choosing
 - dynamic network drivers 4, 5
 - network drivers 4, 5
- CICS
 - DB2 UDB Option default transaction name 57, 71
 - network driver 34
 - operating environment 6
- Client Option
 - communication 3
 - communication at the mainframe 3
 - communication at the server 3
 - security 3
- connectivity
 - verifying gateway-less 11
 - verifying two-tier 11
- cp437 translation tables
 - cp437 ASCII-to-EBCDIC 51
 - cp437 EBCDIC-to-ASCII 52
- cp850 translation tables
 - cp850 ASCII-to-EBCDIC 54
 - cp850 EBCDIC-to-ASCII 55
- CPI-C CICS network driver 34
- customization 23
 - global 24
 - SYGWDRIV option 34
 - SYGWHOST, TCP/IP configuration macro 36

- customization table SWGWXCPH 23
 - SYGWMCST, global macro 23
 - SYGWMCXL, character set macro 23
- customizing
 - LAN-side character sets 37
 - network driver 34

D

- DASD space required 8
- DEBUGSW SYGWMCST parameter 24
- DECPOINT SYGWMCST parameter 25
- defining
 - dynamic network drivers 5
 - network drivers 5
- DQUOTETRAN SYGWMCST parameter 25
- dynamic network driver
 - choosing 4, 5
 - CICS 34
 - CPI-C CICS 34
 - customizing 34
 - defining 5
 - invoking 5
 - loading 5
 - macro 34
 - network type and environment 5

G

- gateway-less
 - verifying connectivity 11
- global customization (SYGWMCST) 23
 - list of parameters 24

H

- Host Router table

Index

- about 3
- ### I
- IMSLOGTYPE SYGWMCSST parameter 25
 - invoking
 - dynamic network drivers 5
 - network drivers 5
 - ISO_1 translation tables
 - ISO_1 ASCII-to-EBCDIC 48
 - ISO_1 EBCDIC-to-ASCII 49
 - isql
 - about 3
- ### L
- LAN-side character sets
 - customizing 37
 - library names
 - using new 11
 - loading
 - dynamic network drivers 5
 - network drivers 5
 - LONGVARTRUNC SYGWMCSST parameter 25
- ### M
- macros
 - SWGWHOST 37
 - SYGWDRIV 5, 34
 - mainframe character set customization options (SYGWMCSXL) 28
 - overriding SBCS translation tables 28
 - SBCS, customizing translation 30
 - SBCS, predefined character sets 28
 - SBCS, user defined character sets 29
 - MVSDDNAME SYGWMCSST parameter 26
- ### N
- NATLANGUAGESRV SYGWMCSST parameter 26
 - network communication definitions
 - choosing a network driver 5
 - overview 5
 - network driver
 - choosing 4, 5
 - CICS 34
 - CPI-C CICS 34
 - customizing 34
 - defining 5
 - invoking 5
 - loading 5
 - macro 34
 - network type and environment 5
 - network type and environment
 - dynamic network driver 5
 - network driver 5
- ### O
- operating environment
 - CICS 6
- ### P
- panels
 - CEDA 35
 - parameters
 - SYGWMCSST macro 24
- ### R
- ROWLIMIT SYGWMCSST parameter 26
- ### S
- SBCS translation tables 41
 - ASCII_8 44
 - cp437 49
 - cp850 52
 - ISO_1 47
 - SBCS translation, customizing
 - overriding defaults with SYGWMCSXL 30
 - security 3

- side information
 - about 3
- space requirements 8
- SYGMCST 23
- SYGWDRIV macro 5, 34
- SYGWHOST
 - formats 37
 - macro 37
- SYGWCST parameters 24
 - ACCESSCODE 24
 - ACCESSCODESW 24
 - CHARSETSRV 24
 - DEBUGSW 24
 - DECPOINT 25
 - DQUOTETRAN 25
 - IMSLOGTYPE 25
 - LONGVARTRUNC 25
 - MVSDDNAME 26
 - NATLANGUAGESRV 26
 - ROWLIMIT 26
 - USEIBMUNICODE 26
- SYGWCXL 28
- SYGWXPCH 5

T

- translation tables, SBCS 41
- two-tier
 - verifying connectivity 11

U

- USEIBMUNICODE SYGWCST parameter 26

