

SYBASE®

Active Messaging Users Guide

**Adaptive Server® Enterprise**

15.5

DOCUMENT ID: DC01120-01-1550-01

LAST REVISED: October 2009

Copyright © 2009 by Sybase, Inc. All rights reserved.

This publication pertains to Sybase software and to any subsequent release until otherwise indicated in new editions or technical notes. Information in this document is subject to change without notice. The software described herein is furnished under a license agreement, and it may be used or copied only in accordance with the terms of that agreement.

To order additional documents, U.S. and Canadian customers should call Customer Fulfillment at (800) 685-8225, fax (617) 229-9845.

Customers in other countries with a U.S. license agreement may contact Customer Fulfillment via the above fax number. All other international customers should contact their Sybase subsidiary or local distributor. Upgrades are provided only at regularly scheduled software release dates. No part of this publication may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without the prior written permission of Sybase, Inc.

Sybase trademarks can be viewed at the Sybase trademarks page at <http://www.sybase.com/detail?id=1011207>. Sybase and the marks listed are trademarks of Sybase, Inc. ® indicates registration in the United States of America.

Java and all Java-based marks are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.

IBM and Tivoli are registered trademarks of International Business Machines Corporation in the United States, other countries, or both.

All other company and product names mentioned may be trademarks of the respective companies with which they are associated.

Use, duplication, or disclosure by the government is subject to the restrictions set forth in subparagraph (c)(1)(ii) of DFARS 52.227-7013 for the DOD and as set forth in FAR 52.227-19(a)-(d) for civilian agencies.

Sybase, Inc., One Sybase Drive, Dublin, CA 94568.

# Contents

<b>About This Book .....</b>	<b>v</b>	
<b>CHAPTER 1</b>	<b>Introduction .....</b>	<b>1</b>
	Active Messaging concepts .....	1
	Automatic decisions in real time .....	2
	Messaging models .....	3
	JMS .....	3
	WebSphere MQ messaging models.....	4
	Message format .....	4
	JMS message properties.....	5
	MQ message topics.....	5
	Message selectors .....	5
<b>CHAPTER 2</b>	<b>Understanding Active Messaging .....</b>	<b>7</b>
	Sending and receiving messages from a queue .....	7
	Publishing and consuming messages from a JMS topic.....	8
	Working with message properties .....	9
	Previewing the messaging interface.....	9
	MQ overview .....	11
	Securing channels with SSL .....	14
	MQ publish/subscribe.....	16
	Syntax for topics.....	19
	Publisher and subscriber identities.....	20
	MQ publish/subscribe examples .....	21
	Working with MQ cluster queue objects.....	27
	Working with remote queue objects .....	29
	Working with text messaging.....	30
	Text messages and JMS.....	30
	Text messages and MQ .....	31
	Adaptive Server Cluster Edition support .....	32
	Login redirection.....	32
	Extended high availability.....	33
	Internationalization support .....	34

	Transactional message behavior .....	35
	Transactional messaging set option .....	35
	MQ security .....	36
	Connecting to the MQ queue manager .....	37
	Installing MQ client on Adaptive Server host machines .....	37
	MQ authorizations .....	38
	Querying MQ information .....	39
<b>CHAPTER 3</b>	<b>SQL Reference .....</b>	<b>41</b>
	Message-related global variables .....	42
	<msgheader> and <msgproperties> documents .....	49
	Adaptive Server-specific message properties .....	50
	Keywords .....	51
	Stored procedures .....	52
	Built-in functions .....	52
	Syntax segments .....	53
	sp_configure 'enable real time messaging' .....	54
	sp_engine .....	58
	sp_msgadmin .....	62
	msgconsume .....	74
	msgpropcount .....	77
	msgproplist .....	78
	msgpropname .....	80
	msgproptype .....	81
	msgpropvalue .....	83
	msgpublish .....	84
	msgrecv .....	88
	msgsend .....	103
	msgsubscribe .....	139
	msgunsubscribe .....	141
	endpoint .....	144
	option_string .....	148
	sizespec .....	149
	timespec .....	150
<b>CHAPTER 4</b>	<b>Samples .....</b>	<b>153</b>
	Sybase directories .....	153
	Using code samples with SQL .....	154
	Using code samples with Java/JDBC .....	154
	<b>Glossary .....</b>	<b>155</b>
	<b>Index .....</b>	<b>159</b>

# About This Book

## Audience

This book describes how to use Active Messaging to capture transactions (data changes) in an Enterprise Edition or Cluster Edition Adaptive Server® Enterprise database and deliver them as events to external applications in real time. These data changes—or events—are delivered to applications through a Java Messaging Service message bus such as EAServer Java Messaging Service (JMS), Tibco Enterprise Message System (EMS) or IBM WebSphere MQ.

## How to use this book

This book helps you configure and use active messaging in Adaptive Server database applications.

- Chapter 1, “Introduction,” discusses messaging concepts, models, and formats.
- Chapter 2, “Understanding Active Messaging,” is an overview of Active Messaging that is specific to Adaptive Server.
- Chapter 3, “SQL Reference,” documents the SQL stored procedures, functions, and global variables for managing and administering real-time messaging, and the general format of option strings.
- Chapter 4, “Samples,” provides code samples that illustrate messaging functionality.

## Related documents

The Adaptive Server Enterprise documentation set consists of:

- The release bulletin for your platform – contains last-minute information that was too late to be included in the books.

A more recent version of the release bulletin may be available. To check for critical product or document information that was added after the release of the product CD, use the Sybase® Product Manuals Web site.

- The installation guide for your platform – describes installation, upgrading, and some configuration procedures for all Adaptive Server and related Sybase products.
- *New Feature Summary* – describes the new features in Adaptive Server, the system changes added to support those features, and changes that may affect your existing applications.

- 
- *Active Messaging Users Guide* – describes how to use the Active Messaging feature to capture transactions (data changes) in an Adaptive Server Enterprise database, and deliver them as events to external applications in real time.
  - *Component Integration Services Users Guide* – explains how to use Component Integration Services to connect remote Sybase and non-Sybase databases.
  - The *Configuration Guide* for your platform – provides instructions for performing specific configuration tasks.
  - *Glossary* – defines technical terms used in the Adaptive Server documentation.
  - *Historical Server Users Guide* – describes how to use Historical Server to obtain performance information from Adaptive Server.
  - *Java in Adaptive Server Enterprise* – describes how to install and use Java classes as datatypes, functions, and stored procedures in the Adaptive Server database.
  - *Job Scheduler Users Guide* – provides instructions on how to install and configure, and create and schedule jobs on a local or remote Adaptive Server using the command line or a graphical user interface (GUI).
  - *Migration Technology Guide* – describes strategies and tools for migrating to a different version of Adaptive Server.
  - *Monitor Client Library Programmers Guide* – describes how to write Monitor Client Library applications that access Adaptive Server performance data.
  - *Monitor Server Users Guide* – describes how to use Monitor Server to obtain performance statistics from Adaptive Server.
  - *Monitoring Tables Diagram* – illustrates monitor tables and their entity relationships in a poster format. Full-size available only in print version; a compact version is available in PDF format.
  - *Performance and Tuning Series* – is a series of books that explain how to tune Adaptive Server for maximum performance:
    - *Basics* – contains the basics for understanding and investigating performance questions in Adaptive Server.
    - *Improving Performance with Statistical Analysis* – describes how Adaptive Server stores and displays statistics, and how to use the `set statistics` command to analyze server statistics.

- *Locking and Concurrency Control* – describes how to use locking schemes to improve performance, and how to select indexes to minimize concurrency.
- *Monitoring Adaptive Server with sp\_sysmon* – discusses how to use sp\_sysmon to monitor performance.
- *Monitoring Tables* – describes how to query Adaptive Server monitoring tables for statistical and diagnostic information.
- *Physical Database Tuning* – describes how to manage physical data placement, space allocated for data, and the temporary databases.
- *Query Processing and Abstract Plans* – explains how the optimizer processes queries, and how to use abstract plans to change some of the optimizer plans.
- *Quick Reference Guide* – provides a comprehensive listing of the names and syntax for commands, functions, system procedures, extended system procedures, datatypes, and utilities in a pocket-sized book (regular size when viewed in PDF format).
- *Reference Manual* – is a series of books that contains detailed Transact-SQL<sup>®</sup> information:
  - *Building Blocks* – discusses datatypes, functions, global variables, expressions, identifiers and wildcards, and reserved words.
  - *Commands* – documents commands.
  - *Procedures* – describes system procedures, catalog stored procedures, system extended stored procedures, and dbcc stored procedures.
  - *Tables* – discusses system tables, monitor tables, and dbcc tables.
- *System Administration Guide* –
  - *Volume 1* – provides an introduction to the basics of system administration, including a description of configuration parameters, resource issues, character sets, sort orders, and instructions for diagnosing system problems. The second part of *Volume 1* is an in-depth discussion about security administration.

- 
- *Volume 2* – includes instructions and guidelines for managing physical resources, mirroring devices, configuring memory and data caches, managing multiprocessor servers and user databases, mounting and unmounting databases, creating and using segments, using the reorg command, and checking database consistency. The second half of *Volume 2* describes how to back up and restore system and user databases.
  - *System Tables Diagram* – illustrates system tables and their entity relationships in a poster format. Full-size available only in print version; a compact version is available in PDF format.
  - *Transact-SQL Users Guide* – documents Transact-SQL, the Sybase-enhanced version of the relational database language. This guide serves as a textbook for beginning users of the database management system, and also contains detailed descriptions of the pubs2 and pubs3 sample databases.
  - *Troubleshooting Series* –
    - *Troubleshooting: Error Messages Advanced Resolutions* – contains troubleshooting procedures for problems you may encounter. The problems discussed here are the ones the Sybase Technical Support staff hear about most often.
    - *Troubleshooting and Error Messages Guide* – contains detailed instructions on how to resolve the most frequently occurring Adaptive Server error messages.
  - *Encrypted Columns Users Guide* – describes how to configure and use encrypted columns with Adaptive Server.
  - *In-Memory Database Users Guide* – describes how to configure and use in-memory databases.
  - *Using Adaptive Server Distributed Transaction Management Features* – explains how to configure, use, and troubleshoot Adaptive Server DTM features in distributed transaction processing environments.
  - *Using Backup Server with IBM® Tivoli® Storage Manager* – describes how to set up and use the IBM Tivoli Storage Manager to create Adaptive Server backups.
  - *Using Sybase Failover in a High Availability System* – provides instructions for using Sybase Failover to configure an Adaptive Server as a companion server in a high availability system.



- *Unified Agent and Agent Management Console* – describes the Unified Agent, which provides runtime services to manage, monitor, and control distributed Sybase resources.
- *Utility Guide* – documents the Adaptive Server utility programs, such as isql and bcp, which are executed at the operating system level.
- *Web Services Users Guide* – explains how to configure, use, and troubleshoot Web services for Adaptive Server.
- *XA Interface Integration Guide for CICS, Encina, and TUXEDO* – provides instructions for using the Sybase DTM XA interface with X/Open XA transaction managers.
- *XML Services in Adaptive Server Enterprise* – describes the Sybase native XML processor and the Sybase Java-based XML support, introduces XML in the database, and documents the query and mapping functions that are available in XML services.

**Messaging-related documents**

- Java Message Service by Java Technologies at <http://java.sun.com/products/jms>.
- Tibco Enterprise Message Service by TIBCO Software at <http://www.tibco.com>.
- IBM WebSphere MQ by IBM at <http://www-306.ibm.com/software/integration/wmq/>.

**Other sources of information**

Use the Sybase Getting Started CD, the SyBooks™ CD, and the Sybase Product Manuals Web site to learn more about your product:

- The Getting Started CD contains release bulletins and installation guides in PDF format, and may also contain other documents or updated information not included on the SyBooks CD. It is included with your software. To read or print documents on the Getting Started CD, you need Adobe Acrobat Reader, which you can download at no charge from the Adobe Web site using a link provided on the CD.
- The SyBooks CD contains product manuals and is included with your software. The Eclipse-based SyBooks browser allows you to access the manuals in an easy-to-use, HTML-based format.

Some documentation may be provided in PDF format, which you can access through the PDF directory on the SyBooks CD. To read or print the PDF files, you need Adobe Acrobat Reader.

---

Refer to the *SyBooks Installation Guide* on the Getting Started CD, or the *README.txt* file on the SyBooks CD for instructions on installing and starting SyBooks.

- The Sybase Product Manuals Web site is an online version of the SyBooks CD that you can access using a standard Web browser. In addition to product manuals, you will find links to EBFs/Maintenance, Technical Documents, Case Management, Solved Cases, newsgroups, and the Sybase Developer Network.

To access the Sybase Product Manuals Web site, go to Product Manuals at <http://www.sybase.com/support/manuals/>.

## Sybase certifications on the Web

Technical documentation at the Sybase Web site is updated frequently.

### ❖ Finding the latest information on product certifications

- 1 Point your Web browser to Technical Documents at <http://www.sybase.com/support/techdocs/>.
- 2 Click Certification Report.
- 3 In the Certification Report filter select a product, platform, and timeframe and then click Go.
- 4 Click a Certification Report title to display the report.

### ❖ Finding the latest information on component certifications

- 1 Point your Web browser to Availability and Certification Reports at <http://certification.sybase.com/>.
- 2 Either select the product family and product under Search by Base Product; or select the platform and product under Search by Platform.
- 3 Select Search to display the availability and certification report for the selection.

### ❖ Creating a personalized view of the Sybase Web site (including support pages)

Set up a MySybase profile. MySybase is a free service that allows you to create a personalized view of Sybase Web pages.

- 1 Point your Web browser to Technical Documents at <http://www.sybase.com/support/techdocs/>.
- 2 Click MySybase and create a MySybase profile.

## Sybase EBFs and software maintenance

### ❖ Finding the latest information on EBFs and software maintenance

- 1 Point your Web browser to the Sybase Support Page at <http://www.sybase.com/support>.
- 2 Select EBFs/Maintenance. If prompted, enter your MySybase user name and password.
- 3 Select a product.
- 4 Specify a time frame and click Go. A list of EBF/Maintenance releases is displayed.

Padlock icons indicate that you do not have download authorization for certain EBF/Maintenance releases because you are not registered as a Technical Support Contact. If you have not registered, but have valid information provided by your Sybase representative or through your support contract, click Edit Roles to add the “Technical Support Contact” role to your MySybase profile.

- 5 Click the Info icon to display the EBF/Maintenance report, or click the product description to download the software.

## Conventions

In the regular text of this document, the names of files and directories appear in *italics*, for example:

- Windows: `%SYBASE%\bin`
- UNIX platforms: `$SYBASE`

---

**Note** Substitute your Sybase installation drive and directory for `$SYBASE` in UNIX, and `%SYBASE%` in Windows.

---

Table 1 details the typographic (font and syntax) conventions in this document.

**Table 1: Font and syntax conventions for this document**

Element	Example
Command names, command option names, database names, datatypes, utility names, utility flags, and other keywords are Helvetica.	<code>dsedit</code>
Variables, or words that stand for values that you fill in, are in <i>italics</i> .	<code>select <i>column_name</i> from <i>table_name</i> where <i>search_conditions</i></code>
<i>Parentheses</i> must be typed as part of the command.	<code>compute row_aggregate (<i>column_name</i>)</code>

Element	Example
<i>Curly braces</i> indicate that at least one of the enclosed options is required by the command (see comma).	{cheese, sauce} <b>Note</b> Do not type the curly braces.
<i>Brackets</i> mean that choosing one or more of the enclosed options is optional.	[anchovies, pineapple, bell_peppers] <b>Note</b> Do not type the brackets.
The <i>vertical bar</i> means you may select only one of the options shown.	{cash   check   credit} <b>Note</b> Do not type the curly braces.
The <i>comma</i> means you may choose as many of the options shown as you like; separate multiple choices in a command with commas.	[extra_cheese, avocados, sour_cream] <b>Note</b> Do not type the brackets.
An <i>ellipsis</i> (...) means that you can <i>repeat</i> the unit that the ellipsis follows as many times as you like.	buy <i>thing</i> = price [cash   check   credit] [, <i>thing</i> = price [cash   check   credit] ]... <ul style="list-style-type: none"> <li>You must buy at least one <i>thing</i> (item) and give its price.</li> <li>You may choose a method of payment: one of the options enclosed in square brackets.</li> <li>You may choose also to buy additional items: as many of them as you like. For each item you buy, provide its name, its price, and (optionally) a method of payment.</li> </ul>
Syntax statements, which display the utility's syntax including all its options, appear as shown here, either in san serif font for flags and options (-v), or italics for user-supplied values ( <i>username</i> ).	charset [-Ppassword] [-Sserver] [-Iinterface] sort_order   charset
Examples that illustrate computer output appear in Courier, as shown:	pub_id pub_name city state ----- 0736 New Age Books Boston MA 0877 Binnet & Hardley Washington DC (2 rows affected)

## Accessibility features

This document is available in an HTML version that is specialized for accessibility. You can navigate the HTML with an adaptive technology such as a screen reader, or view it with a screen enlarger.

Adaptive Server HTML documentation has been tested for compliance with U.S. government Section 508 Accessibility requirements. Documents that comply with Section 508 generally also meet non-U.S. accessibility guidelines, such as the World Wide Web Consortium (W3C) guidelines for Web sites.

---

**Note** You might need to configure your accessibility tool for optimal use. Some screen readers pronounce text based on its case; for example, they pronounce ALL UPPERCASE TEXT as initials, and MixedCase Text as words. You might find it helpful to configure your tool to announce syntax conventions. Consult the documentation for your tool.

---

For information about how Sybase supports accessibility, see Sybase Accessibility at <http://www.sybase.com/accessibility>. The Sybase Accessibility site includes links to information on Section 508 and W3C standards.

**If you need help**

Each Sybase installation that has purchased a support contract has one or more designated people who are authorized to contact Sybase Technical Support. If you cannot resolve a problem using the manuals or online help, please have the designated person contact Sybase Technical Support or the Sybase subsidiary in your area.



# Introduction

Although this book assumes that you have a basic knowledge of messaging systems in database management, this chapter introduces some basic message concepts and models, and explains some of the terms used throughout the document.

Most of the discussion concerns aspects of messaging that are specific to Adaptive Server. This functionality is referred to in this document as real-time messaging services.

<b>Topic</b>	<b>Page</b>
Active Messaging concepts	1
Automatic decisions in real time	2
Messaging models	3
Message format	4
Message selectors	5

## Active Messaging concepts

Messaging is the exchange of information by two or more software applications. A message is a self-contained package of information.

Many Adaptive Server customers use messaging and queuing, or publish-and-subscribe systems in their own application environments. These applications are called message-oriented middleware. Often, the same application combines database operations with messaging operations.

Active Messaging simplifies the development of such applications, using Adaptive Server with Tibco Enterprise Message Service (EMS), EAServer Java Messaging System (JMS), IBM WebSphere MQ (MQ), and SonicMQ from Sonic Software.

---

**Note** EMS is the Tibco implementation of a Java Messaging Service (JMS). Unless specified, JMS refers generically to Tibco EMS, EAServer JMS, and SonicMQ JMS in this documentation.

---

Messaging systems allow senders and receivers to be detached. A messaging system can be asynchronous, in that an application can send messages without requiring receiving applications to be running.

JMS and MQ are APIs that define how clients communicate with message providers. The message sender and the message receiver both act as clients to the message provider.

Messaging systems are provided by message providers. The messaging provider can implement architecture that centralizes or decentralizes the storage of messages, or that is a hybrid of the two.

Active Messaging performs messaging operations within SQL statements, using built-in functions.

It also provides a way to capture transactions (data changes) in an Adaptive Server database and deliver them as events to external applications using either:

- A JMS message bus, provided by Tibco, EAServer, and Sonic Software, or
- The Message Queue Interface (MQI), provided by WebSphere MQ

## Automatic decisions in real time

In managing a database, you must sometimes allow for automated decisions in real time, in response to specific events. Real time means that the database can make decisions regarding events when events occur, rather than simply queuing the events. An event, such as a change in a record, must be evaluated with other changes, and the most efficient response chosen. This means that effective decision-support systems need:

- Low latency, enabling real-time enterprise



- An automated system that describes events and the data relating to them
- A technology to reduce the cost of applications that deliver low latency

These business needs are addressed by Active Messaging using the Tibco or EAServer JMS message bus, or IBM WebSphere MQ.

## Messaging models

This section describes the messaging models for JMS and MQ.

### JMS

JMS defines two messaging models:

- Publish-and-subscribe (topics)
- Point-to-point (queues)

Publish-and-subscribe  
(topics)

The publish-and-subscribe (pub/sub) model is a one-to-many model. The application sending the message is called the “message producer,” and the applications receiving the message are called “message consumers.” Message consumers establish subscriptions to register an interest in messages sent to a topic. A topic is the destination of this message model.

There are two types of subscriptions you can establish in the pub/sub model:

- **Durable** – retains messages for the message consumer even when the message consumer application is not connected. The message provider, rather than Adaptive Server, retains the message.
- **Nondurable** – retains messages only when consumer applications are connected to the message provider.

Point-to-point  
(queues)

The point-to-point model is a one-to-one model, in that any message sent, by an application called a “message sender,” can be read only by one receiving application, called a “message receiver.” The destination of a point-to-point message is a queue. A queue may contain more than one active message receiver, but the messaging provider ensures that the message is delivered to only one message receiver.

## WebSphere MQ messaging models

All MQ messaging models are point-to-point, that is, messages are always sent to, or received from a queue that is managed by a queue manager.

MQ pub/sub is a publish-and-subscribe model built on MQ queues; the messages are not different types of objects. Interaction with MQ pub/sub uses MQ queues.

All messages are sent to the MQ pub/sub **broker**'s broker command queue. This includes registration of a publisher or subscriber, and control messages such as deleting a message, or requesting an update for a message.

A publisher sends a publication to a stream queue. The MQ pub/sub broker distributes the message to all subscribers that have interest in the message. The publisher describes the message using topics, which are subjects that describe the contents of the message.

Subscribers register interest in messages that are sent to a named stream queue by specifying one or more topics of interest. When such messages are sent to the stream queue, the MQ pub/sub broker copies the message to the local queue that the subscriber specified when the subscriber was registered.

## Message format

The message format for both MQ and JMS consists of:

- Message header – contains fixed-size portions and variable-sized portions of information specified by the standard. Most of this information is automatically assigned by the message provider.
- Message body – is the application data that client applications exchange.

JMS defines structured message types, such as stream and map, and unstructured message types, such as text, byte, and object.

In MQ, the message body can contain both text and binary data.

## JMS message properties

In Tibco, EAServer, and Sonic MQ message properties are user-defined properties that you can include with the message. Message properties have types that define application-specific information that message consumers can use later, to select the messages that interest them. Message property types are Java native types `int`, `float`, or `String` (class).

## MQ message topics

The MQ, the pub/sub model allows “topics,” which are the subjects of messages. Topics are included in the message in the rules and formatting (RF) header. Unlike JMS, MQ topics are not name-value pairs—which consist of a name and its accompanying value—but are free-form strings that describe the MQ pub/sub message.

## Message selectors

JMS message selectors for Tibco and EAServer provide a way for message consumers to filter the message stream and select the messages that interest them. These filters apply criteria that reference message properties and their values. The message selector is a SQL-92 `where` clause.

MQ message selection uses only the message ID and message correlation ID as message selectors. A message reader can selectively choose to read a particular message by specifying a message ID or message correlation ID.



# Understanding Active Messaging

This chapter is an overview of Active Messaging specific to Adaptive Server, which allows you to use Adaptive Server as a client of the message provider. You can use Transact-SQL to send messages to or retrieve messages from the messaging provider.

<b>Topic</b>	<b>Page</b>
Sending and receiving messages from a queue	7
Publishing and consuming messages from a JMS topic	8
Working with message properties	9
Previewing the messaging interface	9
MQ overview	11
Securing channels with SSL	14
MQ publish/subscribe	16
Working with MQ cluster queue objects	27
Working with remote queue objects	29
Working with text messaging	30
Adaptive Server Cluster Edition support	32
Internationalization support	34
Transactional message behavior	35
MQ security	36
Installing MQ client on Adaptive Server host machines	37
MQ authorizations	38
Querying MQ information	39

## Sending and receiving messages from a queue

Using the built-in functions `msgsend` and `msgrecv`, Transact-SQL applications can send messages to a queue, or read messages from a queue in JMS and MQ.

You can use application logic to construct a message body or payload, or the body may be constructed from character or binary data directly from relational tables.

You can construct the values of message properties (header or user properties) from relational data or from application logic, and include the constructed message properties in the message you are sending.

Messages read from the JMS or MQ queue can be processed by the application logic, or directly inserted into relational tables. To filter out only messages of interest when executing the read operation, specify a message selector.

Message properties in read messages can be individually processed by the application logic. For more information about message properties, see `msgsend` on page 103.

## **Publishing and consuming messages from a JMS topic**

Using the built-in functions `msgpublish` and `msgconsume`, Transact-SQL applications can publish messages to, or consume messages from, a JMS topic.

First, you must register a subscription, using `sp_msgadmin 'register'`. Registering a subscription creates a name that `msgpublish`, `msgconsume`, `msgsubscribe`, and `msgunsubscribe` functions can reference. Register a subscription as  **durable**  or  **nondurable** , and you specify a message selector to control the messages that come in, ensuring that only messages of interest are read.

Use `msgsubscribe` to tell the JMS provider to hold messages until the application logic is ready to process them. Use `msgunsubscribe` to tell the JMS provider that the application is no longer interested in messages on this subscription. Use `msgunsubscribe` to delete durable subscriptions from the JMS provider.

Message properties in read messages can be individually processed by the application logic.

See Chapter 3, “SQL Reference” for syntax, parameter, and usage information for `sp_msgadmin` and functions.

## Working with message properties

When a message is read, the message header and user properties can be processed by Transact-SQL application logic, using built-in SQL functions. These functions return:

- The name of the  $n^{\text{th}}$  property
- The value of a named property
- The type of a named property
- The number of properties
- A list of the properties

These built-in functions allow application logic to make processing decisions during runtime, based on the value of the message properties:

- msgproplist
- msgpropname
- msgpropvalue
- msgproptype
- msgpropcount

## Previewing the messaging interface

These examples provide a brief preview of the Transact-SQL messaging interface.

Examples

**Example 1** (JMS) Sends a message to a queue:

```
select msgsend('hello world',
  ('eas_jms:iiop://my_eas:7222?queue=queue.sample'
  message property 'city=Detroit')
```

**Example 2** (JMS) Reads a message from a queue, with and without a filter:

```
select msgrecv('tibco_jms:tcp://my_jms_host:7222?queue=queue.sample')

select msgrecv
  ('eas_jms:iiop://my_eas:7222?queue=queue.sample'
  message selector 'city=''Detroit''')
```

**Example 3** (JMS) Publishes a message to a topic:

```
sp_msgadmin register, subscription, sub1,
  'eas_jms:iiop://my_eas:7222?topic=topic.sample'
select msgpublish
  ('hello world', 'sub1' message property 'city=Boston')
```

**Example 4** (JMS) Consumes a message from a topic:

```
select msgconsume('sub1')
```

**Example 5** (JMS) Illustrates working with properties:

```
select msgconsume('sub1')
declare @pcount integer
declare @curr integer
declare @pname varchar(100)
select @curr=1
select @pcount = msgpropcount()
while(@curr<=@pcount)
begin
  select @pname=msgpropname(@curr)
  select msgproptype(@pname)
  select msgpropvalue(@pname)
  select @curr=@curr+1
end
```

**Example 6** (MQ) sends a message to a queue:

```
select msgsend('hello world',
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=DEFAULT.QUEUE'
  message header 'priority=2')
```

**Example 7** (MQ) Reads a message from a queue:

```
select msgrecv(
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=DEFAULT.QUEUE'
  option 'timeout=30ss')
```

**Example 8** (MQ) Registers a publisher and publishes a message about fish:

```
select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=SYSTEM.BROKER.CONTROL.QUEU
E'
  option 'rfhCommand=registerPublisher'
  message header 'topics=fish')
```



```

        + ',streamName=ANIMALS.STREAM')
select msgsend('something about a fish',
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=ANIMALS.STREAM'
  message header 'topics=fish')

```

**Example 9** (MQ) Registers a subscriber, reads a message, and processes the message properties:

```

select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=SYSTEM.BROKER.CONTROL.QUE
UE'
  option 'rfhCommand=registerSubscriber'
        + ',topics=fish'
        + ',streamName=ANIMALS.STREAM'
        + ',queueName=MY_ANIMALS.QUEUE')

select msgrcv(
  'ibm_mq:channel1/tcp/host1(1234)?qmgr=QM,queue=MY_ANIMALS.QUEUE'
  option 'timeout=30ss')

select msgpropvalue('MPQScompcode', @msgproperties)

```

## MQ overview

IBM WebSphere MQ allows different applications to communicate asynchronously through queues across different operating systems, different processors, and different application systems.

WebSphere MQ includes the **Message Queue Interface** (MQI), a common low-level **application program interface** (API). Applications use MQI to read and write messages to the queues.

A **queue manager** is a system program that provides queuing services, and owns and manages the set of resources that are used by WebSphere MQ. These resources include queues, channels, process definitions, and so on.

A queue is a data structure used to store messages. There are several types of queue objects available in WebSphere MQ:

- **Local queue object** – identifies a local queue belonging to the queue manager to which the application is connected. All queues are local queues in that each queue belongs to a queue manager, and for that queue manager, the queue is a local queue.

- Remote queue object – identifies a queue belonging to another queue manager that is a different queue manager from the one to which the application is connected. This queue must be defined as a local queue to the queue manager to which the remote queue object belongs.
- Alias queue object – is not a queue, but an object pointer to a local or remote queue.
- Model queue object – defines a set of queue attributes that is used as a template to create a dynamic queue.

All types of queue objects can be sent in messages, but messages can be read only from local queue objects.

In addition to the queue object types that are available in WebSphere MQ, there are some other concepts about queues as well:

- Remote queue definitions – are definitions for queues that are owned by another queue manager, and not queues themselves.

Remote queue definitions enable an application to put a message to a remote queue without having to specify the name of the remote queue or the remote queue manager, or the name of the transmission queue.

- Predefined queues – are created by an administrator using the appropriate MQ Series commands (MQSC) or WebSphere MQ programmable command format (PCF) commands. Predefined queues are permanent, existing independently of the applications that use them, and persisting through WebSphere MQ restarts.
- Dynamic queues – are created when an application issues an MQOPEN request specifying the name of a model queue. The queue created is based on a template queue definition, which is called a model queue. The attributes of dynamic queues are inherited from the model queue from which they are created.
- Cluster queue objects – are hosted by a cluster queue manager and are made available to other queue managers in the cluster.

A channel is a logical communication link between a WebSphere MQ client and a WebSphere MQ server, or between two WebSphere MQ servers. There are two categories of channel in WebSphere MQ:

- Message channels – are one-way links that connect two queue managers via message channel agents.

- MQI channels – connect a WebSphere MQ client to a queue manager on a server machine, and are established when you issue an MQCONN or MQCONNX call. An MQ channel is a two-way link used to transfer only MQI calls and responses.

There are two channel types for MQI channel definitions:

- Client-connection channel – connects to the WebSphere MQ client.
- Server-connection channel – connects to the server running the queue manager, which communicates with the WebSphere MQ application that is running in an WebSphere MQ client environment.

The MQ channel supports the industry-standard Secure Sockets Layer (SSL) protocol. See your WebSphere MQ documentation from IBM for information on whether SSL is available on your platform in version 5.3 or 6.0 of MQ.

A process definition defines a process that executes when incoming messages cause a trigger event.

A WebSphere MQ message consist of two parts:

- Message header – message control information that contains a fixed-sized portion and a variable-sized portion.
- Message body – application data that contains any type of data (text or binary).

When you use `rfhCommand` to publish a publication, if the message payload returned by `msgrecv` is set to:

- MQRHRF – the RF header is included in the message body.
- MQRHRH – the RF header is not included.

You can obtain the name-value pairs in the RF header by querying `@@msgproperties`.

If the message body contains characters, code-set conversions are available either through MQ native services, or through user exit handlers. The format of the message body is defined by a field in the message header. MQ does not enumerate all possible message body formats, although some formats are provided in samples. Applications can enter any name of the format. For instance, “MQSTR” contains string data and “MQRHRF” contains topics for MQ pub/sub.

WebSphere MQ message types include:

- Datagram – no reply is expected.

- Request – a reply is expected.
- Reply – reply to a request message.
- Report – contains status information from the queue manager or another application.

When messages are sent, various message header properties can be set, such as expiration, persistence, priority, correlation ID, and reply queue.

Message grouping enables you to organize a group of messages into a logically named group. Within a group, each logical message can further be divided into segments. A group is identified by a name, each logical message within a group is identified by a sequence number (starting with 1), and each segment of a logical message is identified by the offset of the message data with respect to the logical message. Segmented messages are not supported by MQ pub/sub, and an attempt to send a segmented message results in an error.

In a queue, messages appear in the physical order in which they were sent to the queue. This means that messages of different groups may be interspersed, and, within a group, the sequence numbers of the messages may be out of order (the latter can occur if two applications are sending messages with the same group ID and partitioned sequence numbers).

When messages are received, the read mode can be either:

- Destructive – message is removed, or
- Nondestructive – the message is retained. This is known as “browsing,” and allows applications to peruse one or more messages before deciding to remove a particular message from the queue.

Receivers can select particular messages by specifying message header properties such as correlation ID or message ID.

When messages are read—as either destructive or nondestructive—the order in which they are returned can be physical or logical. The order is defined by the queue definition. The queue can be defined as being in priority order or first-in, first-out order.

## Securing channels with SSL

To send and receive messages through SSL:

- 1 Create a key repository for the connected queue manager that contains queue manager's private key, and the digital certificate for Adaptive Server.
- 2 Create a key repository for Adaptive Server that contains the digital certificate for that Adaptive Server, as well as for the connected queue managers.
- 3 Create an SSL-enabled server connection channel on the connected queue manager.
- 4 Configure your key repository for Adaptive Server by using the `sp_msgadmin 'config', 'ibmmq_keystore'` stored procedure described in `sp_msgadmin` on page 62 in Chapter 3, "SQL Reference."

**Example**

This scenario shows how WebSphere MQ communicates both with and without SSL in Active Messaging.

There are two server connection channels on queue manager "BACH"; the first, "CH1", is a normal connection, while "CH2" is configured to require SSL. The SSL cipher specification for the channel is NULL\_MD5.

- 1 Send a message to the queue manager without enabling SSL:

```
select msgsend('a', "ibm_mq:CH1/tcp/host1(7654)?qmgr=BACH,queue=Q1')
```

- 2 Next, send a message to the queue manager using the SSL protocol:

- a Set up the key repositories for the queue manager and Adaptive Server separately. The key database file for Adaptive Server is `/var/mqm/clients/ssl/ASE.kdb`. See your WebSphere MQ documentation from IBM for instructions on how to set up key repositories.
- b Configure the key repository for Adaptive Server with:

```
sp_msgadmin 'config', 'ibmmq_keystore', '/var/mqm/clients/ssl/ASE'
```

- c Send the message through SSL:

```
select msgsend('e', 'ibm_mq:CH2(ssl:sslciph=NULL_MD5)
/tcp/host1(7654)?qmgr=BACH,queue=Q1')
```

## MQ publish/subscribe

WebSphere MQ publish/subscribe is used on MQ queues that employ a broker process to perform subscription resolution. In its simplest form:

- A publisher is the application that is sending the message.
- A subscriber is the application that is receiving the message.
- The following queues are involved:
  - Control queue – where publishers and subscribers send directives such as subscriber registration and cancellation to the pub/sub broker.
  - Stream queue – where the publisher sends its messages directly. The pub/sub broker reads the messages from the stream queue and distributes them to the appropriate subscriber’s queue.
  - Subscriber queue – where the subscriber reads its messages directly.

---

**Note** More queues may be involved, depending on the type of publications.

---

- The pub/sub broker responds to MQRFH messages sent to the control queue. These command messages control how the pub/sub broker processes messages that arrive on the stream queue. For instance, a subscriber can register an interest in a particular topic.
- The publisher sends messages directly to the stream queue.
- The pub/sub broker reads messages from the stream queue and determines the subscriber queue to which to copy the message. This depends on topics that the subscribers have registered interest in.
- The subscriber reads messages directly from the subscriber queue.

Subscribers register “subscriptions,” which means it is interested in one or more “topics.”

### Example

This example, which shows the MQ pub/sub process, uses these variables:

```
declare @BROKER      varchar(100)
declare @STREAM      varchar(100)
declare @SUBQ        varchar(100)
declare @QM          varchar(100)
select @QM           = 'ibm_mq:channel1/tcp/host1(9876)?qmgr=QM'
select @BROKER       = 'SYSTEM.BROKER.CONTROL.QUEUE'
select @STREAM       = 'ANIMALS'
select @SUBQ         = 'MY_ANIMALS'
```

- 1 Publisher registers to send publications to ANIMALS with topics on fish:

```
select msgsend(NULL,  
    @QM + ',queue=' + @BROKER  
    option 'rfhCommand=registerPublisher'  
    message header 'topics=fish,streamName=' + @STREAM)
```

- 2 Subscriber registers to receive publications published to ANIMALS with topics on fish. The subscriber receives the publications on MY\_ANIMALS:

```
select msgsend(NULL,  
    @QM + ',queue=' + @BROKER  
    option 'rfhCommand=registerSubscriber'  
    message header 'topics=fish'  
        + ',streamName=' + @STREAM  
        + ',queueName=' + @SUBQ')
```

- 3 Publisher publishes publication to ANIMALS about fish. The MQ pub/sub broker automatically forwards the publication to MY\_ANIMALS:


```
select msgsend('something about fish',  
    @QM + ',queue=' + @STREAM  
    option 'rfhCommand=publish'  
    message header 'topics=fish')
```

- 4 Subscriber reads the forwarded message from MY\_ANIMALS:

```
select msgrecv(@QM + ',queue=' + @SUBQ option 'timeout=30ss')
```

Figure 2-1 shows the flow of the sample MQ pub/sub process.

Figure 2-1: The MQ publication/subscription process



A message can have one or more topics. The WebSphere MQ pub/sub model recommends that topics use a hierarchical naming convention as in the examples show below. Subscribers can specify wildcards (such as \* and ?) when specifying topics of interest.

These are examples of topics:

```
Sport
Sport/Soccer
Sport/Tennis
```

These are examples of how subscribers can specify topics of interest:

```
Sport/*           - Any topic about sports.
*/Soccer         - Any topics about soccer.
*/Soccer/Trades - Any topics about soccer where a 'trade' is involved.
```

A retained publication is a type of publication where the MQ pub/sub broker maintains a copy of a message even after it has delivered it to all subscribers. Normally, a publication is deleted after a copy has been delivered to all subscribers. A retained publication allows a subscriber to asynchronously request the retained publication instead of relying on it being delivered by the MQ pub/sub broker. These types of messages normally contain state information, and are also referred to as state publications.



## Syntax for topics

- A topic is generally in the form “topic/subtopic,” for example, “sport/baseball.”
- You can specify a wildcard, such as “\*” or “?” within a topic.
- When specifying multiple topics, separate the topics with a colon. For instance, “topic1:topic2:topic3:”, and so on.
- If a topic contains spaces or commas, place the entire topic list in quotes. Since topics can appear in message header or message property clauses as strings, if the option string is passed as a quoted scalar value, the enclosed quotes must be escaped by doubling them. Furthermore, if the topic also contains embedded double quotes, the embedded double quotes must be escaped by quadruple quotes. For example:

```
-- Topic has embedded spaces, we need to quote with escaped quotes
select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'
  option 'msgType=datagram,rfhCommand=publish'
  message property 'topics=' 'Sport/Football/Hometown Bulldogs''')

-- Topic has embedded spaces, we can quote with double quotes
select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'
  option 'msgType=datagram,rfhCommand=publish'
  message property 'topics="Sport/Football/Hometown Bulldogs"')

-- Topic has embedded spaces and embedded double quotes, the inner
-- double quotes need to be escaped.
set quoted_identifier off
select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'
  option 'msgType=datagram,rfhCommand=publish'
  message property 'topics="quoted "topic" here"')

-- Topic has embedded spaces and embedded double quotes, double the
-- quotes around the topic, and quadruple the embedded quotes.
select msgsend(NULL,
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'
  option 'msgType=datagram,rfhCommand=publish'
  message property "topics=""quoted ""topic"" here""")
```

- When topics have embedded spaces or quotes, the topic is quoted in the MQRF header. If the topic has embedded quotes, the quotes are escaped before being put into the MQRF header.

In this example, there is one topic placed in the MQRF header as **“Sport/Football/Hometown Bulldogs”**:

```
select msgsend(NULL,  
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'  
  option 'msgType=datagram,rfhCommand=publish'  
  message property 'topics='Sport/Football/Hometown Bulldogs''')
```

In this example, there is one topic placed in the MQRF header as **“Books/”“Recipes Of Spain”**.

```
select msgsend(NULL,  
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'  
  option 'msgType=datagram,rfhCommand=publish'  
  message property 'topics='Books/'Recipes Of Spain''')
```

- You can escape topic names by using “:.”; any single, nonescaped trailing “:” is ignored.

In the following example, there are three topics, **“baseball”**, **“baseball/anytown”**, and **“baseball/scores”**.

```
select msgsend(NULL,  
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'  
  option 'msgType=datagram,rfhCommand=publish'  
  message property 'topics=baseball:baseball/anytown:baseball/scores')
```

In this example, there are three topics, **“subject1”**, **“subject:2”**, and **“subject3”**. A double colon (“:.”) is used to escape the embedded “:”.

```
select msgsend(NULL,  
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=SAMPLE.STREAM'  
  option 'msgType=datagram,rfhCommand=publish'  
  message property 'topics=subject1:subject.:2:subject3')
```

## Publisher and subscriber identities

By default, a publisher or subscriber identity consists of:

- A queue name.
- A queue manager name.

- A correlation identifier (optional). You can use the correlation identifier to distinguish between different publishers or subscribers using the same queue. Each publisher and subscriber can be assigned a different correlation identifier allowing several applications to share a queue allowing a single application to differentiate publications originating from different subscriptions.

## MQ publish/subscribe examples

**Publisher example**      The Adaptive Server session is a publisher. It publishes on “topicA” and “topicB”; publications on “topicB” are published as retained publications. The retained publication is deleted.

```
-- @QM has the queue manager endpoint
declare @QM          varchar(100)
-- @BROKER has the broker queue name
declare @BROKER      varchar(100)
-- @STREAM has the stream queue name
declare @STREAM      varchar(100)
-- @CORRELID has the generated correlation id
declare @CORRELID    varchar(100)

-- Put Queue manager name, broker and stream queue names into variables
select @QM           = 'ibm_mq:chan1/tcp/localhost(5678)?qmgr=QM1'
select @BROKER       = 'SYSTEM.BROKER.CONTROL.QUEUE'
select @STREAM       = 'Q1.STREAM'

-- Register the publisher, only for topicA
select msgsend(NULL, @QM + ',queue=' + @BROKER
               option 'rfhCommand=registerPublisher'
               message header 'correlationAsId=generate'
                           + ',topics=topicA'
                           + ',streamName=' + @STREAM)
-----
0x414d51204652414e4349532e514d202041a3ebfb20014801

-- Save the generated correlation id
select @CORRELID = @@msgcorrelation

-- Send two publications on topicA
select msgsend('topicA, publication 1', @QM + ',queue=' + @STREAM
               option 'rfhCommand=publish'
               message header 'correlationAsId=yes'
                           + ',correlationId=' + @CORRELID
```

```

        + ',topics=topicA')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014803

select msgsend('topicA, publication 2', @QM + ',queue=' + @STREAM
    option 'rfhCommand=publish'
    message header 'correlationAsId=yes'
        + ',correlationId=' + @CORRELID
        + ',topics=topicA')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014805

-- Add another topic for this publisher
select msgsend(NULL, @QM + ',queue=' + @BROKER
    option 'rfhCommand=registerPublisher'
    message header 'correlationAsId=yes'
        + ',correlationId=' + @CORRELID
        + ',topics=topicB'
        + ',streamName=' + @STREAM)
-----
0x414d51204652414e4349532e514d202041a3ebfb20014807

-- Publish a retained message on topicB
select msgsend('topicB, retained publication 1', @QM + ',queue=' + @STREAM
    option 'rfhCommand=publish'
    message header 'correlationAsId=yes'
        + ',correlationId=' + @CORRELID
        + ',topics=topicB'
        + ',retainPub=yes')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014809

-- Publish a second retained publication on topicB
-- This one will replace the current retained publication on topicB.
select msgsend('topicB, retained publication 2', @QM + ',queue=' + @STREAM
    option 'rfhCommand=publish'
    message header ',correlationAsId=Yes'
        + ',correlationId' + @CORRELID
        + ',topics=topicB'
        + ',retainPub=yes')
-----
0x414d51204652414e4349532e514d202041a3ebfb2001480b

-- Delete the retained publication on topicB
select msgsend(NULL, @QM + ',queue=' + @STREAM
    option 'rfhCommand=deletePublication'
```

```

message header 'topics=topicB'
              + ',streamName=' + @STREAM)
-----
0x414d51204652414e4349532e514d202041a3ebfb2001480d

-- Deregister the publisher, for all topics.
select msgsend(NULL, @QM + ',queue=' + @BROKER
              option 'rfhCommand=deregisterPublisher'
              message header 'correlationAsId=yes'
                          + ',correlationId=' + @CORRELID
                          + ',deregAll=yes'
                          + ',streamName=' + @STREAM)
-----
0x414d51204652414e4349532e514d202041a3ebfb2001480f

```

**Subscriber example** In this example, the Adaptive Server session subscribes to “topicA” and “topicB”; publications on “topicB” are published as retained publications. This subscriber processes retained publications by requesting an update from the pub/sub broker.

```

-- @QM has the queue manager endpoint
declare @QM          varchar(100)
-- @BROKER has the broker queue name
declare @BROKER      varchar(100)
-- @SUBQUEUE has the subscriber queue name
declare @SUBQUEUE    varchar(100)
-- @STREAM has the stream queue name
declare @STREAM      varchar(100)
-- @CORRELID has the generated correlation id
declare @CORRELID    varchar(100)

-- Put broker and subscriber queue names into variables
select @QM          = 'ibm_mq:chan1/tcp/localhost(5678)?qmgr=QM1'
select @BROKER      = 'SYSTEM.BROKER.CONTROL.QUEUE'
select @SUBQUEUE    = 'Q1.SUBSCRIBER'
select @STREAM      = 'Q1.STREAM'

-- Register the subscriber, only for topicA
select msgsend(NULL, @QM + ',queue=' + @BROKER
              option 'rfhCommand=registerSubscriber'
              message header 'correlationAsId=generate'
                          + ',topics=topicA'
                          + ',streamName=' + @STREAM
                          + ',queueName=' + @SUBQUEUE)
-----
0x414d51204652414e4349532e514d202041a3ebfb20014801

```

```
-- Save the generated correlation id
select @CORRELID = @@msgcorrelation

-- Add another topic for this subscriber
-- we will explicitly request update for publications on this topic.
select msgsend(NULL, @QM + ',queue=' + @BROKER
               option 'rfhCommand=registerSubscriber'
               message header 'CorrelationAsId=yes'
                               + ',correlationId=' + @CORRELID
                               + ',topics=topicB'
                               + ',streamName=' + @STREAM
                               + ',queueName=' + @SUBQUEUE
                               + ',pubOnReqOnly=yes')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014803

-- The publisher now publishes messages in the following order:
-- topicA, topicB (*), topicA, topicB (*)
-- ( '*' denotes a retained publication )

-- Get the first message on the subscriber queue, it will be on topicA.
select msgrcv(@QM + ',queue=' + @SUBQUEUE option 'timeout=30ss')
-----
publication on topicA

-- Get the second message on the subscriber queue, it will be on topicA.
select msgrcv(@QM + ',queue=' + @SUBQUEUE option 'timeout=30ss')
-----
publication on topicA

-- Request the broker to now send retained publications on topicB
select msgsend(NULL, @QM + ',queue=' + @BROKER
               option 'rfhCommand=requestUpdate'
               message header 'CorrelationAsId=yes'
                               + ',correlationId=' + @CORRELID
                               + ',topics=topicB'
                               + ',streamName=' + @STREAM
                               + ',queueName=' + @SUBQUEUE)
-----
0x414d51204652414e4349532e514d202041a3ebfb20014805

-- Get the next message on the subscriber queue, it will be on topicB.
select msgrcv(@QM + ',queue=' + @SUBQUEUE option 'timeout=30ss')
-----
publication on topicB
```

```

-- Get the next message on the subscriber queue, it will be on topicB.
select msgrecv(@QM + ',queue=' + @SUBQUEUE option 'timeout=30ss')
-----
publication on topicB

-- Deregister the subscriber, for all topics.
select msgsend(NULL, @QM + ',queue=' + @BROKER
    option 'rfhCommand=deregisterSubscriber'
    message header 'CorrelationAsId=yes'
                + ',correlationId=' + @CORRELID
                + ',deregAll=yes'
                + ',streamName=' + @STREAM
                + ',queueName=' + @SUBQUEUE)
-----
0x414d51204652414e4349532e514d202041a3ebfb20014807

```

#### Broker response example

This example shows you how to use request/response messaging to check the response from the pub/sub broker. A subscription is registered by user1, and the pub/sub broker response is checked. The same subscription is then registered again by user2, with a different subscription name, which causes an error response from the pub/sub broker.

Queries executed by user1:

```

-- @QM has the queue manager endpoint
declare @QM          varchar(100)
-- @BROKER has the broker queue name
declare @BROKER      varchar(100)
-- @SUBQUEUE has the subscriber queue name
declare @SUBQUEUE    varchar(100)
-- @REPLY has the reply queue name
declare @REPLY       varchar(100)

-- Put broker, subscriber and reply queue names into variables
select @QM          = 'ibm_mq:chan1/tcp/localhost(5678)?qmgr=QM1'
select @BROKER      = 'SYSTEM.BROKER.CONTROL.QUEUE'
select @SUBQUEUE    = 'Q1.SUBSCRIBER'
select @REPLY       = 'Q1.REPLY'

-- Register the subscriber.
select msgsend(NULL, @QM + ',queue=' + @BROKER
    option 'rfhCommand=registerSubscriber, msgType=request'
    message header 'correlationAsId=generate'
                + ',topics=topicA'
                + ',streamName=Q1.STREAM'

```

```
        + ',queueName=Q1.SUBSCRIBER'
        + ',replyToQueue=Q1.REPLY')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014801

-- Read the response
select msgrecv(@QM + ',queue=' + @REPLY option 'timeout=30ss')
-----
NULL

-- Check @msgproperties
select @msgproperties
-----
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<msgproperties
      MQPSReasonText="'&apos;MQRC_NONE&apos;";
      MQPSReason="0"
      MQPSCompCode="0">
</msgproperties>

-- Check MQPSCompCode
if (msgpropvalue('MQPSCompCode', @msgproperties) != "0")
begin
    print "registerSubscriber failed"
end
```

### Queries executed by user2:

```
-- @QM has the queue manager endpoint
declare @QM          varchar(100)
-- @BROKER has the broker queue name
declare @BROKER      varchar(100)
-- @SUBQUEUE has the subscriber queue name
declare @SUBQUEUE    varchar(100)
-- @REPLY has the reply queue name
declare @REPLY       varchar(100)

-- Put broker, subscriber and reply queue names into variables
select @QM=          'ibm_mq:chan1/tcp/localhost(5678)?qmgr=QM1'
select @BROKER=      'SYSTEM.BROKER.CONTROL.QUEUE'
select @SUBQUEUE=    'Q1.SUBSCRIBER'
select @REPLY=       'Q1.REPLY'

-- Register the subscriber
select msgsend(NULL, @QM + ',queue=' + @BROKER
               option 'rfhCommand=registerSubscriber, msgType=request')
```



```
message header 'correlationAsId=generate'
              + ',topics=topicA'
              + ',streamName=Q1.STREAM'
              + ',queueName=Q1.SUBSCRIBER'
              + ',replyToQueue=Q1.REPLY')
-----
0x414d51204652414e4349532e514d202041a3ebfb20014801

-- Read the response
select msgrecv(@QM + ',queue=' + @REPLY option 'timeout=30ss')
-----
NULL

-- Check @@msgproperties
select @@msgproperties
-----
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<msgproperties
  MQPSUserId="'&apos;user2 &apos;'"
  MQPSReasonText="'&apos;MQRCCF_DUPLICATE_IDENTITY&apos;'"
  MQPSReason="3078"
  MQPSCompCode="2"
</msgproperties>

-- Check MQPSCompCode
if (msgpropvalue('MQPSCompCode', @@msgproperties) != "0")
begin
print "registerSubscriber failed"
end
```

## Working with MQ cluster queue objects

Active Messaging allows you to use Adaptive Server as a client to communicate with the WebSphere MQ cluster feature. You can use `msgsend` to send messages to all the cluster queues on any cluster that is connected to a queue manager.

---

**Note** The `msgrecv` function does not support remote queue connections.

---

A cluster can have more than one queue manager hosting an instance of the same queue. For example, two queue managers, named MASTER\_MQ1 and SLAVE\_MQ1, both host cluster queue CQ1. Both queue managers then join cluster INV\_CQ1, resulting in two instances of the CQ1 cluster queue in the cluster INV\_CQ1.

To specify your remote queue manager, use `remote_qmgr` in your *endpoint* syntax segment. Ignore this `remote_qmgr` option if you are sending a message to the cluster queue that holds multiple instances, and you do not care which instance the destination is or do not need to balance the workload between cluster queue instances. In such cases, WebSphere MQ balances the workload on its own:

- If there is a instance on the connected queue manager, WebSphere MQ automatically chooses it.
- If there is no instance on the connected queue manager, WebSphere MQ determines which instance is suitable.

If you prefer not to use the default algorithm, define a cluster workload exit. An exit is a feature of WebSphere MQ that is similar to a trigger in a database. For more information on exits and how to define them, see your IBM WebSphere MQ documentation.

By using clusters with multiple instances of the same queue, you can route a message to any queue manager that hosts a copy of the correct queue. However, this adversely affects users who have multiple messages that need to maintain their sequential integrity. For example, a customer sends the following messages to a vendor:

- 1 “Send 100 widgets,” sent at 9:00 a.m.
- 2 “Send 50 widgets,” sent at 9:30 a.m.
- 3 “Cancel the first request,” sent at 10:00 a.m.

In this example, the messages must maintain the correct sequence for the vendor to know that the final quantity the customer wishes to purchase is 50 widgets (that is,  $100 + 50 - 100 = 50$ ). If message 2 were to arrive before message 1, the vendor would erroneously believe the customer wished to purchase 100 widgets.

Users can address this issue by putting these messages in the same instance by specifying `clustqBinding`, an *option\_string* type in the `msgsend` function. The options for `clustqBinding` are `bind`, `nobind`, and `default`. For a full description of these options as well as examples, see the reference pages for `msgsend` on page 103.

## Working with remote queue objects

You can send messages to remote queue objects by using the `msgsend remote_qmgr` option to specify the names of your remote queue managers when:

- The local queue manager and the remote queue manager are in a single cluster, and the local queue manager stores the cluster queue manager definition of the remote queue manager.
- There is a transmit queue on the local queue manager, and the name of the transmit queue is the same as the one on the remote queue manager.
- There is a queue manager alias on the local queue manager, and the name of the queue manager alias is the same as the one on the remote queue manager.

---

**Note** Adaptive Server sets the remote queue manager as the target queue manager, and sets the queue as the target queue. As soon as Adaptive Server sends a message to the related transmit queue, Adaptive Server returns with successful status, even though it has not yet sent a message to the target queue.

---

For more information on how WebSphere MQ transfers messages between queue managers, see your IBM documentation.

After a message is placed in the transmit queue, the local queue manager looks for the remote queue manager definition in its own subnet. If the local queue manager is:

- The full repository of the cluster – the local queue manager should contain a definition for the remote cluster queue manager.
- A partial repository – the local queue manager might not know where the remote definition is, in which case WebSphere MQ returns an error. When this happens, however, the local queue manager does not then ask for the location of the remote queue manager.

If the local queue manager finds the remote queue manager definition, the local queue manager sends a message to the remote queue manager through the cluster transmit queue, after which the remote queue manager sends a message to the target queue. This way, the operation succeeds even though the target queue is not a cluster queue.

For other circumstances, the channel of the related transmit queue receives messages and sends them to the queue manager that the channel connects to. If no such channel exists or the channel has not been started, the transmit queue stores the messages until the channel is started.

## Working with text messaging

Both JMS and WebSphere MQ can handle byte messages and text messages.

### Text messages and JMS

When sending or receiving messages in JMS, Active Messaging automatically detects the datatype of the message payload and handles it appropriately as either a byte or text message. When sending messages, JMS recognizes char, varchar, unichar, univarchar, text, and unitext as valid text message types.

#### Examples

**Example 1** Sends a text message to the JMS messaging bus:

```
declare @msg varchar(1024)
select @msg = 'abcd'
select msgsend(@msg,
  'tibco_jms:tcp://my_jms:7222?queue=sample,user=admin')
```

**Example 2** Receives a text message from JMS messaging bus:

```
select msgrecv('tibco_jms:tcp://my_jms:7222?
  queue=sample,user=admin', returns varchar(1024))
```

**Example 3** Sends a byte message to JMS messaging bus:

```
declare @msg varbinary(1024)
select @msg = 'abcd'
select msgsend(@msg,
  'tibco_jms:tcp://my_jms:7222?queue=sample,user=admin')
```

**Example 4** Receives a byte message from JMS messaging bus:

```
select msgrecv('tibco_jms:tcp://my_jms:7222?
  queue=sample,user=admin', returns varbinary(1024))
```

## Text messages and MQ

When receiving messages in WebSphere MQ, MQ regards the message as a text message only if the “formatName” message property is set to “MQSTR”. Otherwise, MQ handles the message as a byte message.

### Examples

**Example 1** Sends a text message to WebSphere MQ.

```
declare @msg varchar(1024)
select @msg = 'abc'
select msgsend(@msg, 'ibm_mq:channel1/TCP/host1(7654)?
qmgr=QM,queue=Q1,alter_user=yes',message property "formatName=MQSTR")
```

**Example 2** Receives a text message from WebSphere MQ:

```
select msgrecv('ibm_mq:channel1/TCP/host1(7654)?
qmgr=QM,queue=Q1,alter_user=yes',
option 'bufferLength=20000k,timeout=60000',
returns varchar(1024))
```

**Example 3** Sends a byte message to WebSphere MQ:

```
declare @msg varbinary(1024)
select @msg = 'abc'
select msgsend(@msg, 'ibm_mq:channel1/TCP/host1(7654)?
qmgr=QM,queue=Q1,alter_user=yes')
```

**Example 4** Receives a byte message from WebSphere MQ:

```
select msgrecv('ibm_mq:channel1/TCP/host1(7654)?
qmgr=QM,queue=Q1,alter_user=yes',
option 'bufferLength=20000k,timeout=60000',
returns varbinary(1024))
```

**Example 5** You can send a byte payload as a text message in WebSphere MQ as long as the payload is UTF8-encoded. In this example, text message “abc” is based on byte payload 0x616263 because the UTF8 encoding of text “abc” is 0x616263:

```
declare @msg varbinary(1024)
select @msg = 0x616263
select msgsend(@msg, 'ibm_mq:channel1/TCP/host1(7654)?
qmgr=QM,queue=Q1,alter_user=yes',
message property "formatName=MQSTR")
```

## Adaptive Server Cluster Edition support

Active Messaging supports the following client technologies of the Adaptive Server Cluster Edition:

- “Login redirection” on page 32 – the ability of an instance to redirect an incoming client connection to another instance prior to acknowledging the login. Login redirection occurs during the login sequence. The client application does not receive notification that it was redirected.
- “Extended high availability” on page 33 – in an extended failover configuration, Adaptive Server provides a list of failover addresses to “high-availability-aware” clients when they connect. This allows high-availability-aware clients or applications to fail over multiple times if the instance to which they are connected fails.

These clients are not required to have a HAFILOVER entry in their interfaces file or directory services. However, if they do have an HAFILOVER entry in their interfaces file or directory services, the clients continue to use this entry until Adaptive Server sends them a list of failover addresses or servers to connect to. The clients always use the latest list Adaptive Server provides.

---

**Note** The Active Messaging feature does not support connection migration, which occurs when an existing client is transferred from one instance of a cluster to another.

---

### Login redirection

Login redirection is used by the Adaptive Server workload manager to send incoming connections to specific instances based on the logical cluster configuration and the cluster’s current workload.

Login redirection occurs at login time when an instance tells a client to log in to another instance because of load considerations.

You need not perform any additional configuration for client redirection; it occurs automatically.

This example includes the instances “ase1” and “ase2” on nodes “blade1” and “blade2” running in the cluster “mycluster.”

```
ase1
  query tcp ether blade1 19786
```

```
ase2
  query tcp ether blade2 19786

mycluster
  query tcp ether blade1 19786
  query tcp ether blade2 19786
```

For example, if Active Messaging is enabled on “ase1” and “ase2,” and an application server tries to connect to “ase1” but “ase1” is unavailable, this login redirects to the “ase2” instance to perform the messaging operation.

See the *Clusters Users Guide*.

## Extended high availability

Adaptive Server provides a list of failover addresses to “HA-aware” clients when they connect. This allows high-availability-aware clients or applications to fail over multiple times, whenever the instance to which it is connected becomes unavailable. If the instance has not sent a failover list to the client, the client uses the HAFAILOVER entry information in the interfaces file.

This example allows an HA-aware client to fail over if there is a network failure during login before the instance sends the extended high-availability list:

```
ase1
  query tcp ether blade1 19786

ase2
  query tcp ether blade2 19786

mycluster
  query tcp ether blade1 19786
  query tcp ether blade2 19786
  hafailover mycluster
```

The HAFAILOVER entry should use the cluster alias as the server name since a client application tries each query line until it establishes a connection to an instance in the cluster. See the *Clusters Users Guide* for information on how to enable extended high-availability in a cluster environment.

Extended failover requires Open Client 15.0 ESD #3 or later. The client libraries in the Cluster Edition contain ESD #8.

Open Client uses the CS\_PROP\_EXTENDEDFAILOVER property for extended failover. See the *Client-Library/C Reference Manual*.

## Internationalization support

Adaptive Server version 15.0.2 ESD #1 and later supports internationalization between Adaptive Server and the messaging bus for both sending and receiving messages, such as when:

- The sender's server character set is configured to use GB18030 (simplified Chinese) – the sender can send a Chinese message to the messaging bus.
- The receiver's server character set is configured to use Big5 (traditional Chinese) – the receiver can receive the Chinese message from the messaging bus.

### Examples

**Example 1** Sets the current character set, then sends a Chinese word to messaging bus in one Adaptive Server using the GB18030 character set:

```
1> sp_configure "default character set id"
2> go

Parameter Name          Default Memory Used Config Value Run Value Unit  Type
-----
default character set id 1              0          173      173  id  static

(1 row affected)
(return status = 0)
```

```
1> declare @msg varchar(1024)
2> select @msg = 0xd6d0cec4
3> select msgsend(@msg, 'ibm_mq:channel1/TCP/host1(7654)?
      qmgr=QM,queue=Q1,alter_user=yes', message property "formatName=MQSTR")
```

**Example 2** Receives the Chinese message from messaging bus in another Adaptive Server, which is running the Big5 character set:

```
1> sp_configure "default character set id"
2> go

Parameter Name          Default Memory Used Config Value Run Value Unit  Type
-----
default character set id 1              0          161      161  id  static

(return status = 0)
```



```
1> declare @msg varchar(1024)
2> select @msg = msgrecv('ibm_mq:channel1/TCP/host1(7654)?
   qmgr=QM,queue=Q1,alter_user=yes',
3> option 'bufferLength=100k,timeout=60000',
4> returns varchar(16384))
5> select convert(varbinary(1024), @msg)
6> go
```

```
-----
0xa4a4a4e5
```

The output, “0xa4a4a4e5,” is the binary representation of the word “CHINESE” in the Chinese language in the Big5 character set.

## Transactional message behavior

By default, all messaging operations—`msgsend`, `msgrecv`, `msgpublish`, `msgconsume`, `msgsubscribe`, and `msgunsubscribe`—roll back if the database transaction rolls back. However, a failed messaging operation using `msgsend` or `msgrecv` does not affect the parent database transaction.

- If a process included in a transaction executes `msgsend` or `msgpublish`, the resulting message is invisible on the message bus until the process commits the transaction. This is unlike executing a SQL update or insert—process that executes SQL update and insert commands in a transaction sees the effect of these commands immediately, before they are committed.
- A process executing `msgsend` or `msgpublish` in a transaction to send a message cannot read that message using `msgrecv` or `msgconsume` until it commits the transaction.

## Transactional messaging set option

Transactional behavior is controlled by the set transactional messaging command, which provides three modes of operation, allowing you to select preferred behavior when you use messaging functions in a transaction:

```
set transactional messaging [ none | simple | full]
```

- *none* – provides that messaging operations and database operations do not affect each other. In this example, `msgsend` is executed and the message is sent to the message bus, whether insert succeeds or fails:

```
begin tran
    msgsend (...)
    insert (...)
rollback
```

- *simple* (the default setting) – causes database operations to affect messaging operations, but messaging operations do not affect the database transaction. In this example, insert is not aborted if msgsend fails:

```
begin tran
    insert (...)
    msgsend (...)
commit
```

In this example, msgsend is rolled back:

```
begin tran
    insert (...)
    msgsend (...)
rollback
```

- *full* – provides full transactional behavior. In this mode, messaging operations and database operations affect each other. If the messaging operation fails, the transaction rolls back. If database transactions fail, messaging operations roll back.

```
begin tran
    select @message=msgrecv(Q1,...)
    insert t2 values (@message,...)
    select msgsend ( t2.status,...)
commit tran
```

- When transactional messaging is set to *full* or *simple*, uncommitted transactions that send or publish messages cannot be read within the same transaction.

Transact-SQL applications can specify a preferred mode, depending on their application requirements.

---

**Note** You cannot use set transactional messaging inside a transaction.

---

## MQ security

This section discusses security and MQ.

## Connecting to the MQ queue manager

You cannot specify a user name and password with the MQ endpoint as you can using JMS. All connections to the MQ queue manager are made as the user that the Adaptive Server process is running as. After making the connection to the MQ queue manager, Adaptive Server then attempts to open the queue as the Adaptive Server login that is performing the operation. For this reason, the user must:

- Have a user account on the machine on which the MQ queue manager is running. Without such an account, the user must use the `msgsend` function's `alter_user=yes` option to perform messaging operations. See Table 3-11 on page 113 in the `msgsend` reference pages.
- Have the MQ authorizations listed in Table 2-2 on page 38.

---

**Note** The Adaptive Server `messaging_role` is still required to execute Real Time Data Services built-in functions.

---

In addition, the 'register, login' and 'default, login' functions of `sp_msgadmin` do not allow you to register Adaptive Server logins, or to create default Adaptive Server logins if the endpoint specified is a queue manager. See `sp_msgadmin` on page 62.

## Installing MQ client on Adaptive Server host machines

You must install the MQ client software on the Adaptive Server host machine.

Adaptive Server dynamically loads the MQ client shared libraries. Table 2-1 shows where to install the shared libraries.

**Table 2-1: MQ client shared libraries and directories**

Platform	Directory	Library name
Solaris 32	<code>/opt/mqm/lib</code>	<code>libmqmcs.so, libmqic.so</code>
Solaris 64	<code>/opt/mqm/lib64</code>	<code>libmqmcs.so, libmqic.so</code>
Solaris AMD64	<code>/opt/mqm/lib64</code>	<code>libmqmcs.so, libmqic.so</code>
Linux 32	<code>/opt/mqm/lib</code>	<code>libmqic_r.so</code>
Linux AMD64	<code>/opt/mqm/lib64</code>	<code>libmqic_r.so</code>
HPPA 64	<code>/opt/mqm/lib64</code>	<code>libmqic.sl</code>
HPIA 64	<code>/opt/mqm/lib64</code>	<code>libmqic.so</code>

Platform	Directory	Library name
AIX 64	/usr/mqm/lib64	libmqic_r.a(mqic_r.o)
Windows 32	c:\Program Files\IBM\WebSphere MQ\bin	MQIC32.DLL

- HP, HPIA, Linux, Linux AMD, Solaris, and Solaris AMD – Adaptive Server loads the library from /opt/mqm/lib so you do not need to set your LD\_LIBRARY\_PATH for MQ.
- IBM – set \$LIBPATH to include /usr/mqm/lib64 before you start Adaptive Server.
- Windows – set %PATH% to include the library before you start Adaptive Server.

## MQ authorizations

MQ configuration requires the following UNIX user account and user group (principle/group) authorizations:

**Table 2-2: MQ principle/groups and their authorizations**

MQ principle/group	MQ authorization
OS login that is running the data server executable	connect, altusr, inq, and setid on queue manager
OS login of alternate user while executing any messaging operation	inq on queue
OS login of alternate user while executing the messaging read operation	get on queue
OS login of alternate user while executing the messaging browse operation	browse on queue
OS login of alternate user while executing the messaging send operation	put on queue
OS login of alternate user dynamic queue specified as the replyToQueue	crt, dlt on queue manager, and get, inq on Model Queue

**Note** When a message is sent to a remote queue, WebSphere MQ checks the user authentication on the transmit queue.

If you specify alter\_user=yes in msgsend, the alternate user is the operating system login that is running Adaptive Server. If you do not specify alter\_user, the alternate user is the Adaptive Server login that is performing the MQ operation.

## Querying MQ information

If you are running Adaptive Server version 15.0.2 ESD #1 or later, you can query Adaptive Server for the following information about MQ objects on a specified queue manager by using the show option of the `sp_msgadmin` stored procedure:

- The name of the queue manager
  - All queues and their queue types belonging to the queue manager
  - All channels and their types belonging to the queue manager
- ❖ **Preparing WebSphere MQ to use `sp_msgadmin 'show'`**
- 1 In WebSphere MQ, start the queue manager that you want to make inquiries on.
  - 2 Ensure that an MQ listener is running for the queue manager.
  - 3 Start the command server of the queue manager.
  - 4 Ensure that you have a queue called `SYSTEM.ADMIN.COMMAND.QUEUE` in the queue manager.

For information on how to perform these steps, see the documentation provided for WebSphere MQ at the IBM Publication Center at <http://www.elink.ibm.com/publications/servlet/pbi.wss>.



# SQL Reference

This chapter describes global variables, stored procedures, functions, and syntax segments that you can use to manage and administer Active Messaging.

<b>Topic</b>	<b>Page</b>
Message-related global variables	42
<msgheader> and <msgproperties> documents	49
Adaptive Server-specific message properties	50
Keywords	51
Stored procedures	52
Built-in functions	52
Syntax segments	53
sp_configure 'enable real time messaging'	54
sp_engine	58
sp_msgadmin	62
msgconsume	74
msgpropcount	77
msgproplist	78
msgpropname	80
msgproptype	81
msgpropvalue	83
msgpublish	84
msgrecv	88
msgsend	103
msgsubscribe	139
msgunsubscribe	141
endpoint	144
option_string	148
sizespec	149
timespec	150

## Message-related global variables

These global variables provide application programs with access to message information from the most recent message sent or received.

### `@@msgcorrelation`

Contains correlation from last message sent or read.

- (MQ) MQ does not verify whether `@@msgcorrelation` consists of printable characters. Application programs should not rely on `@@msgcorrelation` being in the current server character set, and should use `@@msgcorrelation` only as a selector for subsequent messages. If `@@msgcorrelation` is to be returned to the application, convert it to a varbinary datatype.
- (JMS) `@@msgcorrelation` contains the correlation ID from the the most recent message sent or received.

### `@@msgheader`

Contains message header information from the most recent message received. This variable's format is in XML. For details about this format, see “<msgheader> and <msgproperties> documents” on page 49.

Functions that set `@@msgheader` include `msgrecv` and `msgconsume`.

Table 3-1 shows the valid field names for the `@@msgheader` global variable, and their descriptions for MQ. Table 3-2 on page 44 lists `@@msgheader` fields and descriptions for JMS.

**Table 3-1: MQ `@@msgheader` fields and descriptions**

Property name	Description
<code>ApplIdentityData</code>	Application data relating to identity.
<code>ApplOriginData</code>	Application data relating to origin.
<code>CodedCharSetId</code>	Numeric-coded character set identifier.
<code>CorrelId</code>	Correlation identifier.
<code>Encoding</code>	Encoding of binary data in the message. Bit mask of flags in the Encoding field.
<code>DecimalEncoding</code>	This is the encoding for decimal numbers in the message payload, and is a synthesized property derived from the Encoding field. If: <ul style="list-style-type: none"> <li>• <code>BigEndian</code> – decimal numbers are big-endian.</li> <li>• <code>LittleEndian</code> – decimal numbers are little-endian.</li> <li>• <code>Undefined</code> – decimal numbers are not defined as either big-endian or little-endian.</li> </ul>
<code>Feedback</code>	Feedback status.



Property name	Description
FloatEncoding	This is the encoding for floating point numbers in the payload, and is a synthesized property derived from the Encoding field. If: <ul style="list-style-type: none"> <li>• BigEndian – floating point numbers are big-endian.</li> <li>• LittleEndian – floating point numbers are little-endian.</li> <li>• Undefined – floating point numbers are not defined as either big-endian or little-endian.</li> </ul>
Format	Format name of message data, can be an MQ-defined format name or an application-defined format name.
GroupId	Group identifier.
IntegerEncoding	Encoding for integers in the payload, and is a synthesized property that is derived from the Encoding field. If: <ul style="list-style-type: none"> <li>• BigEndian – integers are big-endian.</li> <li>• LittleEndian – integers are little-endian.</li> <li>• Undefined – the endianness of integers is undefined.</li> </ul>
LastMsgInGroup	If: <ul style="list-style-type: none"> <li>• true – message is the last message of a group.</li> <li>• false – message is not the last message of a group.</li> </ul>
MsgId	Message identifier.
MsgInGroup	If: <ul style="list-style-type: none"> <li>• true – message is part of a group.</li> <li>• false – message is not part of a group.</li> </ul>
MsgSeqNumber	Message sequence number.
MessageType	Message type in the form of a decimal number, unless: <ul style="list-style-type: none"> <li>• request – the message is a request message.</li> <li>• reply – the message is a reply message.</li> <li>• datagram – the message is a datagram message.</li> <li>• report – the message is a report message.</li> </ul>
NegativeActionNotification	This is a synthesized property, derived from the Report field. The receiving application should generate a negative-action notification (NAN) report. <ul style="list-style-type: none"> <li>• yes – receiving application should generate a NAN report message, and send it to the destinations specified in the ReplyToQ and ReplyToQMGR fields.</li> <li>• no – receiving application should not generate a NAN report message.</li> </ul>
Persistence	The persistence of the message. If: <ul style="list-style-type: none"> <li>• persistent – the message is a persistent message.</li> <li>• non-persistent – the message is a nonpersistent message.</li> </ul>

Property name	Description
PositiveActionNotification	This is a synthesized property derived from the Report field. The receiving application should generate a positive-action notification (PAN) report. If: <ul style="list-style-type: none"> <li>• yes – receiving application should generate a PAN report message, and send it to the destinations specified in the ReplyToQ and ReplyToQMgr fields.</li> <li>• no – receiving application should not generate a PAN report message.</li> </ul>
PutAppName	This is the name of the application that puts the message in the queue.
PutAppType	This is the type of application that puts the message in the queue.
PutDate	This is the date when the message was put in the queue.
PutTime	This is the time when the message was put in the queue.
ReplyCorrelationId	A synthesized property, derived from the Report field. Denotes what to use as the correlation ID of the report message. <ul style="list-style-type: none"> <li>• msgId – the correlation ID of the report message should be set to the message ID of the received message.</li> <li>• correlationId – the correlation ID of the report message should be set to the correlation ID of the received message.</li> </ul>
ReplyMsgId	A synthesized property, derived from the Report field. Denotes what to use as the message ID of the report message. <ul style="list-style-type: none"> <li>• new – use a new message ID as the message ID of the report message.</li> <li>• original – use the message ID received as the message ID of the report message.</li> </ul>
ReplyToQ	Name of reply queue.
ReplyToQMgr	Name of the reply queue manager.
Report	Report options from the message. This is a bitmap of MQRO * flags.
UserIdentifier	User identifier.

**Table 3-2: JMS @msgheader fields and descriptions**

Property name	Description
correlation	Correlation ID from the message
destination	The name of the destination from the message
encoding	The encoding name of the message
messageid	The message ID from the message
mode	Delivery mode of the message: <ul style="list-style-type: none"> <li>• persistent</li> <li>• non-persistent</li> </ul>
priority	The message priority
redelivered	The redelivery status from the message
replyto	The replyto name from the message
timestamp	The message timestamp
ttl	A time-to-live value from the message that indicates how long a message exists

Property name	Description
type	The message type

**@@msgid**

Contains the ID of the most recent message sent or received.

MQ does not verify that the `@@msgid` consists of printable characters. Application programs should not rely on `@@msgid` being in the current server character set, and should only use `@@msgid` as a selector for subsequent messages. If `@@msgid` is returning to the application, it should be converted to a varbinary datatype.

Functions that set the variable are:

- (JMS) `msgsend`, `msgpublish`, `msgrecv`, `msgconsume`
- (MQ) `msgsend`, `msgrecv`

**@@msgproperties**

Contains message properties information from the most recent message received. This variable's format is in XML. For details about this format, see “<msgheader> and <msgproperties> documents” on page 49.

- (JMS) the `@@msgproperties` are the user properties from the message.
- (MQ) if:
  - The message contains one or more MQRF headers, the name-value pairs in the MQRF headers are inserted into `@@msgproperties`.
  - Since the name-value pairs in the MQRF header can have nonunique names, the names are made unique by appending a “\_ddd,” where `ddd` is an integer extension for uniqueness. For instance, a MQRF header with these topics:

```
MQPSTopic    */baseball
MQPSTopic    */baseball/world series
MQPSTopic    */sports
```

Results in these properties in `@@msgproperties`:

```
MQPSTopic    */baseball
MQPSTopic_1  */baseball/world series
MQPSTopic_2  */sports
```

Functions that set `@@msgproperties` include:

- (JMS) `msgrecv`, `msgconsume`
- (MQ) `msgrecv`

The value pairs that are extracted from the RF header if they are present include:

MQPSCCommand	MQPSIntData	MQPSReason	MQPSSubIdentity
MQPSCCompCode	MQPSParmId	MQPSReasonText	MQPSSubName
MQPSCorrelId	MQPSPubOpts	MQPSRegOpts	MQPSSubUserData
MQPSDelOpts	MQPSPubTime	MQPSSeqNum	MQPSSubUserData
MQPSErrorId	MQPSQMgrName	MQPSStreamName	MQPSTopic
MQPSErrorPos	MQPSQName	MQPSStringData	MQPSUserId

Unrecognized names are ignored. If the value is quoted (“”) in the RF header, the surrounding quotes are removed. In a quoted value, if there are escaped quotes (“”) within the value, double quotes are replaced by a single quote.

`@@msgreplyqmgr`

MQ only – contains the ReplyToQmgr name of the last message read.

`@@msgreplytoinfo`

Contains the name (*provider\_url*, *queue\_name*, *topic\_name*, *user\_name*) of the topic or queue name used for both sending and replying messages directly. Can be a permanent or temporary destination.

Functions that set `@@msgreplytoinfo` include:

- (JMS) `msgconsume`, `msgpublish`, `msgrecv`, `msgsend`
- (MQ) `msgrecv`, `msgsend`

JMS only – the password is not included in the value of `@@msgreplytoinfo`. To use this destination as an argument in a subsequent `msgsend` or `msgrecv` call, add `password=<your password>`.

MQ only – can contain the syntax for *remote\_qmgr*, `@@msgreplytoinfo` shows request/reply messaging showing support for the cluster queue manager using `@@msgcorrelation`:

For example, one Adaptive Server connects to the MASTER\_MSCAI queue manager, and sends a message to Q1, located on the SLAVE\_MSCAI remote queue manager, with the `replyToQueue` property specified as MASTERQ. Once you send `msgsend`, its value becomes the value of `@@msgreplytoinfo`:

```
select msgsend('d', 'ibm_mq:CH1/tcp/host1(1105)?
qmgr=MASTER,remote_qmgr=SLAVE,queue=Q1,alter_user=yes',
  message property 'replyToQueue=MASTERQ')
go
select @@msgreplytoinfo
go

IBM_MQ:CH1/tcp/host1(1105)?qmgr=MASTER,queue=MASTERQ
```

The other Adaptive Server connects to the queue manager SLAVE, and receives the previously sent message from Q1. The `@@msgreplytoinfo` global variable then includes the syntax for `remote_qmgr`, so that the reply queue in this case is the remote queue.

```
select msgrecv('ibm_mq:CH2/tcp/host2(4810)?
qmgr=SLAVE,queue=Q1,alter_user=yes', option 'timeout=100')
go
select @@msgreplytoinfo
go

ibm_mq:CH2/tcp/host2(4810)?qmgr=SLAVE,remote_qmgr=MASTER,queue=MASTERQ
```

---

**Note** When using a `@@msgreplytoinfo` that contains the syntax `remote_qmgr` to send a reply message, `msgrecv`, whether the reply message reaches the correct remote queue manager or not, depends on how you have configured your WebSphere MQ. See “Working with remote queue objects” on page 29.

---

<code>@@msgschema</code>	<p>JMS only – contains the schema of the message or a null value. Contains the value of the Adaptive Server property <code>ase_message_body_schema</code>. See the description of the <code>schema</code> option in <code>msgsend</code> and <code>msgpublish</code>.</p> <p>Functions that set <code>@@msgschema</code> include: <code>msgsend</code>, <code>msgpublish</code>.</p>
<code>@@msgstatus</code>	<p>Contains either the integer error code of the service provider exception, or zero, if the last operation did not raise an exception.</p> <p>Functions that set <code>@@msgstatus</code> include: <code>msgsend</code>, <code>msgpublish</code>, <code>msgrecv</code>, <code>msgconsume</code>.</p>
<code>@@msgstatusinfo</code>	<p>Contains either the error message of the service provider exception, or zero, if the last <code>msgsend</code>, <code>msgpublish</code>, <code>msgrecv</code>, or <code>msgconsume</code> raised an exception, or an empty string.</p> <p>(MQ) contains provider error message of last messaging operation. The MQ client libraries do not provide localized error messages, so you see an error message such as:</p> <pre style="margin-left: 40px;">MQ API call failed with reason code '%s' (%d)</pre> <p>The “%s” is substituted with the MQ mnemonic for the MQ reason code.</p> <p>The “%d” is substituted with the decimal MQ reason code.</p> <p>Functions that set the variable are:</p> <ul style="list-style-type: none"> <li>• (JMS) <code>msgsend</code>, <code>msgpublish</code>, <code>msgrecv</code>, <code>msgconsume</code>.</li> </ul>

- (MQ) msgsend, msgrecv.

**@@msgtimestamp** Contains the timestamp included in the message last sent.

Functions that set the variable are: msgsend, msgpublish.

**Examples** **Example 1** MQ only – shows request/reply messaging using both @@msgreplytoinfo and @@msgcorrelation:

Session 1 (requester)	Session 2 (receiver)
<pre>select msgsend('sender mmessage',   'ibm_mq:channel1/TCP/host1(5678)'   + '?qmgr=QM1'   + ',queue=Q100',   option 'msgType=request',   message property   'correlationId=0x123456'   + 'replyToQueue=Q200')</pre>	<pre>select msgrecv(   'ibm_mq:channel1/TCP/host1(5678)'   + '?qmgr=QM1'   + ',queue=Q100')  select msgsend('receiver reply',   @@msgreplytoinfo,   option 'msgType=reply'   message property   'correlationId='   + @@msgcorrelation)</pre>
<pre>select msgrecv(   'ibm_mq:channel1/TCP/host1(5678)'   + '?qmgr=QM1'   + ',queue=Q200'   option 'timeout=30ss',   + 'correlationID=0x123456')</pre>	

In this example:

- 1 Session 1 sends the request message to Q100, and expects the reply message on Q200. It sets the correlation to 0x123456.
- 2 Session 2 reads a message from Q100, sends a reply message to Q200, and specifies the correlation to 0x123456. The reply queue is obtained from the message that was just read.
- 3 Session 1 reads the reply message from Q200, wanting only message with correlation 0x123456.

- Usage
- These global variables are char datatypes, of length 16384.
  - You can remove trailing blanks using rtrim.

## <msgheader> and <msgproperties> documents

Description The global variables @@msgheader and @@msgproperties are set with XML <msgheader> and <msgproperties> documents that contain the header and properties of the returned message. This section specifies the format of those documents.

The general format of a <msgheader> and <msgproperties> document for properties named PROPERTY\_1, PROPERTY\_2, and so on has the form described by the DTD templates in the following syntax section.

Syntax

```

<!DOCTYPE msgheader [
<!ELEMENT msgheader EMPTY>
<!ATTLIST property_1 CDATA>
<!ATTLIST property_2 CDATA>
etc.
<!DOCTYPE msgproperties [
<!ELEMENT msgproperties EMPTY>
<!ATTLIST property_1 CDATA>
<!ATTLIST property_2 CDATA>

```

Examples These examples show <msgheader> or <msgproperties> documents for two select statements:

```

select msgsend('Sending message with properties',
              'my_jms_provider?queue=queue.sample',
              message property 'color=red, shape=square')

select msgrecv('my_jms_provider?queue=queue.sample')

select rtrim (@@msgproperties)

<?xml version='1.0' encoding='UTF-8' standalone='yes' ?>
<msgproperties
  RTMS_MSGBODY_FORMAT='&apos;string&apos;';
  ASE_RTMS_CHARSET='1'
  ASE_RTMS_VERSION='&apos;1.0&apos;';
  ASE_VERSION='&apos;12.5.0.0&apos;';
  shape='&apos;square&apos;';
  color='&apos;red&apos;'; >
</msgproperties>

select rtrim (@@msgheader)

```

```
<?xml version='1.0' encoding='UTF-8' standalone='yes' ?>
<msgheader
  type='&apos;null&apos;';
  timestamp='1080092021000'
  replyto='&apos;queue.sample&apos;';
  redelivered='false'
  priority='4'
  messageid='&apos;ID:E4JMS-SERVER.73018656B39:1&apos;';
  ttl='0'
  destination='&apos;queue.sample&apos;';
  mode='2'
  correlation='&apos;null&apos;';
  encoding='&apos;null&apos;'; >
</msgheader>
```

Usage

- A *<msgheader>* or *<msgproperties>* document for a specified message contains one attribute for each property of the message header or the message properties. The name of the attribute is the name of the property, and the value of the attribute is the string value of the property.
- The values of attributes in *<msgheader>* or *<msgproperties>* documents are replaced with XML entities. *msgpropvalue* and *msgpropname* implicitly replace XML entities with attribute values.
- A *<msgheader>* or *<msgproperties>* document generated by *msgrecv* or *msgconsume* has an XML declaration that specifies the character set of the properties.

## Adaptive Server-specific message properties

(JMS only) to help with debugging, monitoring, and so forth, predefined properties specific to Adaptive Server are included in the properties portion of the JMS message. These properties typically handle messages that either originate from another Adaptive Server, or that may be useful in debugging.

Many of these message properties are included only if you are running *diagserver*, or when certain trace flags are turned on. All properties beginning with “ASE\_” are reserved; you cannot set them using *msgsend* or *msgpublish*. Table 3-3 describes these message properties.

**Table 3-3: Adaptive Server-specific messages for JMS**

Property	Description	When to use
ASE_RTMS_CHARSET	Character set encoding of sent data.	Always



Property	Description	When to use
ASE_MSGBODY_SCHEMA	The schema describing the message body or a null value. This schema is non-null only if the user sends the message schema as part of msgsend. If ASE_MSGBODY_FORMAT is xml, this property contains the XML schema describing the payload. This schema is not truncated, even if its value exceeds 16K.	Always
ASE_MSGBODY_FORMAT	The format of the message body: xml, string (in server character set), binary, and unicode (unichar in network order).	Always
ASE_ORIGIN	Name of the originating Adaptive Server.	Present with diagserver
ASE_RTMS_VERSION	Version of Adaptive Server using Active Messaging.	Always
ASE_SPID	SPID that sent the message.	Present with diagserver
ASE_TIMESTAMP	The timestamp of Adaptive Server showing the time the message was sent.	Present with diagserver
ASE_VERSION	Version of Adaptive Server that published the message.	Always
ASE_VERSIONSTRING	Version string of the Adaptive Server. Provides information about platform, build type, and so on. Useful for debugging.	Present with diagserver

**Note** These properties are shown for informational purposes only. They may change in the future.

## Keywords

Table 3-4 shows the keywords specific to ASE Active Messaging, and the functions in which these keywords can be legally used.

**Table 3-4: Double and triple keywords in ASE Active Messaging**

JMS or MQ	Keywords	Legal commands and functions using keywords
Both	message header	select msgsend( ,, message header,,) select msgpublish( ,,message header,,)
Both	message property	select msgsend( ,, message property,,) select msgpublish( ,,message property,,)
JMS	message selector	select msgrecv(,,message selector,,) select msgconsume(,,message selector,,)

JMS or MQ	Keywords	Legal commands and functions using keywords
JMS	with retain	select msgunsubscribe(,,,with retain,,)
JMS	with remove	select msgunsubscribe(,,,with remove,,)
Both	transactional messaging none	set transactional messaging none
Both	transactional messaging simple	set transactional messaging simple
Both	transactional messaging full	set transactional messaging full

## Stored procedures

The stored procedures you use with ASE Active Messaging are:

- sp\_configure 'enable real time messaging' on page 54
- sp\_engine on page 58
- sp\_msgadmin on page 62

sp\_msgadmin and its options do not configure or administer the underlying message provider. For instance, you must still create, delete, and access queues and topics at the messaging-provider level.

---

**Note** sp\_addexclass does not accept MQ Q engines for the anyengine and lastonline parameters.

---

## Built-in functions

The section in this chapter on built-in functions describes the SQL functions for administering Active Messaging, and the general format of option strings. See Table 3-3 on page 50 for Adaptive Server-specific message properties. The SQL functions in this chapter:

- Send and receive messages to queues
- Publish, subscribe, and consume messages relating to message topics
- Handle message properties

The functions listed in this chapter, and their page numbers, are:

- msgconsume on page 74
- msgpropcount on page 77
- msgproplist on page 78
- msgpropname on page 80
- msgproptype on page 81
- msgpropvalue on page 83
- msgpublish on page 84
- msgrecv on page 88
- msgsend on page 103
- msgsubscribe on page 139

## Syntax segments

The section in this chapter on syntax segments describes the portions of SQL syntax and constraints used in administering real-time messaging.

The syntax segments listed in this chapter, and their page numbers, are:

- endpoint on page 144
- option\_string on page 148
- sizespec on page 149
- timespec on page 150

## sp\_configure 'enable real time messaging'

Description	Enables or disables real-time messaging, or displays the current messaging configuration.
Syntax	<pre>sp_configure "enable real time messaging"             [, enable_or_disable]             [, rtm_provider   drop instance]             [, instance_name]</pre>
Parameters	<p><i>enable_or_disable</i> specifies whether or not to enable or disable the "real time messaging" option. Valid values are:</p> <ul style="list-style-type: none"><li>• 1 – enables real-time messaging.</li><li>• 0 – disables real-time messaging.</li></ul> <p>If omitted, the current "real time messaging" configuration is returned.</p> <p><i>rtm_provider</i> specifies the type of active messaging provider you are enabling or disabling. Use this parameter when specifying JVMs and cluster servers. Valid values are:</p> <ul style="list-style-type: none"><li>• <i>eas_jms</i> – enables or disables "real time messaging" for EAServer only.</li><li>• <i>ibm_mq</i> – enables or disables "real time messaging" for IBM MQ only.</li><li>• <i>sonicmq_jms</i> – enables or disables "real time messaging" for SonicMQ JMS only.</li><li>• <i>tibco_jms</i> – enables or disables "real time messaging" for Tibco JMS only.</li></ul> <p><i>drop instance</i> removes the messaging-related configuration option for one instance.</p> <p><i>instance_name</i> is the name of the instance you specify when creating a cluster server environment. If you do not specify this option, the current real-time messaging configuration specifies the cluster-wide option.</p>
Examples	<p><b>Example 1</b> Enables real-time messaging for all providers :</p> <pre>sp_configure "enable real time messaging",1</pre> <p>You can then disable this with:</p> <pre>sp_configure "enable real time messaging",0</pre> <p><b>Example 2</b> Enables real-time messaging for MQ only:</p>

```
sp_configure "enable real time messaging", 1 ,ibm_mq
```

You can then disable this with:

```
sp_configure "enable real time messaging", 0, ibm_mq
```

## Usage

Using this stored procedure does not overwrite your previous setting. For example, if you enable `tibco_jms`, then run this stored procedure to enable MQ, both MQ and `tibco_jms` become enabled. Disabling `tibco_jms` does not affect MQ, which continues to be enabled.

The *enable\_or\_disable* parameter works only if the following are installed and set up correctly:

- The appropriate `LD_LIBRARY_PATH` for your platform
- The provider DLL libraries
- SYBASE licenses
- The SYBASE interface libraries from the product CD


See the *Adaptive Server Installation Guide* for details about paths and file names.

### Using `sp_configure` in a cluster environment

The Cluster Edition allows you to configure multiple Adaptive Servers to run as a shared-disk cluster. Multiple machines connect to a shared set of disks and a high-speed private interconnection (for example, a gigabit Ethernet), allowing Adaptive Server to scale using multiple physical and logical hosts.

In the cluster system used in the following examples, clients connect to a shared-disk cluster named “mycluster,” which includes the “ase1,” “ase2,” “ase3,” and “ase4” instances running on machines “blade1,” “blade2,” “blade3,” and “blade4,” respectively. In these examples, a single instance resides on each node.

**Figure 3-1: The cluster environment described in the examples for sp\_configure.**



*Example 1* Enables real-time messaging for all Active Messaging providers on all instances in the cluster:

```
sp_configure "enable real time messaging", 1
```

*Example 2* Disables the IBM MQ-only instance "ase1," if the client is logged in to "ase1":

```
sp_configure "enable real time messaging", 0, "ibm_mq", "ase1"
```

The value of the instance-specific configuration option generated for "ase1" is 26. The configuration value of "real time" is byte, with the different bit representing different real-time features:

- 0x1 – all are enabled.
- 0x2 – tibco\_jms is enabled.
- 0x4 – ibm\_mq is enabled.
- 0x8 – eas\_jms is enabled.

- 0x10 – sonicmq\_jms is enabled.

*Example 3* Displays the instance-specific enable real time messaging configuration option status on the instance “ase1”. The value is 26:

```
sp_configure "enable real time messaging", null, null, ase1
```

*Example 4* Drops the instance-specific enable real time messaging configuration option on the instance “ase1”. After you run this procedure, “ase1” begins to use the cluster-wide enable real time messaging configuration option, and the status becomes 1.

```
sp_configure "enable real time messaging", 0, "drop instance", "ase1"
```

When you run drop instance, the new configuration value is the same as the running value.

*Example 5* Displays the cluster-wide enable real time messaging configuration option status. Its value is 1:

```
sp_configure "enable real time messaging"
```

## sp\_engine

Description	Enables you to bring a Q engine online or take it offline.
Syntax	sp_engine "online   offline   can_offline   shutdown   q_online   q_offline   q_can_offline   q_shutdown" , [ <i>engine_id</i> ]
Parameters	<p><b>can_offline</b> returns information on whether an engine can be brought offline. If the engine cannot be brought offline, you see the spids of the Adaptive Server sessions that prevent the engine from being offline. You cannot use this parameter to specify a Q engine.</p> <p><b>engine_id</b> is the ID of the engine.</p> <p>The type of the engine that you specify must match the command (online, q_online, and so on). For example, you cannot specify a non-Q engine with q_offline, and you cannot specify a Q engine with offline.</p> <p>This parameter is required for offline, q_offline, can_offline, q_can_offline, shutdown, and q_shutdown.</p> <p>This parameter is not required for online, q_online.</p>
	<p><b>online</b> brings an engine online. The value of sp_configure "max online Q engines" must be greater than the current number of Q engines online. You must use quotes, because online is a reserved keyword. You cannot use this parameter to specify a Q engine.</p>
	<p><b>offline</b> brings an engine offline. You can also use <i>engine_id</i> to specify an engine to bring offline. You cannot use this parameter to specify a Q engine.</p>
	<p><b>q_can_offline</b> returns information on whether a Q engine can be brought offline. If the engine cannot be brought offline, you see the spids of the Adaptive Server sessions that prevent the engine from being offline. You must use <i>engine_id</i> to specify whether a Q engine can be taken offline.</p>
	<p><b>q_offline</b> brings a Q engine offline. You must use <i>engine_id</i> to specify an engine to bring offline.</p>
	<p><b>q_online</b> brings the next Q engine online.</p>



**q\_shutdown**

forces a Q engine offline. If there are any tasks with an affinity to this engine, they are killed after a five-minute wait. You must use quotes, as shutdown is a reserved keyword. You must use *engine\_id* to specify whether the Q engine can shut down.

**shutdown**

forces an engine offline. If there are any tasks with an affinity to this engine, they are killed after a five-minute wait. You must use quotes, as shutdown is a reserved keyword. You cannot use this parameter to specify a Q engine.

**Examples****Example 1** Manually brings a Q engine online:

```
sp_engine 'q_online'
go

(return status=0)

02:00000:00000:2005/06/08 12:52:21.09 kernel Network and device connection limit is
1014.
02:00000:00000:2005/06/08 12:52:21.24 server Initialized Unilib version 7.2.
02:00000:00000:2005/06/08 12:52:21.24 kernel Q engine 2, os pid 20025 online
02:00000:00000:2005/06/08 12:52:21.33 kernel LDAP dynamic libraries successfully
loaded.
02:00000:00000:2005/06/08 12:52:21.38 kernel IBM MQ dynamic libraries successfully
loaded.
```

**Example 2** Takes a Q engine offline:

```
1> select engine, status from sysengines
2> go

engine status
-----
0 online
1 online_q
2 online_q
(3 rows affected)

1> sp_engine 'q_offline', 1
2> go

(return status = 0)
00:00000:00000:2005/06/08 12:55:54.25 kernel engine
2, os pid 20025 offline

1> select engine, status from sysengines
2> go

engine status
-----
0 online
```

```
      1 online_q
(2 rows affected)
```

**Example 3** Checks to see whether you can take a Q engine offline:

```
1> select engine, status from sysengines
2> go

engine status
-----
      0 online
      1 online_q
(2 rows affected)

1> sp_engine 'q_can_offline', 1
2> go

spid: 13 has outstanding rtms-connection connections.
```

**Example 4** Shuts down a Q engine:

```
1> select engine, status from sysengines
2> go

engine status
-----
      0 online
      1 online_q
(2 rows affected)

1> sp_engine 'q_shutdown', 1
2> go

(return status = 0)

1> select engine, status from sysengines
2> go

engine status
-----
      0 online

(1 row affected)
```

## Usage

- online, offline, can\_offline, and shutdown affect only non-Q engines. You see an error if you specify a Q engine using these parameters.
- q\_online, q\_offline, q\_can\_offline, and q\_shutdown affect only Q engines. You see an error if you specify a non-Q engine using these parameters.
- You cannot shut down or take engine 0 offline.

- You can determine the status of an engine, and which engines are currently online using this query:

```
select engine, status from sysengines
       where status = "online"
```

- You can bring engines online only if max online Q engines is greater than the current number of engines with an online status, and if enough CPU is available to support any additional engines.
- An engine offline can fail or might not immediately take effect if there are server processes with an affinity to that engine.
- In a cluster environment, sp\_engine works only for the engines of the local instance.

#### Permissions

You must be a system administrator to bring engines online or take them offline.

## sp\_msgadmin

Description	Configures and administers messaging-related information.
Syntax	<pre>sp_msgadmin 'config', ['jvmlogging', <i>logging_level</i>   'jvmpropertyfile', <i>filepath</i>   'jvmlogfile', <i>filepath</i>   'jvmmaxthreads', <i>thread_number</i>   'jvmmintthreads', <i>thread_number</i>   'jvmthreadtimeout', <i>thread_timeout</i>   'jvm' , <i>jvm_parameter</i>]  sp_msgadmin 'default', 'login', <i>provider_name</i>, <i>provider_login</i>, <i>provider_password</i>  sp_msgadmin 'help' [, 'list'   'register'   'default'   'remove']  sp_msgadmin 'list', [  'login', <i>provider_name</i>, [<i>login_name</i>]   'provider' [, <i>provider_name</i>]   'subscription' [, <i>subscription_name</i>]]  sp_msgadmin 'register', ['provider', <i>provider_name</i>, <i>provider_class</i>, <i>messaging_provider_URL</i>   'login', <i>provider_name</i>, <i>local_login</i>, <i>provider_login</i>, <i>provider_password</i> [, <i>role_name</i>]   'subscription', <i>subscription_name</i>, <i>endpoint</i>{, <i>selector</i> [, <i>delivery_option</i> [, <i>durable_name</i>, <i>client_id</i>]]]  sp_msgadmin 'remove', [<i>provider</i>, <i>provider_name</i>   'login', <i>provider_name</i>, <i>local_login</i> [, <i>role</i>]   'subscription', <i>subscription_name</i>  sp_msgadmin 'show', <i>showtype</i>, <i>provider</i>{, <i>options_clause</i>}</pre>

## Parameters

## sp\_msgadmin 'config'

allows you to specify various configurations for either the Java Virtual Machine (JVM), or the key repository file path for Adaptive Server for using MQ SSL. The configured values take effect after you reenable ASE Active Messaging. The options for sp\_msgadmin 'config' are:

- 'jvmlogging', *logging\_level* – allows you to configure your messaging service to display only the trace information in your code that is higher than your configured level.

*logging\_level* specifies the level using the Apache log4j logging system. The values for *logging\_level* are:

- 'all' – returns all the trace information in the code.
- 'debug' – returns JVM debug information.
- 'fatal' – returns JVM fatal information.
- 'off' – turns off logging.
- 'info' – is the default value for *logging\_level*, and returns information-level log information.
- 'error' – returns only error log information.

See the Apache log4j Web site at <http://logging.apache.org/log4j/>.

- 'jvmpropertyfile', *filepath* – specifies the property file that JVM uses for your configuration.

*filepath* can be any valid path for your property file, including the use of environment variables. The default value for the property file is `$$SYBASE/$SYBASE_ASE/lib/rtms.properties`.

- 'jvmlogfile', *filepath* – defines the path to the log file that JVM uses for your configuration.

The log information for JVM displays on the console and is written to a single log file. Every time your log file reaches its maximum size of 5MB, JVM automatically creates a new log file and appends a new number at the end of the file (such as `XXX.2`, `XXX.3`, and so on).

The default value for the JVM log file *filepath* is `$$SYBASE/$SYBASE_ASE/rtms.log`.

When you start a Java Active Messaging server in a cluster environment, the actual log file is a combination of the value and `@@nodename`. For example, if you run sp\_msgadmin for node "s1," the actual JVM log file is

*\$\$SYBASE/\$\$SYBASE\_ASE/jrtms\_sl.log:*

```
1> sp_msgadmin 'config', 'jvmllogfile', '$$SYBASE/$$SYBASE_ASE/jrtms.log'
```

If the configured JVM log file:

- Has a file extension—such as *\$\$SYBASE/\$\$SYBASE\_ASE/jrtms.log*, where the file name of *jrtms.log* includes the *log* file extension name—the real file name for instance “ase1” is *\$\$SYBASE/\$\$SYBASE\_ASE/jrtms\_ase1.log*.
- Does not have an extension file name—such as *\$\$SYBASE/\$\$SYBASE\_ASE/jrtms*, where the file name is *jrtms* without a file extension—the real file name for instance “ase1” is *\$\$SYBASE/\$\$SYBASE\_ASE/jrtms\_ase1*.

- 'jvmmxthreads', *thread\_number* – specifies the maximum number of Java threads you want to run at the same time in the JVM server’s thread pool.

The value of *thread\_number* must be greater than the value of *jvmmnthreads*. The default value is 10.

- 'jvmmnthreads', *thread\_number* – specifies the minimum number of Java threads you want to run at the same time in the JVM server’s thread pool. The value of *thread\_number* can be 0 or more, but must be fewer than the value of *jvmmxthreads*. The default value is 0.
- 'jvmthreadtimeout', *thread\_timeout* – allows a thread to be automatically destroyed after a specified period of inactivity.

*thread\_timeout* is the number of seconds before a thread is destroyed. The default value is 600 (10 minutes).

- 'jvm', *jvm\_parameter* – defines the parameters you pass to Java when you start the JVM.

*jvm\_parameter* is the name of any valid Java parameter string. The default value is “-Xmx500m”, which is a generic Java flag that specifies Java to start with 500MB of allocated RAM. For more information on the Java -Xmx flag, see the Java Web site at <http://java.sun.com>.

- 'ibmq\_keystore', *keystore\_name* – configures the key repository file path for Adaptive Server to be able to send and receive messages to or from WebSphere MQ through SSL.

*keystore\_name* is the location of the key database file in which keys and certificates are stored.

`sp_msgadmin 'default'`

specifies a default. In the case of `sp_msgadmin 'list'`, lists the syntax to specify the default login for a specified message provider. The options are:

- `'login'` – when used with `'default'` specifies a default login.

---

**Note** You cannot use `sp_msgadmin 'default', 'login'` if endpoint is an MQ queue manager.

---

- *provider\_name* – is the messaging provider you are registering, which can be as many as 30 characters in length.
- *provider\_login* – is the login name of the messaging provider that *local\_login* maps to when connecting to the message provider. *provider\_login* is also the default login the provider uses when sending or receiving messages from the *provider\_name*.
- *provider\_password* – is the password of the *provider\_login*.

---

**Note** (Cluster environment only) If you use `sp_msgadmin default` to define the default login in a cluster environment, you can use the configuration over the entire cluster.

---

`sp_msgadmin 'help'[, 'list' | 'register' | 'default' | 'remove']`

provides syntax information about `sp_msgadmin` or its parameters.

`sp_msgadmin 'list'`

lists syntax information about message providers, logins, or subscriptions:

- `'login'[, provider_name,[login_name]]` – lists information about a particular messaging provider login mapping, or about all messaging provider logins.
- `'provider'[, provider_name]` – specifies the message provider, and lists information about a particular messaging provider or about all message providers.
- `'subscription'[, subscription_name]` – lists information about a particular subscription or about all subscriptions.

sp\_msgadmin 'register'

registers a messaging provider, login, or subscription. The options are:

- sp\_msgadmin 'register' provider – registers the messaging provider, where:
  - *provider\_name* – is the name of the messaging provider.
  - *provider\_class* – is the class of the messaging provider you are adding. Valid values are:
    - EAS\_JMS
    - TIBCO\_JMS
    - IBM\_MQ
    - SONIC\_MQ
  - *messaging\_provider\_URL* – is the URL of the messaging provider you are registering.
- sp\_msgadmin 'register' 'login' – registers a login mapping, where:
  - *provider\_name* – is the name of a previously registered provider, and can be as many as 30 characters in length.
  - *local\_login* – is an Adaptive Server login that maps to the local login.
  - *provider\_login* – is the login name of the messaging provider that *local\_login* maps to when connecting to the message provider.
  - *provider\_password* – is the messaging provider password of the *provider\_login*.
  - *role\_name* – is a SQL role name. If you specify a *role\_name*, the *local\_login* is ignored, and the *provider\_login* and *provider\_password* apply to the *role\_name*.

---

**Note** You cannot use sp\_msgadmin 'register', 'login' if endpoint is an MQ queue manager.

---

- sp\_admin 'register' 'subscription' – registers a subscription, where:
  - *subscription\_name* – is a subscription name.
  - *endpoint* – is the topic to which the subscription is addressed. See *endpoint* in msgsend on page 103.



---

**Note** You cannot use `sp_msgadmin 'register', 'subscription'` if endpoint is an MQ queue manager.

---

- *selector* – is a message filter that allows a client to select messages of interest. See filters in `msgrecv` on page 88.
- *delivery\_option* – species whether a SQL session can consume messages that it publishes. Valid values are:
  - *local* – the SQL session can consume messages that it publishes.
  - *nonlocal* – the SQL session cannot consume messages that it publishes.
  - *null* – assumes the value is local.
- *durable\_name* – is a character string value. See *client\_id*.
- *client\_id* – is the identification used by the messaging provider to identify the subscription as durable. *client\_id* is a character string value. If you specify either *client\_id* or *durable\_name*, you must also specify the other, which species the subscription as durable. Otherwise, the subscription is nondurable.

The *client\_id* and *durable\_name* combination identifies durable subscriptions with the message provider, and must be unique.

*client\_id* uniqueness extends across the messaging provider. JMS allows a particular *client\_id* to be connected only once at any given time. For instance, if one application already has a durable subscription using a specified *client\_id*, the *client\_id* specified by another application cannot be the same if the applications are to be connected at the same time.

A durable subscription exists even when the client is not connected. The messaging provider saves messages that arrive even while the client is not connected.

A nondurable subscription exists only while the client is connected. The messaging provider discards messages that arrive while the client is not connected.

---

**Note** (Cluster environment only) If you use `sp_msgadmin 'register'` in a cluster environment to register provider, login, and subscription information the registration applies to the entire cluster.

---

sp\_msgadmin 'remove'

removes a message provider, login, or subscription.

- 'provider', *provider\_name* – removes a messaging provider previously defined with:

```
sp_msgadmin 'register', 'provider', provider_name
```

*provider\_name* is an alias referring to the messaging provider you are removing.

- 'login', *provider\_name*, *local\_login* [, *role*] – removes the mapping previously created between an Adaptive Server login and a service provider login, defined by this call:

```
sp_msgadmin 'register', 'login', local_login, ...
```

Where:

- *local\_login* – is an Adaptive Server login that maps to the local login.
- *role* – is the role.
- 'subscription', *subscription\_name* – removes a subscription previously created by:

```
sp_msgadmin 'register' 'subscription', subscription_name, ...
```

sp\_msgadmin 'show'

requires Adaptive Server version 15.0.2 ESD #1 or later, and displays the information about some MQ objects on a specified queue manager, where:

- *showtype* – allows you to specify the WebSphere MQ process or object to display:
  - *qmgr* – is the name of the queue manager.
  - *queues* – is all of the queues and their types that belong to the queue manager.
  - *channels* – is all the channels and their types that belong to the queue manager.
- *provider* – specifies the messaging provider. Use the full path format described in endpoint on page 144.
- *option\_string* – is the list of options, as shown in Table 3-5.

**Table 3-5: option\_string types and values**

Types	Values	Default	Description
timeout	timespec between 0 and $(2^{31}-1)$	30000 (30 seconds)	Specifies the maximum time in milliseconds that the WebSphere MQ Administration Interface should wait for each reply message.
replyqueue	string	None	The command server returns the reply message to the queue. If you do not define the option, the command server returns the message to a dynamic queue, created by opening SYSTEM.DEFAULT.MODEL.QUEUE.

**Examples****Example 1** (JMS) logs the level of JVM:

```
sp_msgadmin 'config', 'jvmlogging', 'info'
```

**Example 2** (JMS) specifies `/usr/1.prop` as the properties file:

```
sp_msgadmin 'config', 'jvmpropertyfile', '/usr/1.prop'
```

**Example 3** (JMS) defines the log file path as `$$SYBASE/$SYBASE_ASE/rtms.log`:

```
sp_msgadmin 'config', 'jvmlogfile', '$$SYBASE/$SYBASE_ASE/rtms.log'
```

**Example 4** (JMS) specifies the maximum number of threads in the JVM server's thread pool as 100:

```
sp_msgadmin 'config', 'jvmmaxthreads', 100
```

**Example 5** (JMS) specifies 10 minutes as the amount of time that a thread is idle before it is automatically destroyed:

```
sp_msgadmin 'config', 'jvmthreadtimeout', 600
```

**Example 6** (JMS) starts the JVM with 500MB of RAM by using the `-Xmx500m` flag:

```
sp_msgadmin 'config', 'jvm', '-Xmx500m'
```

**Example 7** (JMS) registers the “`eas_1`” message provider, which has a class of `EAS_JMS` and a URL of `iiop://localhost:7222`:

```
sp_msgadmin 'register', 'provider',
'eas_1', 'eas_jms', 'iiop://localhost:7222'
```

**Example 8** (JMS) specifies the default login that applies to all unmapped Adaptive Server logins, when using a specified messaging provider for either sending or receiving:

```
sp_msgadmin 'default', 'login', 'my_eas', 'eas_user', 'eas_password'
```

---

**Note** You must first register the *provider\_name* by calling sp\_msgadmin 'register', 'provider'.

---

**Example 9** (JMS) specifies the default login:

```
sp_msgadmin 'default', 'login', 'one_jms_provider', 'loginsa',  
  'abcdef123456'
```

**Example 10** (JMS) lists the details for the user with a login of “loginsa”:

```
sp_msgadmin 'list', 'login', 'my_jms_provider', 'loginsa'
```

**Example 11** (JMS) registers the login “ase\_login1” using messaging provider login “jms\_user1” and messaging provider name “my\_jms\_provider”:

```
sp_msgadmin 'register', 'login', 'my_jms_provider', 'ase_login1',  
  'jms_user1', 'jms_user1_password'
```

**Example 12** (JMS) registers a login with the messaging provider login “jms\_user1” and a specified password used for all Adaptive Server logins that have sa\_role permissions:

```
sp_msgadmin 'register', 'login', 'my_jms_provider', null, 'jms_user1',  
  'jms_user1_password', 'sa_role'
```

**Example 13** (JMS) registers the “my\_jms\_provider” messaging provider, which has a class of TIBCO\_JMS and an IP of 10.23.233.32:4823 as its address:

```
sp_msgadmin 'register', 'provider', 'my_jms_provider', 'TIBCO_JMS',  
  'tcp://10.23.233.32:4823'
```

**Example 14** (JMS) registers a durable subscription named “durable\_sub1,” then sp\_msgadmin 'list' displays information about the new subscription.

```
sp_msgadmin 'register', 'subscription', 'durable_sub1',  
  'my_jms_provider?topic=topic.sample', null, null, 'durable1', 'client1'  
sp_msgadmin 'list', 'subscription', 'durable_sub1'
```

**Example 15** (JMS) registers “subscription\_1,” a nondurable subscription.

```
sp_msgadmin 'register', 'subscription', 'subscription_1',  
  'my_jms_provider?topic=topic.sample'
```

---

**Note** You must first use sp\_msgadmin register, provider to register “my\_jms\_provider”.

---

**Example 16** (JMS) removes the default login:

```
sp_msgadmin 'remove', 'login', 'my_jms_provider'
```

**Example 17** (JMS) removes the Adaptive Server login “ase\_login1” associated with the messaging provider “my\_jms\_provider”:

```
sp_msgadmin 'remove', 'login', 'my_jms_provider', 'ase_login1'
```

**Example 18** (JMS) removes all logins for role sa\_role on “my\_jms\_provider”:

```
sp_msgadmin 'remove', 'login', 'my_jms_provider', null, 'sa_role'
```

**Example 19** (MQ) configures the key repository for Adaptive Server to enable the use of SSL, where the key database file path is */var/mqm/clients/ssl/KeyringClient.kdb*:

```
sp_msgadmin 'config', ibmmq_keystore,
            'var/mqm/clients/ssl/KeyringClient'
```

**Example 20** (MQ) registers the “mq\_provider\_1” messaging provider, which has a class of IBM\_MQ and a URL of chan1/TCP/host1(5678):

```
sp_msgadmin 'register', 'provider', 'mq_provider_1', 'ibm_mq',
            'chan1/TCP/host1(5678)'
```

**Example 21** (MQ) displays the queue manager name from machine “bigcrunch” with a listening port of 3150:

```
sp_msgadmin 'show', 'QMGR', 'ibm_mq:/tcp/bigcrunch(3150)'
```

Name

-----  
TEST

**Example 22** (MQ) displays the queue manager name. The queue manager is on machine “bigcrunch” with a listening port of 3150. The reply message is placed in the Q1 queue and the longest that Adaptive Server waits for a reply message is 20 milliseconds:

```
sp_msgadmin 'show', 'QMGR', 'ibm_mq:channel1/tcp/bigcrunch(3150)',
            'timeout=20, replyqueue=Q1'
```

**Example 23** (MQ) displays all of the queues on the queue manager. The reply message is placed in the Q1 queue and the longest that Adaptive Server waits for a reply message is 20 milliseconds:

```
sp_msgadmin 'show', 'queues', 'ibm_mq:/tcp/bigcrunch(3150)',
            'timeout=20, replyqueue=Q1'
```

Name

Type

-----  
Q1

-----  
LOCAL

```
SYSTEM.MQSC.REPLY.QUEUE          MODEL
RQ1                               REMOTE
AQ1                               ALIAS
...
```

**Example 24** (MQ) displays all of the channels on the queue manager:

```
sp_msgadmin 'show', 'channels', 'ibm_mq:/tcp/bigcrunch(3150) '

Name                               Type
-----
SNCH1                              SENDER
SECH2                              SERVER
RCCH3                              RECEIVER
CHL5                                SRVCONN
...
```

**Example 25** (SonicMQ) registers a subscription called “sub1” to the specified endpoint, and placed in the Q1 queue:

```
sp_msgadmin register, subscription, sub1,
'sonicmq_jms:tcp://mysonic:7223??topic=T1,user=sonic_usr,password=sonic_pwd'
```

**Usage**

You cannot use sp\_msgadmin inside a transaction.

*sp\_msgadmin 'register'*

- When a login name is used to connect to the message provider, login names are resolved in the following order:
  - a Explicit login names and passwords, specified in the endpoint, if provided.
  - b Explicit login mapping for the current Adaptive Server login.
  - c The default login name and password for the message provider, and the role corresponding to the Adaptive Server login.
  - d The default login name and password for the message provider, with no specific role association.
  - e Null login name and password if none of the above apply.
- You can modify the login mapping between the Adaptive Server login and the messaging provider login only by removing and reregistering it with a different set of mappings.
- MQ only – if you enter an endpoint using a registered provider, using msgsubscribe, msgunsubscribe, msgpublish, and msgconsume return errors.

- See `sp_msgadmin` on page 62 for usage common to the variants of `sp_msgadmin`.

#### `sp_msgadmin 'remove'`

- Removing a messaging provider does not affect messages that are in transit (that is, messages that are in the process of being sent or received) to this message provider.
- `sp_msgadmin 'remove'` does not affect any current connections to the message provider. This means that if a message provider, login, or default is removed while there is a current connection to the specified message provider, the connection is not affected. However, Sybase recommends that you do not do this.
- If you specify `role_name`, you must specify `local_login` as null.

#### `sp_msgadmin 'config'`

- `sp_msgadmin 'config'` is only available for JMS.
- All `sp_msgadmin 'config'` parameters are stored in the `sysattributes` table. To retrieve the values, execute:

```
1> select * from sysattributes where class = 21
```

See the *Reference Manual: Tables* for information about `sysattributes`.

- All the parameters available for `sp_msgadmin 'config'` are dynamically configured except 'jvm'.

#### Permissions

You must have `messaging_role` to run the `msgsend` and `msgrecv` functions.

You must have `messaging_role` and `sso_role` permissions to issue:

- `sp_msgadmin 'default'`
- `sp_msgadmim 'register'`
- `sp_msgadmin 'remove'`

Any user can issue:

- `sp_msgadmim 'help'`
- `sp_msgadmin 'list'`

## msgconsume

**Description** EAServer JMS only – provides a SQL interface to consume messages that are published to different topics.

**Syntax**

```
msgconsume_call ::=
msgconsume (subscription_name, option_and_returns)
  subscription_name:= basic_character_expression
  option_and_returns ::= [option_clause] [returns_clause]
  option_clause ::= [,] option_option_string
  returns_clause ::= [,] returns_sql_type
  subscriber_name ::= basic_character_expression
  sql_type ::=
    varchar(integer) | java.lang.String | text
    | varbinary(integer) | image
```

**Parameters**

*basic\_character\_expression*  
is a Transact-SQL query expression with datatype of char, varchar, or java.lang.String.

*option\_string*  
is the general format of *option\_string* as specified in option\_string on page 148. The special options to use when consuming a message are described in Table 3-6:

**Table 3-6: option and option\_string values for msgconsume**

option values	option_string values	Default	Description
timeout	timespec between -1, 0 – ( $2^{31}-1$ )	-1	By default, msgconsume blocks the message until it reads the next message from the message bus. If timeout is not -1, msgconsume returns a null value when the timeout interval lapses without reading a message. Values are in number of milliseconds. timeout uses the timespec option. See timespec on page 150.
requeue	string	None	The name of a destination, queue, or topic on which to requeue messages that Adaptive Server cannot process. If you do not specify requeue, and the message cannot be processed, you see an error message. The endpoint specified must be on the same messaging provider as msgconsume and msgrecv.

*subscription\_name*

is the name of the subscription from which you are consuming messages.

returns

specifies the clause that you want returned.



**SQL\_type**

is the datatype used in SQL statements.

If you do not specify a datatype to be returned, the default is varchar(16384). The legal SQL datatypes are:

- varchar(n)
- text
- java.lang.String
- varbinary(n)
- image
- univarchar(n)

**Examples**

**Example 1** Defines a subscription on the client server, before consuming a message:

```
sp_msgadmin 'register', 'subscription', 'subscription_1',
  'my_jms_provider?topic=topic.sample,user=user1,password=pwd',
  'Supplier=12345',null,'durable1', 'client1'
```

Before consuming messages from a subscription, Sybase recommends that the subscription be subscribed:

```
select msgsubscribe('subscription_1')
declare @mymsg varchar(16384)
select @mymsg = msgconsume('subscription_1')
```

**Example 2** Declares variables and receives a message from the specified subscription:

```
declare @mymsg varchar (16384)
select @mymsg = msgconsume('subscription_1',
  option 'timeout=0')
```

Forwards a message:

```
select msgsend
  (msgconsume('subscription_1'), 'my_jms_provider?queue=queue.sample')
```

Reads a message and returns it as a varbinary:

```
select msgconsume('subscription_1' returns varbinary(500))
```

**Usage**

- Unrecognized option names result in an error.

- msgconsume reads a message from the topic defined by the *end\_point* and *message\_filter* specified by the *subscription\_name*. It returns a null value if there is a timeout or error, or returns the body of the message it reads.
- Adaptive Server handles only messages of types message, text, or bytes. If Adaptive Server encounters a message it cannot process, and requeue is not specified, the message is left on the original queue. Subsequent reads encounter the same message, with the same effect. To prevent this behavior, specify requeue. When requeue is specified, messages that Adaptive Server cannot handle are placed on the queue specified.  
  
The specified endpoint must exist on the same messaging service provider as the endpoint used in msgconsume.
- Adaptive Server issues an error message if the messaging provider issues messages of types other than message, text, or bytes, and if requeue is not specified.
- If the subscription is not subscribed, Adaptive Server subscribes it automatically while running msgconsume.
- Calling msgconsume has these results:
  - The value returned is the *message\_body* value returned by the message provider, converted to the specified returns type.
  - The values of @@msgheader and @@msgproperties are set to <msgheader> and <msgproperties> documents, which contain the properties of the message that is returned by msgconsume.  
  
See “Message-related global variables” on page 42 for more information about <msgheader> and <msgproperties>.
  - You can use msgpropvalue to extract the values of a specific property from XML documents <msgheader> and <msgproperties>, and other related functions. See msgpropvalue on page 83.

Permissions

You must have messaging\_role to run msgconsume.

## msgpropcount

Description	Extracts and returns the number of properties or attributes in <code>msg_doc</code> from a <code>&lt;msgheader&gt;</code> and <code>&lt;msgproperties&gt;</code> document.
Syntax	<pre>msgpropcount_call ::= msgpropcount([msg_doc]) msg_doc ::= basic_character_expression prop_name ::= basic_character_expression</pre>
Parameters	<p><code>msgpropcount_call</code> makes the request to use the <code>msgpropcount</code> function.</p> <p><code>msg_doc</code> is the <code>&lt;msgheader&gt;</code> or <code>&lt;msgproperties&gt;</code> XML document in the form of <code>basic_character_expression</code>. If you do not specify <code>msg_doc</code>, <code>msgpropcount</code> uses the current value of <code>@@msgproperties</code>.</p> <p><code>prop_name</code> is the property name from which you want to extract a value or type in the form of <code>basic_character_expression</code>.</p>
Examples	<p>This example assumes that a call from <code>msgrecv</code> returns a message with a single property named <code>trade_name</code> and value of “Acme Maintenance” (“Quick &amp; Safe”). The value of the <code>@@msgproperties</code> global variable is then:</p>

```
<?xml version='1.0' encoding='UTF-8' standalone='yes' ?>
<msgproperties
  trade_name='Acme Maintenance (&quot;Quick &amp; Safe&quot;)'>
</msgproperties>
```

The ampersand and the quotation marks surrounding the phrase `Quick & Safe` are replaced with the XML entities `&quot;` and `&amp;`, as required by XML convention.

Retrieves the number of properties from the last message retrieved:

```
select msgpropcount (@@msgproperties)
```

## msgproplist

Description	Extracts and returns from a <code>&lt;msgheader&gt;</code> and <code>&lt;msgproperties&gt;</code> document a string in the format of an <i>option_string</i> with all of the property attributes of <code>msg_doc</code> .
Syntax	<pre>msgproplist_call ::= msgproplist([ msg_doc ] [returns varchar   text]) msg_doc ::= basic_character_expression prop_name ::= basic_character_expression</pre>
Parameters	<p><code>msgproplist_call</code> makes the request to use the <code>msgproplist</code> function.</p> <p><code>msg_doc</code> is the <code>&lt;msgheader&gt;</code> or <code>&lt;msgproperties&gt;</code> XML document. A <i>basic_character_expression</i>. If <code>msg_doc</code> is not specified, the current value of <code>@@msgprproperties</code> is used.</p> <p><code>prop_name</code> is the property name from which you want to extract a value or type. A <i>basic_character_expression</i>.</p> <p>returns <i>varchar</i>   <i>text</i> specifies the format of the returning message.</p>
Examples	<p>This example assumes that a call from <code>msgrecv</code> returns a message with a single property named “<code>trade_name</code>” and value of “Acme Maintenance” (“Quick &amp; Safe”). The value of the <code>@@msgproperties</code> global variable is then:</p> <pre>&lt;?xml version='1.0' encoding='UTF-8' standalone='yes' ?&gt; &lt;msgproperties   trade_name='Acme Maintenance (&amp;quot;Quick &amp;amp; Safe&amp;quot;)'&gt; &lt;/msgproperties&gt;</pre> <p>The ampersand and the quotation marks surrounding the phrase <code>Quick &amp; Safe</code> are replaced with the XML entities <code>&amp;quot;</code>; and <code>&amp;amp;</code>, as required by XML convention.</p> <p>Either of these retrieves the list of properties belonging to a message:</p> <pre>select msgproplist select msgproplist(@@msgproperties)</pre> <ul style="list-style-type: none"> <li>If the result of the <code>msgproplist</code> call is more than 16K, the result value contains the word “TRUNCATED”. If this happens, specify <code>returns text</code> so that the results are not truncated. You must use other <code>msgprop</code> functions to iterate through the property list and obtain the names and values of the properties.</li> </ul>
Usage	

- If you run `msgproplist` without a return length, any output over the default return value (32) is truncated. To avoid this, specify the length of your returns. For example, this statement is truncated:

```
declare @properties varchar(1000)
select @properties = msgproplist(@@msgproperties returns varchar)
```

However, this one is not:

```
declare @properties varchar (1000)
select @properties= msgproplist(@@msgproperties returns varchar(1000))
```

## msgpropname

Description	Extracts and returns the property name from a <code>&lt;msgheader&gt;</code> and <code>&lt;msgproperties&gt;</code> document. The result is a null value if the value of the integer parameter is less than one or greater than the number of properties in <code>msg_doc</code> .
Syntax	<pre>msgpropname_call ::= msgpropname(integer[ ,msg_doc], )                     msg_doc ::= basic_character_expression                     prop_name ::= basic_character_expression</pre>
Parameters	<p><i>integer</i> is the index of the value.</p> <p><code>msgpropname_call</code> makes the request to use the <code>msgpropname</code> function.</p> <p><i>msg_doc</i> is the <code>&lt;msgheader&gt;</code> or <code>&lt;msgproperties&gt;</code> XML document. A <i>basic_character_expression</i>. If <i>msg_doc</i> is not specified, the current value of <code>@msgprproperties</code> is used.</p> <p><i>prop_name</i> is the property name from which you want to extract a value or type. A <i>basic_character_expression</i>.</p>
Examples	<p><b>Example 1</b> Assumes that a call from <code>msgrecv</code> returns a message with a single property named <code>trade_name</code> and value of “Acme Maintenance” (“Quick &amp; Safe”). The value of the <code>@msgproperties</code> global variable is then:</p> <pre>&lt;?xml version='1.0' encoding='UTF-8' standalone='yes' ?&gt; &lt;msgproperties   trade_name='Acme Maintenance (&amp;quot;Quick &amp;amp; Safe&amp;quot;)'&gt; &lt;/msgproperties&gt;</pre> <p>The ampersand and the quotation marks surrounding the phrase <code>Quick &amp; Safe</code> are replaced with the XML entities <code>&amp;quot;</code>; and <code>&amp;amp;</code>, as required by XML convention.</p> <p><b>Example 2</b> Returns a null value, because the ninth property does not exist:</p> <pre>select msgpropname(9, @msgproperties)</pre>

## msgproptype

Description	Extracts and returns from a <i>&lt;msgheader&gt;</i> and <i>&lt;msgproperties&gt;</i> document the message provider's property type for the <i>msg_doc</i> property with a name that equals <i>prop_name</i> . The result is a null value if <i>msg_doc</i> does not have a property with a name is equal to <i>prop_name</i> .
Syntax	<pre>msgproptype_call ::= msgproptype(prop_name [ , msg_doc ] ) msg_doc ::= basic_character_expression prop_name ::= basic_character_expression</pre>
Parameters	<p><i>msgproptype_call</i> makes the request to use the <i>msgproptype</i> function.</p> <p><i>msg_doc</i> is the <i>&lt;msgheader&gt;</i> or <i>&lt;msgproperties&gt;</i> XML document. A <i>basic_character_expression</i>. If <i>msg_doc</i> is not specified, the current value of <i>@msgprproperties</i> is used.</p> <p><i>prop_name</i> is the property name from which you want to extract a value or type. A <i>basic_character_expression</i>.</p>
Examples	A message is sent with two properties, "integer_prop," which is an integer with value 1234, and "string_prop," which is a string with the value "cat":

```
select msgsend('msgproptype example',
  'tibco_jms:tcp://localhost:7222?queue=queue.sample'
  MESSAGE PROPERTY "integer_prop=1234,string_prop='cat' ")
go
```

```
-----
ID:E4JMS-SERVER.82CC311EC:1
(1 row affected)
```

The message is then read back:

```
select msgrecv('tibco_jms:tcp://localhost:7222?queue=queue.sample')
go
```

```
-----
msgproptype example
(1 row affected)
```

The *@msgproperties* global variable is selected to display what the properties were in the message just received:

```
select @msgproperties
go
```

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
  <msgproperties
    string_prop="&apos;cat&apos;"
    ASE_RTMS_CHARSET="1"
    ASE_ORIGIN="&apos;francis_pinot_2&apos;"
    ASE_SPID="15"
    ASE_MSGBODY_FORMAT="&apos;string&apos;"
    ASE_TIMESTAMP="&apos;2005/06/22 15:01:36.91&apos;"
    ASE_MSGBODY_SCHEMA="&apos;NULL&apos;"
    ASE_RTMS_VERSION="&apos;1.0&apos;"
    ASE_VERSION="&apos;12.5.0.0&apos;"
    integer_prop="1234">
  </msgproperties>
```

(1 row affected)

The first msgproptype call asks for the type of the “integer\_prop” property, and returns “Integer”:

```
1> select msgproptype('integer_prop')
2> go
```

```
-----
Integer
(1 row affected)
```

The second msgproptype call asks for the type of the “string\_prop” property, and returns “String”:

```
1> select msgproptype('string_prop')
2> go
```

```
-----
String
(1 row affected)
```

#### Usage

- (MQ) when you use msgproptype to query one of the following binary fields contained in the MQ message header, the string “Hex” is returned:
  - MsgId
  - CorrelId
  - GroupId
  - Encoding

For example, the following returns “Hex”:

```
select msgproptype ('Encoding', @@msgheader)
```



## msgpropvalue

Description	Extracts and returns from a <code>&lt;msgheader&gt;</code> and <code>&lt;msgproperties&gt;</code> document the value for the <code>msg_doc</code> property where the name equals <code>prop_name</code> . The result is the property value converted to <code>varchar</code> , and is a null value if <code>msg_doc</code> does not have a property with name that is equal to <code>prop_name</code> .
Syntax	<pre>msgpropvalue_call ::= msgpropvalue(prop_name [ , msg_doc ] ) msg_doc ::= basic_character_expression prop_name ::= basic_character_expression</pre>
Parameters	<p><code>msgpropvalue_call</code> makes the request to use the <code>msgpropvalue</code> function.</p> <p><code>msg_doc</code> is the <code>&lt;msgheader&gt;</code> or <code>&lt;msgproperties&gt;</code> XML document. A <code>basic_character_expression</code>. If <code>msg_doc</code> is not specified, the current value of <code>@@msgprproperties</code> is used.</p> <p><code>prop_name</code> is the property name from which you want to extract a value or type. A <code>basic_character_expression</code>.</p>
Examples	<p><b>Example 1</b> These examples assume that a call from <code>msgrecv</code> returns a message with a single property named “<code>trade_name</code>” and value of “<code>Acme Maintenance</code>” (“<code>Quick &amp; Safe</code>”). The value of the <code>@@msgproperties</code> global variable is then:</p>

```
<?xml version='1.0' encoding='UTF-8' standalone='yes' ?>
  <msgproperties
    trade_name='Acme Maintenance (&quot;Quick &amp; Safe&quot;)'>
  </msgproperties>
```

The ampersand and the quotation marks surrounding the phrase `Quick & Safe` are replaced with the XML entities `&quot;`; and `&amp;`, as required by XML convention. The following retrieves the message property `trade_name`:

```
select msgpropvalue(@@msgproperties, 'trade_name')
-----
('Quick & Safe') Acme Maintenance
```

This is the original string that is stored in an `Transact-SQL` variable or column.

**Example 2** Returns a null value because the message retrieved does not have a property named “`discount`”:

```
select msgpropvalue('discount', @@msgproperties)
```

**Example 3** Retrieves the value of the eighth property:

```
select msgpropvalue (msgpropname(8, @@msgproperties))
```

## msgpublish

Description JMS only – provides a SQL interface to publish messages to topics.

Syntax

```
message_publish_call ::=
    msgpublish(message_body, subscription_name
               [options_and_properties])
    options_and_properties ::=
        [option_clause] [properties_clause]
        [header_clause]
        option_clause ::= [,] option option_string
        header_clause ::= [,] message header
        option_string
        properties_clause ::=
            [,] message property option_string
        message_body ::= scalar_expression |
            (select_for_xml)
```

Parameters

*message\_body*  
is the message you are sending. The message body can contain any string of characters, and can be binary data, character data, or SQLX data.

*subscription\_name*  
is the name of the subscription to which you are publishing messages.

*option\_clause*  
is the general format of the option name and an *option\_string*, specified in the section on page 148.

The options you can specify for msgsend are in Table 3-7 on page 86.

*properties\_clause*  
is either an *option\_string* or one of the options listed in the following tables. The options described in Table 3-7 and Table 3-8 on page 86 are set as a property in the message header or message properties, as indicated in the disposition column of the table. The option value is the property value.

Property names are case-sensitive.

*scalar\_expression*  
If a message is a SQL *scalar\_expression*, it can be of any datatype.  
If the type option is not specified, the message type is text if the *scalar\_expression* evaluates to a character datatype; otherwise, the message type is bytes.

If the datatype of the *scalar\_expression* is not character, it is converted to varbinary using the normal SQL rules for implicit conversion. The binary value of the datatype is included in the message according to the byte ordering of the host machine.

*select\_for\_xml*

is a select expression that specifies a for xml clause.

*header\_clause*

allows users to specify only header properties You see an error if you enter an unrecognized header property.

If you specify a recognized header property in both the *message property* and the *message header* clauses, the one in the *message header* clause takes precedence.

You see an error if you specify unrecognized options in the *option\_clause*.

All previously recognized header properties are accepted in the *message header* clause.

## Examples

To publish messages, you must define a subscription on the server to which the client is connected:

```
sp_msgadmin 'register', 'subscription', 'subscription_1',
  'my_jms_provider?topic=topic.sample,user=user1,password=pwd',
  'Supplier=12345',null, 'durable1', 'client'
```

The client server can then publish a message to a specified subscription:

```
select msgpublish
  ('Sending order', 'subscription_1',
  MESSAGE PROPERTY 'Supplier=12345')
```

## Usage

- Unrecognized options are ignored if you use message property. If you use message header for the msgsend or msgpublish functions, you see an error when you specify unrecognized options.

- The *subscription\_name* must have been specified in a call to:

```
sp_msgadmin 'register', 'subscription'
```

Do not specify *subscription\_name* in a subsequent call to:

```
sp_msgadmin 'remove', 'subscription'
```

- Table 3-7 lists the options you can specify for msgpublish for JMS.

**Table 3-7: Values for the msgpublish option\_string parameter**

Option	Values	Default	Comments
schema	<ul style="list-style-type: none"> <li>no</li> <li>yes</li> <li>"user_schema"</li> </ul>	no	<p>Enter one of these values:</p> <ul style="list-style-type: none"> <li><i>user_schema</i> – is a user-supplied schema describing the message_body.</li> <li>no – indicates that no schema is generated and sent out as part of the message.</li> <li>yes – indicates that Adaptive Server generates an XML schema for the message. yes is meaningful only in a message_body that uses the select_for_xml parameter. select_for_xml generates a SQLX-formatted representation of the SQL result set. The generated XML schema is a SQLX-formatted schema that describes the result set document.</li> </ul> <p>The schema is included in the message as ASE_MSGBODY_SCHEMA property.</p>
type	text or bytes	text	The message type to send.

- Table 3-8 lists the options and values for the *properties\_clause* parameter. If you use a property not listed in Table 3-8, it is set as a property in the message properties of the message sent.

**Table 3-8: Values for the msgpublish properties\_clause parameter**

Option	Values	Default	Disposition	Comments
correlation	<i>string</i>	none	header	Client applications set correlation IDs to link messages together. Adaptive Server sets the correlation ID specified by the application.
mode	<ul style="list-style-type: none"> <li>persistent</li> <li>non-persistent</li> </ul>	persistent	header	<p>When you enter:</p> <ul style="list-style-type: none"> <li>persistent – the message is backed by the JMS provider, using stable storage. If the messaging provider fails before the message can be consumed and the mode is set to persistent, it is likely that the message will be saved.</li> <li>non-persistent and the messaging provider fails – you may lose a message before it reaches the desired destination.</li> </ul>
priority	1 to 9	4	header	<p>The behavior of priority is controlled by the underlying message bus. The values mentioned here apply to JMS.</p> <p>Priorities from 1 – 4 are normal; priorities from 5 – 9 are expedited.</p>

Option	Values	Default	Disposition	Comments
replyqueue	A string containing a <i>queue_name</i>	none	header	<p>If the value of <i>queue_name</i> or <i>topic_name</i> is:</p> <ul style="list-style-type: none"> <li>• <i>syb_temp</i> – Adaptive Server creates a temporary destination and sends information related to the newly created temporary destination as a part of the header information.</li> </ul> <p>Adaptive Server then updates <i>@@msgreplytoinfo</i> as the temporary destination.</p> <p>The type of the temporary destination, queue or topic, depends on whether you specify <i>replyqueue</i> or <i>replytopic</i>. Only the option listed last is used.</p> <ul style="list-style-type: none"> <li>• A destination that already exists – Adaptive Server does not create a new destination, using instead the one specified by the user.</li> </ul>
replytopic	A string containing a <i>topic_name</i>	none	header	
ttl	$0 - (2^{63} - 1)$	0	header	<p>ttl refers to time-to-live on the messaging bus. Adaptive Server is not affected by this.</p> <p>Expiry information, which is the duration of time during which the message is valid, in milliseconds. For instance, 60 indicates that the life of the message is 60 milliseconds.</p> <p>A value of 0 indicates that the message never expires.</p> <p>ttl uses the timespec option. See timespec on page 150.</p>

## Permissions

You must have *messaging\_role* to run *msgpublish*.

## msgrecv

**Description** Provides a SQL interface to receive messages from different service endpoints, which must be queues.

msgrecv receives a message from the specified *service\_provider* and *service\_destination*, and returns that message. The value returned is the message body returned by the service provider, converted to the specified return type.

**Syntax**

```
msgrecv_call ::=
    msgrecv (end_point options_filter_and_returns)
            options_filters_and_return ::=
            [option_clause] [filter_clause] [returns_clause]
            option_clause ::= [,] option option_string
            filter_clause ::= [,] message selector message_filter
            message_filter ::= basic_character_expression
            returns_clause ::= [,] returns sql_type
            end_point ::= basic_character_expression
            sql_type ::=
                varchar(integer) | java.lang.String | text
                | varbinary(integer) | image
            message_filter ::= basic_character_expression
```

**Parameters**

*basic\_character\_expression*  
is a SQL query expression with a datatype of char, varchar, or java.lang.String.

*end\_point*  
is a *basic\_character\_expression* where the runtime value is a *service\_provider\_uri*. The *end\_point* is the destination of a message.

*filter\_clause*  
passes a *message\_filter* directly to a specified message provider, which determines its use.

*message\_filter*  
is a filter parameter and *basic\_character\_expression*. The filter value is passed directly to the message provider. Its use depends on the message provider. See the Usage section below for a discussion of message filters.

Any *message\_filter* specified to msgrecv is ignored if the provider class is "ibm\_mq."

msgrecv  
receives a message from the specified *service\_provider* and *service\_destination*, and returns that message. The value returned is the message body returned by the service provider, converted to the specified return type.

*option*

is a value shown in Table 3-9 on page 92 for MQ, and Table 3-10 on page 98 for JMS.

---

**Note** Unrecognized *option* names result in an error.

---

*option\_string*

is the general format of the *option\_string* as specified on page 148. The options for `msgrecv` are described in Table 3-9 on page 92 for MQ and Table 3-10 on page 98 for JMS.

*returns\_clause*

is the datatype that you want returned. If you do not specify a *returns\_clause*, the default is `varchar(16384)`.

If you specify a *returns\_clause* of type `varbinary` or `image`, the data is returned in the byte ordering of the message.

*sql\_type*

is one of these valid SQL datatypes:

- `varchar(n)`
- `text`
- `java.lang.String`
- `varbinary(n)`
- `image`
- `univarchar(n)`

## Examples

**Example 1** (MQ) a message is read from the queue Q1 with a specified timeout. If no messages are available on Q1 before the timeout of 3 seconds, a null value is returned:

```
select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
  option 'timeout=3ss')
```

**Example 2** (MQ) a `correlationId` is specified without a timeout. The call returns when a message matching the `correlationId` is available on the queue:

```
select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
  option 'correlationId=x67a12z99')
```

**Example 3** (MQ) a groupId is specified, as well as allMsgsInGroup, but a timeout is not specified. This call blocks until all the messages for the groupId specified are available on the queue:

```
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'groupId=g7853b77,allMsgsInGroup=yes')
```

**Example 4** (MQ) these messages already exist on the queue:

AA BB CC DD EE FF GG HH

The first three messages (AA – CC) are read in browse mode, and CC is removed. The browse cursor is then set back to the beginning, and three messages (AA – DD) are read in browse mode, and DD is removed. Finally, a read is performed with position set to next, which reads and removes AA. When this example completes, the messages AA, CC, and DD are no longer on the queue.

```
-- Browse cursor at the beginning, this will return 'AA'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'inputMode=browse+Qdefault,browse=first')  
  
-- Browse the next message, this will return 'BB'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'inputMode=browse+Qdefault,browse=next')  
  
-- Browse the next message, this will return 'CC'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'inputMode=browse+Qdefault,browse=next')  
  
-- Remove the message under the browse cursor, this will return 'CC'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'inputMode=browse+Qdefault,position=cursor')  
  
-- Reposition browse cursor at the beginning, this will return 'AA'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',  
  option 'inputMode=browse+Qdefault,browse=first')  
  
-- Browse the next message, this will return 'BB'  
select msgrecv(  
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
```



```

option 'inputMode=browse+Qdefault,browse=next')

-- Browse the next message, this will return 'DD'
select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
  option 'inputMode=browse+Qdefault,browse=next')

-- Read the message under the cursor, this will return 'DD'
select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
  option 'inputMode=browse+Qdefault,position=cursor')

-- Read the next message in queue order, this will return 'AA'
select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q1',
  option 'inputMode=browse+Qdefault,position=next')

```

**Example 5** Tibco JMS – receives a message from the specified *end\_point*:

```

select msgrecv
  ('tibco_jms:tcp://my_jms_host:7222?queue=queue.sample, '
  +'user=jms_user1,password=jms_user1_password')

```

**Example 6** SonicMQ JMS – receives a message from the queue Q1 from the specified *end\_point*, using the timeout option:

```

select msgrecv
  ('sonicmq_jms:tcp://mysonic:7223?queue=Q1,user=sonic_usr,
  password=sonic_pwd',option 'timeout=1000')

```

**Example 7** (JMS) receives a message from the specified *end\_point*, using the timeout option and specifying a message selector:

```

declare @mymsg varchar (16384)
select @mymsg = msgrecv('my_jms_provider?queue=queue.sample',
  option 'timeout=1000'
  message selector 'correlationID = 'MSG_001''')

```

**Example 8** (JMS) this msgrecv call consumes only messages from queue.sample when the message property “Name” is “John Smith”:

```

select msgrecv('my_jms_provider?queue=queue.sample',
  message selector 'Name='John Smith''')

```

**Example 9** (JMS) illustrates how to insert a text message into a table:

```
create table T1(c1 numeric(5,0)identity, m text)
insert into T1
select msgrecv('my_jms_provider?queue=queue.sample',
returns text)
```

**Example 10 (JMS)** this example reads a message and returns it as a varbinary:

```
select msgrecv('my_jms_provider?queue=queue.sample'
returns varbinary(500))
```

Usage

(MQ) Table 3-9 lists the available *option* and *option\_string* values for msgrecv properties.

**Table 3-9: MQ option and option\_string values for msgrecv**

<b>option values</b>	<b>option_string values</b>	<b>Default</b>	<b>Description</b>
allMsgsInGroup	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>This option is ignored unless you specify groupId.</p> <p>When you specify:</p> <ul style="list-style-type: none"> <li>• yes – all logical messages of a group must be present on the queue before the first message of a group is returned.</li> <li>• no – not all logical messages of a group are required to be present on the queue before returning the first message of a group.</li> </ul>
allSegments	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>When you specify:</p> <ul style="list-style-type: none"> <li>• yes – all messages of a segmented message must be present on the queue before the first message segment is returned.</li> <li>• no – not all messages of a segmented message are required to be present before returning the first message segment.</li> </ul>
browse	<ul style="list-style-type: none"> <li>• next</li> <li>• next+Lock</li> <li>• first</li> <li>• first+Lock</li> <li>• cursor</li> <li>• cursor+Lock</li> <li>• reopen</li> <li>• reopen+Lock</li> <li>• unlock</li> <li>• null</li> </ul>	null	<p>If you set the the browse property to:</p> <ul style="list-style-type: none"> <li>• null – the message is read and removed from the queue. The position option controls which message is read.</li> <li>• anything other than null – the message is read but not removed from the queue. The ordering depends on the default ordering of the queue (first-in, first-out, or priority)</li> </ul> <p>If you also:</p> <ul style="list-style-type: none"> <li>• Specify msgId, correlationId, groupId, sequenceId or offset – MQ browses or reads the next message that matches to the selection criteria that you specify.</li> <li>• Specify timeout, and a message matching the selection criteria is not found – the return is a null value.</li> <li>• Do not specify timeout – the msgrecv operation blocks until a message appears in the queue that matches the selection criteria.</li> </ul>

<i>option values</i>	<i>option_string values</i>	Default	Description
browse (continued)			<p>If you specify the following for browse:</p> <ul style="list-style-type: none"> <li>• next – the next message is returned.</li> <li>• next+Lock – the message is returned, and the message is locked so that other readers cannot remove it.</li> <li>• first – the first message is returned. If you specify <code>browse=first</code> after you issue one or more <code>browse=next</code> options, the browse cursor repositions to the starting position where the queue was opened.</li> <li>• first+Lock – the first message is returned, and the message is locked so that other readers cannot remove it.</li> <li>• cursor – the message under the browse cursor is returned. Do not use <code>browse=cursor</code> without first performing <code>browse=first</code>, <code>browse=first+Lock</code>, <code>browse=next</code>, or <code>browse=next+Lock</code>. Repeating <code>browse=cursor</code> returns the same message.</li> <li>• cursor+Lock – the message under the cursor is returned, and the message is locked so that other readers cannot remove it.</li> <li>• reopen – the browse cursor is closed, reopened, and positioned at the start. For priority queues, if a higher priority message comes in since the last open, that message appears at the start of the queue.</li> <li>• reopen+Lock – the browse cursor is closed, reopened, positioned at the start, and the first message is locked so that other readers cannot remove it.</li> <li>• unlock – the message under the cursor is unlocked and returned.</li> </ul>

<i>option values</i>	<i>option_string values</i>	<b>Default</b>	<b>Description</b>
bufferLength	sizespec 0, or 1 – value		<p>bufferLength-sized buffer is used to read the message.</p> <ul style="list-style-type: none"> <li>The messaging built-in function attempts to allocate a buffer of this length. The command fails if there is not enough memory to allocate the buffer.</li> <li>When you specify msgrecv to return text or image, msgrecv assumes that the message size is the largest message that the specified queue can accommodate, and uses the maxMsgLength queue property. Increase messaging memory if you set maxMsgLength at: <ul style="list-style-type: none"> <li>Its default of 4MB, or</li> <li>A value that is much larger than the actual length of the messages.</li> </ul> </li> </ul> <p>Sybase recommends you set the maxMsgLength queue property to the minimum allowed for the application so Adaptive Server can use the least amount of memory to read the message. To set maxMsgLength, use the MQ commands (MQSC) tool to change the MAXMSGL attribute on the queue.</p> <p><b>Defaults</b> bufferLength defaults to either the:</p> <ul style="list-style-type: none"> <li>Minimum of the maxMsgLength that is defined for the queue manager and the target queue, or</li> <li>The length of the return type if it is not text, image or java.lang.String.</li> </ul> <p>0 indicates to use the default.</p> <p>For pub/sub messages, bufferLength must include the length of the message topics, including the MQRF header.</p>
closeAfterRecv	<ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>yes – the queue closes after the current msgrecv operation, allowing the queue to be reopened with a different input mode on subsequent msgrecv calls.</li> <li>no – the queue remains open after the current msgrecv operation.</li> </ul>
completeMsg	<ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>	yes	<p>If:</p> <ul style="list-style-type: none"> <li>yes – segmented messages are returned as a single message.</li> <li>no – if there are segmented messages, each segment is returned as a separate message.</li> </ul> <p>completeMsg should have the same setting for all calls to msgrecv for the same endpoint.</p>

<b><i>option values</i></b>	<b><i>option_string values</i></b>	<b>Default</b>	<b>Description</b>
correlationId	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Correlation ID of message to read, used in select statements to select specific messages in your queue.</p> <p>MQ defines this field as “unsigned char” that can support binary values. To enter a binary string as the correlationId, use “0x...” as the value. Do not add quote marks around the value.</p>
formatName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>The name of the expected message format. If specified, and the name formatName field of the message does not match, the message is not read. See the requeue option in this table for more information.</p> <p>MQ limits this string to 8 bytes.</p>
groupid	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Group ID of message to read. This is a select option. MQ defines this field as “unsigned char,” which means that it can support binary values. To enter a binary string as the msgId, use “0x...” as the value. Do not add quote marks around the value.</p>

<i>option values</i>	<i>option_string values</i>	<b>Default</b>	<b>Description</b>
inputMode	<ul style="list-style-type: none"> <li>• browse</li> <li>• Qdefault</li> <li>• shared</li> <li>• exclusive</li> <li>• browse+Qdefault</li> <li>• browse+shared</li> <li>• browse+exclusive</li> </ul>	Qdefault	<p>The values for inputMode open the MQ queue in the following ways:</p> <ul style="list-style-type: none"> <li>• browse – opened for browsing only. The queue manager produces an error when you attempt a destructive read.</li> <li>• Qdefault – opened in the default input mode as defined for the queue.</li> <li>• shared – opened in shared input mode. You receive an error if the queue is already opened in exclusive mode by another MQ handle.</li> <li>• exclusive – opened in exclusive input mode. You receive an error if the queue is already opened in shared or exclusive mode by another MQ handle.</li> <li>• browse+Qdefault – opened for browse- and shared-input mode.</li> <li>• browse+shared – opened for browse- and shared-input mode. You get an error if the queue is already opened in exclusive mode by another MQ handle.</li> <li>• browse+exclusive – opened for browse- and exclusive-input mode. You get an error if the queue is already opened in shared or exclusive mode by another MQ handle.</li> </ul> <p>inputMode is valid only for msgrecv.</p> <p>For any endpoint, you must specify inputMode either:</p> <ul style="list-style-type: none"> <li>• On the first msgrecv operation, or</li> <li>• After you specify closeAfterRecv.</li> </ul> <p>Attempting to change the value of inputMode across calls may cause unexpected results.</p>
msgld	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Message ID of message to read.</p> <p>As a selection option, you can use msgld to select specific messages in your queue.</p> <p>MQ defines this field as “BYTE array” that can support binary values. To enter a binary string as the msgld, use “0x...” as the value. Do not add quote marks around value, as that is interpreted as a quoted string.</p>
offset	<i>integer</i> between -1, and 0 – <i>maxint</i>		<p>Offset of message to read.</p> <p>If -1, the offset is not specified.</p> <p>As select option, you can use offset to select specific messages in your queue.</p>

<i>option values</i>	<i>option_string values</i>	Default	Description
ordering	<ul style="list-style-type: none"> <li>logical</li> <li>physical</li> </ul>	physical	<p>When ordering is:</p> <ul style="list-style-type: none"> <li>logical – the messages are read in logical order according to <code>groupId</code>, <code>sequenceId</code>, and <code>offsets</code>.</li> <li>physical – the messages are read in the order in which they appear on the queue.</li> </ul>
position	<ul style="list-style-type: none"> <li>next</li> <li>cursor</li> </ul>	next	<p>position controls which message is returned. Depending on the <code>inputMode</code> value you specify, there are one or two “read” positions:</p> <ul style="list-style-type: none"> <li>“Normal” – the default read position where destructive reads normally occur. When a queue is opened, the “normal” read position is positioned on the first message in the queue.</li> <li>“Browse cursor” – where the read position has been positioned by a previous call where browse was specified. When a queue is opened for browse, the “browse cursor” is positioned before the first message in the queue. “Browse cursor” is used only for <code>browse+Qdefault</code>, <code>browse+shared</code>, and <code>browse+exclusive</code></li> </ul> <p>If:</p> <ul style="list-style-type: none"> <li><code>next</code> – the current message at the “normal” read position is returned. The “normal” read position is moved forward to the message after the message returns.</li> <li><code>cursor</code> – the current message at the “browse cursor” is returned. MQ queue manager raises an error if the “browse cursor” has not yet been positioned. The “browse cursor” is moved forward to the message after the message returns.</li> </ul> <p>The MQ queue manager applies the following before determining what message to return:</p> <ul style="list-style-type: none"> <li>The default ordering of the queue (<code>priority</code>, <code>first-in</code>, <code>first-out</code>)</li> <li>Any selection criteria specified (<code>messageId</code>, <code>correlationId</code>, <code>groupId</code>, <code>sequenceId</code>, or <code>offset</code>)</li> </ul>

<b>option values</b>	<b>option_string values</b>	<b>Default</b>	<b>Description</b>
requeue	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This must be a full URI of the endpoints.</p> <p>The read message is requeued to the queue specified if:</p> <ul style="list-style-type: none"> <li>• msgrecv reads a message when formatName is specified.</li> <li>• The read message has a different formatName.</li> <li>• requeue is not null.</li> </ul> <p>If the message cannot be requeued to the specified queue, the message is left on the queue where it was read, and an exception is raised.</p> <p>MQ limits a requeue to 48 bytes.</p>
sequenceId	<i>integer</i> between -1, - 9,999,999	-1	<p>Sequence ID of message to read.</p> <p>If -1, the sequence ID is not specified.</p> <p>As a selection option, you can use sequenceId to select specific messages in your queue.</p>
truncationAllowed	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>You can truncate the message when:</p> <ul style="list-style-type: none"> <li>• The buffer used to read the message (bufferLength, or length of the returned datatype).</li> <li>• The buffer is smaller than the length of the message.</li> </ul> <p>Specify as:</p> <ul style="list-style-type: none"> <li>• yes – to allow truncation.</li> <li>• no – to not allow truncation. The read fails when the value is no and message is truncated.</li> </ul>
timeout	<i>timespec</i> between -1, 0 – (2 <sup>32</sup> -1)	-1	<p>Specifies the timeout. If:</p> <ul style="list-style-type: none"> <li>• -1 – there is no timeout.</li> <li>• timeout is specified as an integer – the value is to be taken in milliseconds.</li> </ul> <p>See timespec on page 150 for more information.</p>

(JMS) Table 3-10 lists the available *option* and *option\_string* values for msgrecv properties.

**Table 3-10: JMS option and option\_string values for msgrecv**

<b>option values</b>	<b>option_string values</b>	<b>Default</b>	<b>Description</b>
requeue	<i>string</i>	None	<p>The name of a destination, queue, or topic on which to requeue messages that Adaptive Server cannot process. If you do not specify requeue, and the message cannot be processed, you see an error message. The specified endpoint must be on the same messaging provider as msgconsume and msgrecv.</p>



<i>option values</i>	<i>option_string values</i>	<b>Default</b>	<b>Description</b>
timeout	timespec -1, 0 - (2 <sup>31</sup> - 1)	-1	By default, msgrecv blocks the message until it reads the next message from the message bus. If timeout is not -1, msgrecv returns a null value when the timeout interval lapses without reading a message. The values are in numbers of milliseconds. See timespec on page 150.

- Unrecognized option names result in an error.
- See @@msgheader on page 42 regarding properties read from the message header.
- msgrecv receives a message from a specified *service\_provider* and *service\_definition*, and returns that message.
- By default, msgrecv is a blocking command, which blocks the message until it reads the next message from the message bus. If timeout is not -1, msgrecv returns a null value when the timeout interval lapses without reading a message. Its values are in number of milliseconds.
- Adaptive Server handles only messages of types message, text, or bytes. If Adaptive Server encounters a message it cannot process, and requeue is not specified, the message is left on the original queue. Subsequent reads encounter the same message, with the same effect. To prevent this behavior, specify requeue. When you use requeue, messages that Adaptive Server cannot handle are placed on the specified queue.

The specified endpoint must exist on the same messaging service provider as the endpoint used in msgrecv.

- The message includes the binary value of the datatype according to the byte ordering of the host machine.
- Calling msgrecv has these results:
  - The value returned is the *message\_body* value returned by the message provider, converted to the specified returns type.
  - The values of @@msgheader and @@msgproperties are set to those of <msgheader> and <msgproperties> documents, which contain the properties of the message returned by msgrecv.
  - You can use msgpropvalue to extract the values of a specific property from a <msgheader> and <msgproperties> document. See msgpropvalue on page 83.

- The general format of `<msgheader>` and `<msgproperties>` is described in “Message-related global variables” on page 42.

#### MQ and msgrecv

These statements are valid only if the provider class is “ibm\_mq”:

- The `msgld`, `correlationld`, `groupid`, `sequenceid`, and `offset` options act as match criteria for selecting messages. When specified, the next message matching the values specified are returned. The qualification is performed by the WebSphere MQ queue manager.
- If the `MQMD.Format` field of the message received is “MQSTR,” the data is assumed to be character data, and can be returned as `text` or `varchar`. Any other format name can be returned only as `image` or `binary`. One special case is if `MQMD.Format` is “MQHRF.” In this case, the `MQRFH.Format` field is used instead. If the body of the message cannot be returned in the return type specified, the message is sent to the `requeue` option if the `requeue` option is specified; otherwise, the read operation fails. MQ does not enforce that when `MQMD.Format` is “MQSTR,” the message body contains only character data. Programmers should always specify `image` or `varbinary` return types.

#### Quoting property or option values

- Place apostrophes (') around *option* values to treat them as strings. If you omit the apostrophes, the *option* value is treated as another property name, and the expression is true only if the two properties have the same value.

If your application uses quoted identifiers, the message selector must be enclosed in apostrophes ('). This means that if there are string values in your selectors, you must surround these values with double apostrophes ("). For example:

```
set quoted_identifier on
select msgrecv ('my_jms_provider?queue=queue.sample',
  message selector 'color = ''red''')
```

If your application does not use quoted identifiers, the message selector can be enclosed by ordinary double quotation marks. For example:

```
set quoted_identifier off
select msgrecv('my_jms_provider?queue=queue.sample',
  message selector "color='red'")
```

In this next example, a **messaging client** application sends a message expressing a property named “color” to have the value “red,” and a property named “red” to have the value “color.”

```
select msgsend ('Sending message with property color',
```

```
'my_jms_provider?queue=queue.sample'
message selector 'color=red, red=color')
```

A client application that wants to consume only messages containing a property named “color” having the value “red” must place double apostrophes (") around the selector value. For example:

```
select msgrecv('my_jms_provider?queue=queue.sample'
message selector 'color='red''')
```

However, the message is not received if the client application uses the following syntax, because “red” is treated as a property name:

```
select msgrecv('my_jms_provider?queue=queue.sample',
message selector 'color=red')
```

In another example, a client sends a message that selects and filters for more than one property:

```
select msgsend('Sending message with properties',
'my_jms_provider?queue=queue.sample',
message selector 'color=red, shape=square')
```

If another client wants to select messages in which the property “color” equals “red” and the property “shape” equals “square,” that client must execute the following:

```
select msgrecv('my_jms_provider?queue=queue.sample',
message selector 'color='red' and shape='square''')
```

#### Message filters

- If you specify a filter parameter, the filter value is passed directly to the message provider. How it is used depends on the message provider.
- Comparisons specified in the message filter use the sort order specified by the message provider, which may not be the same as the sort order used by Adaptive Server.
- JMS message providers use a JMS message selector as a filter. The rules for JMS message selectors are:
  - The syntax for the message selector is a subset of conditional expressions, including not, and, or, between, and like.
  - Identifiers are case-sensitive.
  - Identifiers must designate message header fields and property names.
- JMS only – if *message\_filter* is specified to *msgrecv*, it is ignored.

- MQ only – you can select particular messages by specifying the correlation and the message IDs in the message options.

Permissions

You must have `messaging_role` to run `msgrecv`.

## msgsend

Description	Provides a SQL interface to send messages to different service endpoints of type queue.								
Syntax	<pre> message_send_call ::=     msgsend(message_body, end_point [options_and_properties])     options_and_properties ::= [option_clause]     [properties_clause] [header_clause]     option_clause ::= [,] option option_string     properties_clause ::= [,] message property     property_option_string     header_clause ::= [,] message header     header_option_string     message_body ::= scalar_expression       (select_for_xml)     end_point ::= basic_character_expression           </pre>								
Parameters	<p><i>message_body</i> is the message you are sending. The message body can contain any string of characters, and can be binary, character, or SQLX data.</p> <p><i>endpoint</i> is the queue to which a message is addressed. <i>endpoint</i> is a <i>basic_character_expression</i> where the runtime value is a <i>service_provider_uri</i>.</p> <p><i>option</i> allows you to specify options for msgsend. Use the options in Table 3-11 on page 113 if you are using JMS. Use the options in Table 3-12 on page 113 if you are using MQ.</p> <p><i>option_string</i> specifies the general syntax and processing for <i>option_string</i>. Individual options are described in the functions that reference them.</p> <pre> option_string ::= basic_character_expression option_string_value ::= option_and_value [ [,] option_and_value] option_and_value ::= option_name = option_value option_name ::= simple_identifier option_value ::= simple_identifier       quoted_string   integer_literal   float_literal   byte_literal       true   false   null           </pre> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Parameter</th> <th style="text-align: left;">Description</th> </tr> </thead> <tbody> <tr> <td><i>option_string</i></td> <td>String describing the option you want to specify</td> </tr> <tr> <td><i>simple_identifier</i></td> <td>String that identifies the value of an <i>option</i></td> </tr> <tr> <td><i>quoted_string</i></td> <td>String formed using the normal SQL conventions for embedded quotation marks</td> </tr> </tbody> </table>	Parameter	Description	<i>option_string</i>	String describing the option you want to specify	<i>simple_identifier</i>	String that identifies the value of an <i>option</i>	<i>quoted_string</i>	String formed using the normal SQL conventions for embedded quotation marks
Parameter	Description								
<i>option_string</i>	String describing the option you want to specify								
<i>simple_identifier</i>	String that identifies the value of an <i>option</i>								
<i>quoted_string</i>	String formed using the normal SQL conventions for embedded quotation marks								

<b>Parameter</b>	<b>Description</b>
<i>integer_literal</i>	Literal specified by normal SQL conventions
<i>float_literal</i>	Literal specified by normal SQL conventions
true	A Boolean literal
false	A Boolean literal
null	A null literal
byte_literal	Has the form 0xHH, where each H is a hexadecimal digit

*properties\_clause*

is a *property\_option\_string*, or one of the options listed in Table 3-13 on page 116 for MQ, and Table 3-14 on page 125 for JMS. The options described in these two tables are set as a property in the message header or message properties, as indicated in the disposition column of the table. The option value is the property value.

Property names are case sensitive.

Tibco JMS only – if you use a property not listed in Table 3-14 on page 125, it is set as a property in the message properties of the message sent.

MQ only – the values of *properties\_clause* differ based on what you specify in the *rhfCommand* option:

- The properties in Table 3-15 on page 126 are effective only if *rhfCommand* is *deletePublication*.  
A *deletePublication* command message sent to the publication stream instructs the MQ pub/sub broker to delete its copy of any retained publications for the specified topics within the publication stream.  
The *message\_body* argument to *msgsend* is ignored.
- The properties in Table 3-16 on page 127 are effective only if *rhfCommand* is *deregisterPublisher*.
- A *deregisterPublisher* command message sent to the MQ pub/sub broker control queue informs the broker that the publisher will no longer publish on the topics specified.
- The properties in Table 3-17 on page 128 are effective only if *rhfCommand* is *deregisterSubscriber*.  
The *message\_body* argument to *msgsend* is ignored.  
If the *msgType* is *request*, the reply message is sent to *replyToQmgr* and *replyToQueue*.
- The properties in Table 3-18 on page 129 are effective only if *rhfCommand* is *publish*.  
A *publish* command message is sent to the publication stream queue to publish information on specific topics. The publication data is specified as the *message\_body* argument to *msgsend*.  
If the *msgType* is *request*, the reply message is sent to *replyToQmgr* and *replyToQueue*.
- The properties in Table 3-20 on page 134 are effective only if

rhfCommand is registerSubscriber.

A registerSubscriber command message sent to the MQ pub/sub broker control queue informs the broker that the publisher is publishing, or can, publish data on one or more specified topics. If the publisher is already registered, and there are no other errors, the publisher's registration is modified accordingly.

If the msgType is request, the reply message is sent to replyToQmgr and replyToQueue.

- The properties in Table 3-21 on page 136 are effective only if rhfCommand is requestUpdate.

A requestUpdate command message sent to the MQ pub/sub broker control queue informs the broker that the subscriber wants the broker to forward all retained publications that match the topic specified.

If the msgType is request, the reply message is sent to replyToQmgr and replyToQueue.

#### *scalar\_expression*

If a message is a SQL *scalar\_expression*, it can be of any datatype.

If the type option is not specified, the message type is text if the *scalar\_expression* evaluates to a character datatype; otherwise, the message type is bytes.

If the datatype of the *scalar\_expression* is not character, it is converted to varbinary using the normal SQL rules for implicit conversion. The binary value of the datatype is included in the message according to the byte ordering of the host machine.

#### *basic\_character\_expression*

a Transact-SQL query expression with datatype that is char, varchar, or java.lang.String.

#### *(select\_for\_xml)*

a select expression that specifies a `for xml` clause.

In a *message\_body* that is a *select\_for\_xml* parameter, *select\_for\_xml* generates a SQLX-formatted representation of the SQL result set.

You can specify *select\_for\_xml* only if Adaptive Server is configured for the native XML feature. You can reference *select\_for\_xml* only as a scalar expression from a msgsend call.

You must surround *select\_for\_xml* with parentheses.



*header\_clause*

allows users to specify only those header properties that are specified in Table 3-13 on page 116 for MQ and Table 3-14 on page 125 for Tibco JMS. If you enter an unrecognized header property, you see an error message.

If you specify a recognized header property in both the *message property* and the *message header* clauses, the one in the *message header* clause takes precedence.

If you specify any unrecognized names in the *message header* parameter, you see an error message.

## Examples

**Example 1** SonicMQ JMS – sends the message “hello” to the specified endpoint:

```
select msgsend('hello',
  'sonicmq_jms:tcp://mysonic:7223?queue=testq,user=xyz')
```

**Example 2** (JMS) sends the message “Hello Messaging World!” to the specified endpoint:

```
declare @mymsg varchar (255)
set @mymsg = 'Hello Messaging World!'
select msgsend(@mymsg,
  +'my_jms_provider?queue=queue.sample,user=jms_user1,'
  +'password=jms_user1_password')
```

**Example 3** Tibco JMS – sends a message with a body that is a SQLX-formatted representation of the SQL result set, returned by the SQL query to the specified endpoint:

```
select msgsend ((select * from pubs2..publishers FOR XML),
  'tibco_jms:tcp://my_jms_host:7222?queue=queue.sample,'
  +'user=jms_user1,password=jms_user1_password')
```

**Example 4** (JMS) sets two properties and generates an XML schema for the message:

```
select msgsend
((select pub_name from pubs2..publishers where pub_id = '1389' FOR XML),
  my_jms_provider?queue=queue.sample',
  message property 'priority=6, correlationID=MSG_001',
  option 'schema=yes')
```

**Example 5** (JMS) shows user-specified values for message properties:

```
select msgsend ('hello', 'my_jms_provider?queue=queue.sample')
```

```
message property 'ttl=30,category=5, rate=0.57, rank='top',
priority=6')
```

ttl and priority are internally set as header properties. category, rate, and rank are set as user-specified message properties.

**Example 6** (MQ) sends a request message, and the reply is expected on the specified queue, in the same queue manager.

```
select msgsend('do something',
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
  option 'msgType=request'
  message property 'replyToQueue=QUEUE.REPLY')
```

**Example 7** (MQ) sends a reply message. The correlation ID, and the reply queue have been extracted from a previously received request message:

```
select @correlationId = msgpropvalue("CorrelId", @@msgheader)
select @replyQ = @@msgreplytoinfo
select msgsend('i'm done', @replyQ
  option 'msgType=report'
  message property 'correlationId=' + @correlationId)
```

**Example 8** (MQ) sends a report message. The correlation ID, reply queue, and report message data header have been extracted from a previously received request message:

```
select @correlationId = msgpropvalue("CorrelId", @@msgheader)
select @replyQ = @@msgreplytoinfo
select msgsend(@reportData, @replyQ
  option 'msgType=report'
  message property 'correlationId=' + @correlationId)
```

**Example 9** (MQ) sends four datagram messages. Each message is part of the group named “theGroup,” and each message has an increasing sequence number:

```
begin tran
select msgsend('message 1',
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
  message property 'groupId=theGroup,sequenceId=1')
select msgsend('message 2',
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
  message property 'groupId=theGroup,sequenceId=2')
select msgsend('message 3',
```

```

'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'groupId=theGroup,sequenceId=3')
select msgsend('message 4',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'groupId=theGroup,sequenceId=4,lastMsgInGroup=yes')
commit

```

**Example 10** (MQ) sends a datagram message. Various confirmation reports are requested, and sent to the “myReplyQueue:”

```

select msgsend('I want a confirmation',
'ibm_mq:channel1/TCP/host1(5678)?queue=QUEUE.COMMAND',
message property 'replyToQueue=myReplyQueue'
+ ',exceptionReport=yes,
+ ',arrivalReport=withData
+ ',deliveryReport=withFullData'

```

**Example 11** (MQ) publishes a datagram message with topics “A,” “A/B,” “A/B/C”. The publisher is registered to publish on topics “A,” “A/B,” and “A/B/C,” and the publication contains information about topic “A/B”. The default MQ pub/sub broker queue and stream queues are used:

```

-- First register the publisher
select msgsend(null,
'ibm_mq:channel1/TCP/host1(5678)?queue=SYSTEM.BROKER.CONTROL.QUEUE
option 'msgType=datagram,rfhCommand=registerPublisher'
message property 'topics='a:A/B:a/b/c''')

-- Now publish the publication
select msgsend('something about A/B',
'ibm_mq:channel1/TCP/host1(5678)?queue=SYSTEM.BROKER.DEFAULT.STREAM'
option 'msgType=datagram,rfhCommand=publish'
message property 'topics=A/B'

```

**Example 12** (MQ) sends multiple messages in a group. Since ordering is set to logical, specify only the *msgInGroup*, *lastMsgInGroup*, *msgSegment*, *msgLastSegment* options. The queue manager selects a name for the group since it is not specified:

```

begin tran
select msgsend('first logical message of the group',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,msgInGroup=yes')

select msgsend('second logical message of the group',

```

```
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,msgInGroup=yes')

select msgsend('third logical message of the group, first segment',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,msgInGroup=yes,msgSegment=yes')

select msgsend('third logical message of the group, second segment',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,msgInGroup=yes,msgSegment=yes')

select msgsend('third logical message of the group, third segment',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,msgInGroup=yes,msgLastSegment=yes')

select msgsend('fourth logical message of the group',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=QUEUE.COMMAND',
message property 'ordering=logical,lastMsgInGroup=yes')
commit
```

**Example 13 (MQ)** Uses the `alter_user=yes` option in `msgsend` to allow user Joe—whose SQL login is “joe”—to send and receive messages to and from the MQ application running on machine “host1” through Adaptive Server, even though there is no user ID called “joe” on host1.

```
select msgsend('Hello world',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=joeQM,queue=QUEUE1,alter_user=yes')
```

**Example 14 (MQ)** uses `msgsend` to register, then deregister, a subscriber. The subscriber is interested in all publications that match the topics “A” or “A/B/\*,” Matching publications are forwarded to the queue “Q2” by the MQ pub/sub broker:

```
-- Register the subscriber
select msgsend(null,
'ibm_mq:channel1/TCP/host1(5678)'
+ '?qmgr=QM,queue=SYSTEM.BROKER.CONTROL.QUEUE'
option 'msgType=datagram,rfhCommand=registerSubscriber'
message property 'topics='A:A/B/*',streamName=stream1,queueName=Q2')

-- Publish a message to the stream queue, let it do implicit registration
select msgsend('happy birthday',
'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,
queue=stream1'
option 'msgType=datagram,rfhCommand=publish'
message property 'topics='A''')

-- Read a message forwarded to us by the MQ pub/sub
```

```

select msgrecv(
  'ibm_mq:channel1/TCP/host1(5678)?qmgr=QM,queue=Q2'
  option 'timeout=50ss')

-- Deregister the subscriber
select msgsend(null,
  'ibm_mq:channel1/TCP/host1(5678)'
  + ?qmgr=QM,queue=SYSTEM.BROKER.CONTROL.QUEUE'
  option 'msgType=datagram,rfhCommand=deregisterSubscriber'
  message property 'topics=' 'A:A/B/*',streamName=stream1,queueName=Q2')

```

**Example 15** (MQ) displays the `clustQBinding=bind` option in `msgsend`. The local “INVC” queue manager is a member of the Q1 cluster queue, and Q1 is cluster queue.

```

select msgsend(
  "M", "ibm_mq:CH1/TCP/box1(5599)?qmgr=INVC,queue=Q1,alter_user=yes",
  option "clustQBinding=bind")

```

When you initially run this `select` statement, the `MQOPEN` call chooses the cluster queue manager to receive the message. Subsequent statements issued during the same SQL session are automatically routed to the same queue manager.

**Example 16** (MQ) displays the `clustQBinding = nobind` option in `msgsend`. The cluster queue manager that receives the message is chosen each time:

```

select msgsend(
  "M", "ibm_mq:CH1/TCP/box1(5599)?qmgr=INVC,queue=Q1,alter_user=yes",
  option "clustQBinding=nobind")

```

**Example 17** (MQ) displays the `clustQBinding = default` option in `msgsend`, where behavior is determined by property “DEFBIND” of the queue. If the value is “open,” the behavior is same as `clustQBinding=bind`; otherwise, the value is the same as `clustQBinding=nobind`:

```

select msgsend(
  "M", "ibm_mq:CH1/TCP/box1(5599)?qmgr=INVC,queue=Q1,alter_user=yes",
  option "clustQBinding=default")

```

#### Usage

- If the destination has the form `queue=queue_name`, the message is sent to this queue.
- The `service_provider_class` and the words “user” and “password” are case insensitive. `local_name`, `hostname`, `port`, `queue_name`, `user_name`, and `password` parameters are case sensitive.

- You can set message properties specific to Adaptive Server according to Table 3-3 on page 50.
- Option string usage in msgsend:
  - Empty option strings are ignored.
  - You can separate option strings with commas or white space (there is no limit on the amount of white space before the first option, after the last option, between options, and surrounding the equal signs).
  - Quoted strings are formed according to SQL conventions for embedded quotation marks.
  - If you specify multiple options with the same name, only the option listed last is processed. For example, in the following statement, only the value 7 is used or validated for 'priority'; other values are ignored:

```
select msgsend( 'Hello Messaging World!',  
              'my_jms_provider?queue=queue.sample',  
              MESSAGE PROPERTY 'priority='high', priority=yes, priority=7')
```

- After you execute msgsend, the values of the global variables are set with information for that call. See “Message-related global variables” on page 42.
- Use single apostrophes ('), not double quotation marks ("), around quoted option or property values.

---

**Note** msgsend allows messages to be sent to a topic, if you specify `topic=topic_name` as the destination. However, Sybase recommends that you do not do this, as it may cause unexpected behavior.

---

- Unrecognized options or properties are ignored, but unrecognized option or property values are flagged as an error.

---

**Note** This behavior changed with Adaptive Server version 12.5.3a, and differs from earlier versions.

---

msgsend option *option\_string* parameter values

Table 3-11 lists the available msgsend option parameters for JMS.

**Table 3-11: Valid JMS option *option\_string* types and values for *msgsend***

Types	Values	Default	Description
schema	<ul style="list-style-type: none"> <li>no</li> <li>yes</li> <li>"<i>user_schema</i>"</li> </ul>	no	<ul style="list-style-type: none"> <li><i>user_schema</i> is a user-supplied schema describing the <i>message_body</i>.</li> <li>no indicates that no schema is generated and sent out as part of the message.</li> <li>yes indicates that Adaptive Server generates an XML schema for the message. yes is meaningful only in a <i>message_body</i> that uses the parameter <i>select_for_xml</i>. <i>select_for_xml</i> generates a SQLX-formatted representation of the SQL result set. The generated XML schema is a SQLX-formatted schema that describes the result set document.</li> </ul> <p>The schema is included in the message as the ASE_MSGBODY_SCHEMA property.</p>
type	text, bytes	text	The type of message to send.

Table 3-12 lists the available *msgsend* option parameters for MQ.

**Table 3-12: Valid MQ option *option\_string* types and values for *msgsend***

Types	Values	Default	Description
msgType	<ul style="list-style-type: none"> <li>datagram</li> <li>request</li> <li>reply</li> <li>report</li> </ul>	datagram	<p>If the type of the message is:</p> <ul style="list-style-type: none"> <li>request – you must also specify the <i>replyQueue</i> property.</li> <li>report – you must also specify the <i>reportDataHeader</i> and <i>feedback</i> properties.</li> </ul>

Types	Values	Default	Description
rfhCommand	<ul style="list-style-type: none"> <li>• null</li> <li>• deletePublication</li> <li>• deregisterPublisher</li> <li>• deregisterSubscriber</li> <li>• publish</li> <li>• registerPublisher</li> <li>• registerSubscriber</li> <li>• requestUpdate</li> </ul>	null	<p>MQRF headers, for MQ pub/sub, are control messages that are sent to a queue and read by the MQ pub/sub broker. The broker acts upon the message it reads from the queue.</p> <p>If rfhCommand is null, the message does not include the MQRF header. The message includes the MQRF header with any other value for rfhCommand, with the MQPSCCommand set to the following:</p> <ul style="list-style-type: none"> <li>• deletePublication – set to DeletePub. The endpoint is the endpoint to the publishing stream queue. See Table 3-15 on page 126.</li> <li>• deregisterPublisher – set to DeregPub. See Table 3-16 on page 127.</li> <li>• deregisterSubscriber – set to DeleteSub. See Table 3-17 on page 128.</li> <li>• publish – set to Publish. The endpoint is the endpoint to the publishing stream queue. See Table 3-18 on page 129.</li> <li>• registerPublisher – set to RegPub. See Table 3-15 on page 126.</li> <li>• registerSubscriber – set to RegSub. See Table 3-20 on page 134.</li> <li>• requestUpdate – set to ReqUpdate. See Table 3-21 on page 136.</li> </ul> <p>The message is sent to the endpoint you specify. For these options, specify the endpoint to the publishing stream queue:</p> <ul style="list-style-type: none"> <li>• publish</li> <li>• deletePublication</li> </ul> <p>For these options, specify the endpoint to the MQ pub/sub broker control queue:</p> <ul style="list-style-type: none"> <li>• deregisterPublisher</li> <li>• deregisterSubscriber</li> <li>• registerPublisher</li> <li>• registerSubscriber</li> <li>• requestUpdate</li> </ul>



Types	Values	Default	Description
alter_user	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	null	<p>The alter_user=yes option allows users who were granted messaging_role permission to send and receive messages from a machine running MQ, even if they do not have an operating system (login) ID on that machine.</p> <p>If you do not set this option and the user does not have a login ID on the machine running MQ, the MQ authentication fails and the messaging operation does not succeed.</p> <hr/> <p><b>Note</b> If the machine running MQ is not also running Adaptive Server Enterprise, users see an error message even after running alter_user=yes. To prevent this, create a new login on the MQ machine that is identical to the user ID of the user that started Adaptive Server.</p> <hr/>
clustQBinding	<ul style="list-style-type: none"> <li>• bind</li> <li>• nobind</li> <li>• default</li> </ul>	default	<p>The clustQBinding option allows users to specify if they want to put messages in the same instance. If you do not send a message to the cluster queue, this option is ignored. When you specify:</p> <ul style="list-style-type: none"> <li>• bind – WebSphere MQ chooses both the message’s destination and the queue manager hosting it when it first opens the message, determining all MQPUT calls to the destination decided when the MPOPEN call was made.</li> <li>• nobind – WebSphere MQ chooses a different destination for the message each time a request is made for MQ to put a message in the queue, with the designation being chosen each time MQPUT is executed using the cluster queue handler obtained by the MPOPEN call. Where the message goes is based on load-balancing considerations (if this option is enabled) and queue manager availability.</li> <li>• default – is the destination is driven by the binding property defined at the cluster queue definition level. This behavior also occurs when you are using a cluster system but do not specify the clustQBinding option.</li> </ul>

msgsend *properties\_clause* parameter values

Table 3-13 lists the available msgsend *properties\_clause* parameters for MQ.

**Table 3-13: Valid MQ message property property\_option\_clause types and values for msgsend**

Types	Values	Default	Description
arrivalReport	<ul style="list-style-type: none"> <li>• yes</li> <li>• withData</li> <li>• withFullData</li> <li>• no</li> </ul>	no	<p>Arrival of this message to the final destination should generate a confirm-on-arrival (COA) report. You must specify replyToQueue. If you specify:</p> <ul style="list-style-type: none"> <li>• yes – the COA report generates without data from the received message.</li> <li>• withData – the COA report generates with the first 100 bytes of the data from the received message.</li> <li>• withFullData – the COA report generates with the full data from the received message.</li> <li>• no – the COA report is not generated.</li> </ul>
correlationId	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Clients set correlation ID to link messages together. MQ limits this string to 24 bytes. MQ defines this field as unsigned char, which indicates that it can support binary values. To enter a binary string as the correlationId, use “0x...” as the value; do not use quotes around the value.</p> <p>If rfhCommand is not null:</p> <ul style="list-style-type: none"> <li>• If correlationId is not null, a new correlation ID is not requested. If correlationAsId is yes, and correlationId is null, this is a separate traditional identity (one where correlation ID is empty).</li> <li>• For rfhCommands of deletePublication, deregisterPublisher, publish, and registerPublisher, the correlation ID specified is as part of the publisher’s traditional identity.</li> </ul>
deliveryReport	<ul style="list-style-type: none"> <li>• yes</li> <li>• withData</li> <li>• withFullData</li> <li>• no</li> </ul>	no	<p>Delivery of this message from the final destination generates a confirm-on-arrival (COA) report. You must specify replyToQueue. If:</p> <ul style="list-style-type: none"> <li>• yes – the COA report generates without data from the received message.</li> <li>• withData – the COA report generates with the first 100 bytes of the data from the received message.</li> <li>• withFullData – the COA report generates with the full data from the received message.</li> <li>• no – the COA report is not generated.</li> </ul>

Types	Values	Default	Description
exceptionReport	<ul style="list-style-type: none"> <li>• yes</li> <li>• withData</li> <li>• withFullData</li> <li>• no</li> </ul>	no	<p>Expiration of this message or failure of this send generates an exception report.</p> <p>You must specify replyToQueue. If:</p> <ul style="list-style-type: none"> <li>• yes – the exception report generates without data from the received message.</li> <li>• withData – the exception report generates with the first 100 bytes of the data from the received message.</li> <li>• withFullData – the exception report generates with the full data from the received message.</li> <li>• no – the exception report is not generated.</li> </ul>
expirationReport	<ul style="list-style-type: none"> <li>• yes</li> <li>• withData</li> <li>• withFullData</li> <li>• no</li> </ul>	no	<p>The failure of this send generates an exception report.</p> <p>You must specify replyToQueue. If:</p> <ul style="list-style-type: none"> <li>• yes – the exception report generates without data from the received message.</li> <li>• withData – the exception report generates with the first 100 bytes of the data from the received message.</li> <li>• withFullData – the exception report generates with the full data from the received message.</li> <li>• no – the exception report is not generated.</li> </ul>
expiry	timespec between -1 and 214748364799	-1, no expiration	<p>The message's time-to-live on the queue manager.</p> <p>If the timespec is an integer, units are in milliseconds.</p> <p>Values are:</p> <ul style="list-style-type: none"> <li>• 0 – message does not expire.</li> <li>• -1 – uses the default defined for the queue.</li> </ul> <hr/> <p><b>Note</b> expiry is in tenths of a second, so this number is rounded to the tenths of a second before being passed to MQ.</p> <hr/> <p>See timespec on page 150.</p>
feedback	<p><i>integer</i></p> <p>Must range within MQFB_APPL_FIRS T (65536) to MQFB_APPL_LAST (999999999)</p>	0	<p>For report messages, feedback is a code that indicates the nature of the report message.</p> <p>MQ defines one feedback code range each for:</p> <ul style="list-style-type: none"> <li>• System report messages</li> <li>• Application report messages</li> </ul>

Types	Values	Default	Description
formatName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Application-defined property to pass information about the message formats.</p> <p>This property allows sending applications to set a format name that describes the message data.</p> <p>A receiving application can check formatName in <i>@msgheader</i> to decide how to process the message data.</p> <p>Names beginning with “MQ” are reserved.</p> <p>MQ limits this string to 8 bytes.</p>
groupID	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>User-defined group.</p> <p>MQ limits this string to 24 bytes.</p> <p>MQ defines this field as unsigned char, which indicates that it can support binary values. To enter a binary string as the groupID, use “0x...” as the value. Do not use quotes around the value, or it is interpreted as a quoted string.</p> <p>If you do not specify groupID, but do specify one of the grouping properties, the queue manager generates the group name.</p> <p>Ignored if ordering is set to logical.</p> <p>All messages of a group must be sent in the same transaction.</p>
lastMsgInGroup	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If the value is yes, marks a message as being the last logical message of a group.</p> <p>To have a single logical message in a group by itself, you must set lastMsgInGroup to yes.</p> <p>You must send all messages of a group in the same transaction.</p>
mode	<ul style="list-style-type: none"> <li>• persistent</li> <li>• non-persistent</li> <li>• default</li> </ul>	default	<p>If mode is:</p> <ul style="list-style-type: none"> <li>• persistent – the message is backed by the messaging provider, using stable storage. If the messaging provider fails before the message can be consumed, the message is likely to be saved.</li> <li>• non-persistent and the messaging provider fails – you may lose a message before it reaches the desired destination.</li> <li>• default – the default defined for the queue is used.</li> </ul>

Types	Values	Default	Description
msgld	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>When specified, WebSphere MQ replaces any existing message ID with the value specified for msgld.</p> <p>MQ limits this string to 24 bytes.</p> <p>MQ defines this field as “unsigned char,” which indicates that it can support binary values.</p> <p>To enter a binary string as the msgld, use “0x...” as the value. Do not use quotes around the value.</p>
msgInGroup	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If the value is yes, this message is a logical message of a message group.</p> <p>For messages in a group, you must set this property to yes for all logical messages of the group, except the last one, which should have lastMsgInGroup set to yes.</p> <p>You must send all messages of a group in the same transaction.</p>
msgLastSegment	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If the value is yes, this message is the last segment of a segmented message. To have a segment message in a local message by itself, the message must have msgLastSegment set to yes.</p> <p>When the value is yes and ordering is set to physical, you must also set the offset property.</p> <p>You must send all messages in a group in the same transaction.</p>
msgSegment	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If the value is yes, this message is a segment of a segmented message. For messages that are part of a single segment, you must set this property to yes for all segments except the last one, which should be have msgLastSegment set to yes.</p> <p>When the value is yes and ordering is set to physical, you must also set the offset property.</p> <p>You must send all messages in a group in the same transaction.</p>
negativeActionReport	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>You must specify replyToQueue. If:</p> <ul style="list-style-type: none"> <li>• yes – when the retrieving application reads this message and acts negatively on it, a negative-action (NAN) report is generated.</li> <li>• no – the NAN report is not generated.</li> </ul>

Types	Values	Default	Description
offset	<i>integer</i> between -1, 0 – maxint	-1	<p>When the message is a segment of a segmented message, set <code>offset</code> to the byte offset of the current message within the logical message.</p> <p>-1 indicates that the <code>offset</code> is not specified.</p> <p><code>offset</code> is ignored unless <code>msgSegment</code>, or <code>msgLastSegment</code> are also specified.</p> <p>Ignored by <code>msgpublish</code>.</p> <p>Ignored if <code>ordering</code> is set to <code>logical</code>.</p> <p>You must send all messages of a group in the same transaction.</p>
onNoDelivery	<ul style="list-style-type: none"> <li>• <code>deadLetter</code></li> <li>• <code>discard</code></li> </ul>	<code>deadLetter</code>	<p>If:</p> <ul style="list-style-type: none"> <li>• <code>deadLetter</code> – if the message cannot be delivered, it is placed in the dead-letter queue.</li> <li>• <code>discard</code> – the message is discarded by the queue manager.</li> </ul>
ordering	<ul style="list-style-type: none"> <li>• <code>logical</code></li> <li>• <code>physical</code></li> </ul>	<code>physical</code>	<p>When this property is:</p> <ul style="list-style-type: none"> <li>• <code>physical</code> – the application can send messages that are part of a group (or segmented message) in any order. The queue manager returns errors if it detects missing segments, or gaps in the sequence identifiers.</li> <li>• <code>logical</code> – the application needs only to set the <code>msgInGroup</code>, <code>lastMsgInGroup</code>, <code>msgSegment</code>, and <code>lastMsgSegment</code> options appropriately. The queue manager automatically sets the group name, sequence identifier, and segment offset.</li> </ul>
positiveActionReport	<ul style="list-style-type: none"> <li>• <code>yes</code></li> <li>• <code>no</code></li> </ul>	<code>no</code>	<p>You must specify <code>replyToQueue</code>. If:</p> <ul style="list-style-type: none"> <li>• <code>yes</code> – when the retrieving application reads this message and acts positively on it, a positive-action notification (PAN) report is generated.</li> <li>• <code>no</code> – the PAN report is not generated.</li> </ul>
priority	<p><i>integer</i>:</p> <ul style="list-style-type: none"> <li>• -1,</li> <li>• 0 to queue manager</li> <li>• configured max priority</li> </ul>	-1	<p>Controls the priority of the message. If:</p> <ul style="list-style-type: none"> <li>• -1 – the default priority as defined for the queue is used.</li> <li>• priority specified is greater than the max priority defined for the queue manager – the max priority defined for the queue manager is used. This is implemented by MQ.</li> </ul>

<b>Types</b>	<b>Values</b>	<b>Default</b>	<b>Description</b>
replyCorrelationId	<ul style="list-style-type: none"><li>• msgId</li><li>• correlationId</li></ul>	msgId	If: <ul style="list-style-type: none"><li>• msgId – the correlation ID in the report message uses the message ID of the received message.</li><li>• correlationId – the correlation ID in the report message uses the correlation ID of the received message.</li></ul>
replyMsgId	<ul style="list-style-type: none"><li>• new</li><li>• original</li></ul>	new	If: <ul style="list-style-type: none"><li>• new – the generated report message contains a new message ID.</li><li>• original – the report message uses the same message ID as the message received.</li></ul>

Types	Values	Default	Description
replyToInputMode	<ul style="list-style-type: none"> <li>• browse</li> <li>• Qdefault</li> <li>• shared</li> <li>• exclusive</li> <li>• browse+Qdefault</li> <li>• browse+shared</li> <li>• browse+exclusive</li> </ul>	Qdefault	<p>The mode that the replyToQueue is opening.</p> <p>When you specify replyToQueue, the queue is automatically opened for subsequent input. This mode specifies the input mode that the replyToQueue is opening.</p> <p>This property is ignored if you do not specify replyToQueue.</p> <p>The modes have the following meanings:</p> <ul style="list-style-type: none"> <li>• <b>browse</b> – the queue is opened for browsing only. If you attempt to perform a destructive read, the queue manager issues an error message.</li> <li>• <b>Qdefault</b> – the queue is opened in the default input mode as defined for the queue.</li> <li>• <b>shared</b> – the queue is opened in shared input mode. If the queue is already opened in exclusive mode by another MQ handle, you see an error message.</li> <li>• <b>exclusive</b> – the queue is opened in exclusive input mode. An error appears if the queue is already opened in shared or exclusive mode by another MQ handle.</li> <li>• <b>browse+Qdefault</b> – the queue is opened for browsing, as well as for the default input mode as defined for the queue.</li> <li>• <b>browse+shared</b> – the queue is opened for browsing, as well as for shared input mode. If the queue is already opened in exclusive mode by another MQ handle, you see an error message.</li> <li>• <b>browse+exclusive</b> – the queue is opened for browsing, as well as for exclusive input mode. An error appears if the queue is already opened in shared or exclusive mode by another MQ handle.</li> </ul>
replyToModel	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>The name of the model queue from which the reply queue is created, when the replyToQueue is a dynamic queue.</p> <p>If you do not specify replyToQueue, this property is ignored.</p> <p>MQ limits this string to 48 bytes.</p>



Types	Values	Default	Description
replyToQmgr	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	Reserved for the queue manager where replyToQueue resides in the future. Currently, replyToQueue is always on the connected queue manager.
replyToQueue	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>The queue where the application expects a reply to a request message.</p> <hr/> <p><b>Note</b> The message type sent does not have to be request, as MQ does not enforce this.</p> <hr/> <p>If the queue name specified ends with a “*”, a system-generated dynamic queue name is generated with the specified prefix.</p> <p>If replyToModel and a dynamic queue name are specified, the dynamic queue is created from the model queue specified for replyToModel.</p> <p>You can obtain system-generated dynamic queue names after the send operation via the <code>@msgreplytoinfo</code> session variable.</p> <hr/> <p><b>Note</b> When you specify a dynamic queue name, the current Adaptive Server login must have “crt” authorization in the queue manager to create the dynamic queue.</p> <hr/> <p>When a dynamic queue name is specified, you must manually delete the dynamic queue that is created if the receiving application does not do so.</p> <p>When <code>rfhCommand</code> is not null, you can specify <code>replyToQueue</code> to get responses from the MQ pub/sub broker.</p>

Types	Values	Default	Description
rfhCommand	<ul style="list-style-type: none"> <li>• null</li> <li>• deletePublication</li> <li>• deregisterPublisher</li> <li>• deregisterSubscriber</li> <li>• publish</li> <li>• registerPublisher</li> <li>• registerSubscriber</li> <li>• requestUpdate</li> </ul>	null	<p>MQRF headers, for MQ pub/sub, are control messages that are sent to a queue and read by the MQ pub/sub broker. The broker acts upon the message that it reads from the queue.</p> <p>If rfhCommand is null, the message does not include the MQRF header. The message includes the MQRF header with any other value for rfhCommand, with the MQPSCCommand set to the following:</p> <ul style="list-style-type: none"> <li>• deletePublication – set to DeletePub. The endpoint is the endpoint to the publishing stream queue. See Table 3-15 on page 126.</li> <li>• deregisterPublisher – set to DeregPub. See Table 3-16 on page 127.</li> <li>• deregisterSubscriber – set to DeleteSub. See Table 3-17 on page 128.</li> <li>• publish – set to Publish. The endpoint is the endpoint to the publishing stream queue. See Table 3-18 on page 129.</li> <li>• registerPublisher – set to RegPub. See Table 3-15 on page 126.</li> <li>• registerSubscriber – set to RegSub. See Table 3-15 on page 126.</li> <li>• requestUpdate – set to ReqUpdate. See Table 3-15 on page 126.</li> </ul> <p>The message is sent to the endpoint you specify. For these options, specify the endpoint to the publishing stream queue:</p> <ul style="list-style-type: none"> <li>• publish</li> <li>• deletePublication</li> </ul> <p>For these options, specify the endpoint to the MQ pub/sub broker control queue:</p> <ul style="list-style-type: none"> <li>• deregisterPublisher</li> <li>• deregisterSubscriber</li> <li>• registerPublisher</li> <li>• registerSubscriber</li> <li>• requestUpdate</li> </ul>

Types	Values	Default	Description
sequenceId	integer between -1 – 9,999,999	-1	Used to sequence logical messages that are part of a group. -1 indicates that the sequenceId is not specified. sequenceId is ignored unless msgInGroup or lastMsgInGroup are also specified. Ignored by msgpublish. Ignored if ordering is set to logical. You must send all messages of a group in the same transaction.

Table 3-14 lists the available msgsend *properties\_clause* parameters for JMS.

**Table 3-14: Valid JMS message property *properties\_option\_string* types and values for msgsend**

Option	Values	Default and disposition	Description
ttl	0 – (2 <sup>63</sup> – 1)	0 header	ttl refers to time-to-live on the messaging bus. Adaptive Server is not affected by this. Expiry information is the duration of time, in milliseconds, during which a message is valid. For instance, 60 indicates that the life of the message is 60 milliseconds. A value of 0 indicates that the message never expires. ttl uses the timespec option. See timespec on page 150.
priority	1 – 9	4 header	The behavior of priority is controlled by the underlying message bus. The values mentioned here apply to Tibco JMS. Priorities from 1 – 4 are normal; priorities from 5 – 9 are expedited.
correlation	string	none header	Client applications set correlation IDs to link messages together. Adaptive Server sets the correlation ID the application specifies.
mode	<ul style="list-style-type: none"> <li>• persistent</li> <li>• non-persistent</li> </ul>	persistent header	If the mode is: <ul style="list-style-type: none"> <li>• persistent – the message is backed by the JMS provider, using stable storage. If the messaging provider fails before the message is consumed, it is likely the message is saved.</li> <li>• non-persistent and the messaging provider fails – you may lose a message before it reaches the desired destination.</li> </ul>

Option	Values	Default and disposition	Description
replyqueue	A string containing a <i>queue_name</i>	none header	<p>If the value of <i>queue_name</i> or <i>topic_name</i> is:</p> <ul style="list-style-type: none"> <li>• <i>syb_temp</i> – Adaptive Server creates a temporary destination and sends information related to the newly created temporary destination as a part of the header information.</li> </ul> <p>Adaptive Server then updates @@<i>msgreplytoinfo</i> as the newly created temporary destination.</p> <p>The type of the temporary destination, queue or topic, depends on whether you specify <i>replyqueue</i> or <i>replytopic</i>. Only the option listed last is used.</p> <ul style="list-style-type: none"> <li>• A destination that already exists – Adaptive Server does not create a new destination, using instead the one specified by the user.</li> </ul>
replytopic	A string containing a <i>topic_name</i>	none header	

*msgsend* properties and *rfhCommand*

For MQ, properties in Table 3-15 are effective only if *rfhCommand* is *deletePublication*.

**Table 3-15: *msgsend* properties if *rfhCommand* is set to *deletePublications***

Property	Values	Default	Description
local	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – only the retained publications published locally at this broker are deleted.</li> <li>• no – globally retained publications are deleted from all brokers in the network.</li> </ul>
streamName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Name of the publication stream for the specified topics.</p> <p>If not specified, the default is the stream queue to which this MQRFH command message is sent.</p> <p>MQ limits this string to 48 bytes.</p>
topics	<i>string</i>	none	<p>Use the format detailed in “Syntax for topics” on page 19.</p> <p>Retained messages matching this topic are deleted.</p> <p>You must supply at least one topic.</p> <p>This is a required property, and generates an error if omitted.</p>

For MQ, properties in Table 3-15 are effective only if `rhfCommand` is `deregisterPublisher`.

**Table 3-16: `msgsend` properties if `rhfCommand` is set to `deregisterPublisher`**

Property	Values	Default	Description
<code>deregAll</code>	<ul style="list-style-type: none"> <li>• <code>yes</code></li> <li>• <code>no</code></li> </ul>	<code>no</code>	<p>If:</p> <ul style="list-style-type: none"> <li>• <code>yes</code> – all topics registered for this publisher are deregistered, and the topics property is ignored.</li> <li>• <code>no</code> – no registered topics are deregistered.</li> </ul> <p>Adaptive Server returns an error if you specify topics.</p>
<code>streamName</code>	<ul style="list-style-type: none"> <li>• <code>null</code></li> <li>• <i>string</i></li> </ul>	<code>null</code>	<p>If:</p> <ul style="list-style-type: none"> <li>• Not null – this is the name of the publication stream.</li> <li>• <code>null</code> – <code>SYSTEM.BROKER.DEFAULT.STREAM</code> is assumed.</li> </ul> <p>MQ limits this string to 48 bytes.</p>
<code>topics</code>	<ul style="list-style-type: none"> <li>• <code>null</code></li> <li>• <i>string</i></li> </ul>	<code>null</code>	<p>Use the format detailed in “Syntax for topics” on page 19.</p> <p>These are the topics that this publisher deregisters.</p> <p>Adaptive Server returns an error if:</p> <ul style="list-style-type: none"> <li>• The <code>deregAll</code> property is set to <code>yes</code>.</li> <li>• <code>topics</code> is not null.</li> </ul>
<code>qmgrName</code>	<ul style="list-style-type: none"> <li>• <code>null</code></li> <li>• <i>string</i></li> </ul>	<code>null</code>	<p>This is the publisher’s queue manager name, used to establish the publisher’s traditional identity. Specify it as the same value you specified when you registered the publisher.</p> <p>If null, defaults to <code>replyToQmgr</code>.</p>
<code>queueName</code>	<ul style="list-style-type: none"> <li>• <code>null</code></li> <li>• <i>string</i></li> </ul>	<code>null</code>	<p>This is the publisher’s queue name, used to establish the traditional identity of the publisher. Specify it as the same value you specified when you registered the publisher.</p> <p>If null, defaults to the <code>replyToQueue</code>.</p>

Property	Values	Default	Description
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the publisher’s traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the publisher’s traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the publisher’s traditional identity.</li> </ul>

For MQ, the properties in Table 3-17 are effective only if `rhfCommand` is `deregisterSubscriber`.

**Table 3-17: msgsend properties if `rhfCommand` is set to `deregisterSubscriber`**

Property	Values	Default	Description
deregAll	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – all topics for this subscriber are deregistered. The topics property is ignored.</li> <li>• no – no subscriber topics are deregistered.</li> </ul> <p>Adaptive Server returns an error if topics are not null</p>
streamName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>If:</p> <ul style="list-style-type: none"> <li>• Not null – this is the name of the publication stream.</li> <li>• null – <code>SYSTEM.BROKER.DEFAULT.STREAM</code> is assumed.</li> </ul> <p>MQ limits this string to 48 bytes.</p>
topics	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>Use the format detailed in “Syntax for topics” on page 19.</p> <p>These are the topics that this subscriber deregisters.</p> <p>Adaptive Server returns an error if:</p> <ul style="list-style-type: none"> <li>• <code>deregAll</code> is Yes.</li> <li>• topics are not null.</li> </ul>

Property	Values	Default	Description
qmgrName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	This is the subscriber's queue manager name, used to establish the traditional identity of the subscriber. Specify it as the same value that was specified when you registered the subscriber. If null, it defaults to the replyToQmgr.
queueName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	This is the subscriber's queue name, used to establish the traditional identity of the subscriber. Specify it as the same value that was specified when you registered the subscriber. If null, it defaults to the replyToQueue.
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the publisher's traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the publisher's traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the publisher's traditional identity.</li> </ul>

For MQ, the properties in Table 3-18 are effective only if `rhfCommand` is `publish`.

**Table 3-18: msgsend properties if `rhfCommand` is set to `publish`**

Property	Values	Default	Description
topics	<i>string</i>	none	<ul style="list-style-type: none"> <li>• Use the format detailed in "Syntax for topics" on page 19.</li> <li>• Wildcards are not allowed.</li> <li>• These are the topics on which this publication has information.</li> <li>• This is a required property, and generates an error if omitted.</li> </ul>
anon	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – the identity of the publisher is not divulged by the MQ pub/sub broker. Ignored if <code>noReg</code> is yes.</li> <li>• no – the identity of the publisher is divulged by the MQ pub/sub broker.</li> </ul>

Property	Values	Default	Description
local	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the MQ pub/sub broker sends this publication only to subscribers that registered specifying local. Ignored if noReg is yes.</li> <li>• no – the MQ pub/sub broker sends this publication to all subscribers.</li> </ul>
directReq	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the publisher is willing to accept direct requests for publication information from other applications. Ignored if noReg is yes.</li> </ul> <p>Do not set this option to yes if the anon property is also set to yes, since the MQ pub/sub broker responds with an error.</p> <ul style="list-style-type: none"> <li>• no – the publisher is not willing to accept direct requests for publication information from other applications.</li> </ul>
noReg	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If the publisher is not already registered with the MQ pub/sub broker as a publisher for this stream and topic and the value of NoReg is:</p> <ul style="list-style-type: none"> <li>• yes – the MQ pub/sub broker does not perform an implicit registration. The anon, local, and directReq properties are ignored.</li> <li>• no – the MQ pub/sub broker performs an implicit registration, using the values set by anon, local, and directReq.</li> </ul> <p>If the publisher is already registered, and anon, local, or directReq is set to yes, the existing registration is altered according to those properties.</p>
otherSubsOnly	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the MQ pub/sub broker sends this publication to this publisher if the publisher has a subscription on this publication.</li> <li>• no – the MQ pub/sub broker does not send this publication to this publisher, even if the publisher has a subscription on this publication.</li> </ul>



Property	Values	Default	Description
publishSequenceId	<i>number</i> between -1, 0 – $(2^{32} - 1)$	-1	If: <ul style="list-style-type: none"> <li>• Not -1 – this is the sequence number of the publication. It should increase with each publication, but the MQ pub/sub broker does not validate it.</li> <li>• If -1 – the sequence number is not set.</li> </ul>
publishTimeStamp	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>integer</i></li> </ul>	null	If: <ul style="list-style-type: none"> <li>• Not null, this is the publication timestamp in the form of YYYYMMDDHHMMSSth, using universal time. The format is not validated.</li> <li>• null – the publication timestamp is not set.</li> </ul>
qmgrName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	This is the queue manager used to determine the publisher's traditional identity. This is also where subscribers can send direct requests to this publisher. MQ limits this string to 48 bytes.
queueName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	This is the queue used to determine the publisher's traditional identity. This is also where subscribers can send direct requests to this publisher. MQ limits this string to 48 bytes.
retainPub	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – the MQ pub/sub broker does not send this publication to this publisher, even if the publisher has a subscription on this publication.</li> <li>• no – the MQ pub/sub broker sends this publication to this publisher if the publisher has a subscription on this publication.</li> </ul>
stringData	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	If not null – this is optional publisher-defined information that is included in the publication's MQRF header.  <hr/> <b>Note</b> Although MQ pub/sub allows multiple <i>stringData</i> tags in the MQRF header, ASE Active Messaging supports only one. <hr/>

Property	Values	Default	Description
integerData	number between -1, 0–( $2^{32} - 1$ )	-1	If not -1, this is optional publisher-defined information that is included in the publication's MQRF header.  <b>Note</b> Although MQ pub/sub allows multiple integerData tags in the MQRF header, Active Messaging supports only one.
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the publisher's traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the publisher's traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the publisher's traditional identity.</li> </ul>

For MQ, the properties in Table 3-19 are effective only if rhfCommand is registerPublisher.

**Table 3-19: MQ msgsend properties if rhfCommand is set to registerPublisher**

Property	Values	Default	Description
anon	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – MQ pub/sub broker does not divulge the identity of the publisher.</li> <li>• no – MQ pub/sub broker divulges the identity of the publisher.</li> </ul>
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the publisher's traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the publisher's traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the publisher's traditional identity.</li> </ul>

Property	Values	Default	Description
directReq	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the publisher is willing to accept direct request for publication information from other applications.</li> </ul> <p>Do not set this option to yes if the anon property is also set to yes, since the MQ pub/sub broker responds with an error.</p> <ul style="list-style-type: none"> <li>• no – the publisher is not willing to accept direct request for publication information from other applications.</li> </ul>
local	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the MQ pub/sub broker sends this publication only to subscribers that registered specifying Local.</li> <li>• no – the MQ pub/sub broker sends this publication to all subscribers.</li> </ul>
qmgrName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This is the queue manager used to determine the publisher’s traditional identity. This is also where subscribers can send direct requests to this publisher.</p> <p>MQ limits this string to 48 bytes.</p>
queueName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This is the queue used to determine the publisher’s traditional identity. This is also where subscribers can send direct requests to this publisher.</p> <p>MQ limits this string to 48 bytes.</p>
streamName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>If:</p> <ul style="list-style-type: none"> <li>• Not null – this is the stream where the publisher publishes publications.</li> <li>• null – the default is <code>SYSTEM.BROKER.DEFAULT.STREAM</code>.</li> </ul> <p>MQ limits this string to 48 bytes.</p>
topics	<i>string</i>	none	<p>Use the format detailed in “Syntax for topics” on page 19.</p> <p>Wildcards are not allowed.</p> <p>These are the topics on which the publisher provides information on.</p> <p>This is a required property, and generates an error if omitted.</p>

For MQ, the properties in Table 3-20 are effective only if `rhfCommand` is `registerSubscriber`.

**Table 3-20: MQ msgsend properties if `rhfCommand` is set to `registerSubscriber`**

Property	Values	Default	Description
topics	string	none	Use the format detailed in “Syntax for topics” on page 19. These are the topics on which the subscriber wants to receive publications. This is a required property, and generates an error if omitted.
anon	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – MQ pub/sub broker does not divulge the identity of the subscriber.</li> <li>• no – MQ pub/sub broker divulges the identity of the subscriber.</li> </ul>
local	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – the subscription is not distributed to other brokers in the network. Only publications published from this node by a publisher specifying local are sent to this subscriber.</li> <li>• no – the subscription is not specified in the RFH command.</li> </ul>
newPubsOnly	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – the broker sends this publication only to this subscriber, and retained publications that exist at registration time are not sent.</li> <li>• no – the publication is not specified in the RFH command.</li> </ul>
pubOnReqOnly	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	If: <ul style="list-style-type: none"> <li>• yes – the broker sends only new publications to this subscriber. Retained publications that exist at registration time are not sent.</li> <li>• no – the publication is not specified in the RFH command.</li> </ul>

Property	Values	Default	Description
inclStreamName	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the broker adds the publication stream name in the MQRF header to each message that is forwarded to the subscriber.</li> <li>• no – the publication is not specified in the RFH command.</li> </ul>
informIfRet	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the broker informs the subscriber if the publication is retained, by setting the MQPSPubsOptIsRetainedPub in the MQRF header of the message sent to the subscriber.</li> <li>• no – the publication is not specified in the RFH command.</li> </ul>
dupsOk	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – the broker is allowed to occasionally deliver a duplicate publication to the subscriber.</li> <li>• no – the publication is not specified in the RFH command.</li> </ul>
pubsPersistence	<ul style="list-style-type: none"> <li>• non-persistent</li> <li>• persistent</li> <li>• asPublication</li> <li>• asQueue</li> </ul>	asQueue	<p>If:</p> <ul style="list-style-type: none"> <li>• non-persistent – the publication is placed on the subscriber queue as a nonpersistent message.</li> <li>• persistent – the publication is placed on the subscriber queue as a persistent message.</li> <li>• asPublication – the publication is placed on the subscriber queue with the same persistence as the original publication.</li> <li>• asQueue – the publication is placed on the subscriber queue with the default persistence of the subscriber queue.</li> </ul>
streamName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>If:</p> <ul style="list-style-type: none"> <li>• Not null – this is the stream where the publisher publishes publications.</li> <li>• null – the subscription is identified by its traditional identity.</li> </ul>
qmgrName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This is the queue manager used to determine the subscriber's traditional identity. MQ limits this string to 48 bytes.</p>

Property	Values	Default	Description
queueName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	This is the queue used to determine the subscriber's traditional identity. MQ limits this string to 48 bytes.
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the subscriber's traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the subscriber's traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the subscriber's traditional identity.</li> </ul>

The properties in Table 3-21 are effective only if `rhfCommand` is `requestUpdate`.

**Table 3-21: MQ msgsend properties if `rhfCommand` is set to `requestUpdate`**

Property	Values	Default	Description
topics	<i>string</i>	none	<p>Use the format detailed in “Syntax for topics” on page 19.</p> <p>The topic that the subscriber is requesting.</p> <p>Only one topic can be supplied.</p> <p>This is a required property, and generates an error if omitted.</p>
streamName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>If:</p> <ul style="list-style-type: none"> <li>• Not null – this is the stream where the publisher publishes publications.</li> <li>• null – the default is <code>SYSTEM.BROKER.DEFAULT.STREAM</code>.</li> </ul>
qmgrName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This is the queue manager name used to establish the subscriber's traditional identity. Specify it as the same value you specified when you registered the subscriber.</p> <p>MQ limits this string to 48 bytes.</p>
queueName	<ul style="list-style-type: none"> <li>• null</li> <li>• <i>string</i></li> </ul>	null	<p>This is the queue used to establish the subscriber's traditional identity. Specify it as the same value you specified when you registered the subscriber.</p> <p>MQ limits this string to 48 bytes.</p>

Property	Values	Default	Description
correlationAsId	<ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> <li>• generate</li> </ul>	no	<p>If:</p> <ul style="list-style-type: none"> <li>• yes – correlationId is used as part of the subscriber’s traditional identity. You must specify correlationId, but not as 0x00.</li> <li>• no – correlationId is not used as part of the subscriber’s traditional identity.</li> <li>• generate – a system-generated correlationId is used as part of the subscriber’s traditional identity.</li> </ul>

- Unrecognized options are ignored if you use message property. If you use message header for the msgsend or msgpublish functions, you see an error when you specify unrecognized options.
- The result of a msgsend call is a varchar string. If the message succeeds, the returned value is the message ID. If the message is not sent, the return value is null.
- These restrictions apply to a runtime format for *service\_provider\_uri*:

```

service_provider_uri ::=
  provider_name ?destination [,user=username, password=password]
  provider_name ::= local_name | full_name
  local_name ::= identifier
  full_name ::= service_provider_class:service_provider_url

```

- The *local\_name* is a provider identifier, previously registered in a call to sp\_msgadmin 'register', 'provider', which is shorthand for the *full\_name* specified in that call.
- The only service\_provider\_class currently supported is JMS.
- The service\_provider\_url has the form “tcp://hostname:port”. The host name can be a name or an IP address.
- A service\_provider\_url cannot have spaces.

## MQ

- The status returned by `msgsend` is the completion status from sending the message to the specified queue, not from the MQ pub/sub broker. To get the completion status from the MQ pub/sub broker, specify a `replyToQueue`, then send a request message or request a `negativeActionReport`. The MQ pub/sub broker sends a response or report `MQRFH` message to `replyToQueue`. In both cases, you must explicitly read the response or report message from the `replyToQueue`, and check the `MQPSCompCode`, `MQPSReason`, and `MQPSReasonText` properties in the received message.
- When you specify `msgSegment` or `msgLastSegment`, if the application is reading the message (by specifying `MQGMO_COMPLETE_MSG` for a non-Adaptive Server application, or `completeMsg=yes` for an Adaptive Server application), all the messages making up that logical message must be sent in a unit of work, so you must send all of the messages that need to be grouped in a single transaction.

## Permissions

You must have `messaging_role` to run `msgsend`.



## msgsubscribe

Description	JMS only – provides a SQL interface to subscribe a topic for the current Adaptive Server session.
Syntax	<i>msg_subscribe</i> ::= msgsubscribe ( <i>subscription_name</i> ) <i>subscription_name</i> ::= <i>basic_character_expression</i>
Parameters	<i>subscription_name</i> is the name of the subscription to which you are subscribing. A <i>basic_character_expression</i> .
Examples	Tells the JMS messaging provider to begin holding messages published to the topic registered as “subscription_1”:

```
select msgsubscribe ('subscription_1')
```

Usage	<ul style="list-style-type: none"> <li>Before you specify a subscription with msgsubscribe or msgunsubscribe, you must register the subscription with sp_msgadmin. This example registers the durable subscription “subscription_1”:</li> </ul>
-------	---

```
sp_msgadmin 'register', 'subscription', 'subscription_1',
' my_jms_provider?topic=topic.sample,user=user1,password=pwd',
' Supplier=12345', null, 'durable1', 'client1'
```

- Once msgsubscribe is called, all messages published on the specified topic that qualify for the selector are held for the current Adaptive Server session until msgconsume is called to read the messages. If you do not want to hold messages that arrive before you are ready to consume them, do not call msgsubscribe. Calling msgconsume without previously calling msgsubscribe starts the subscription when msgconsume is called.
- msgsubscribe starts a subscription for the client to receive messages defined by the endpoint and filter specified by *subscription\_name*. It returns 0 if it succeeds, or 1 if it fails.
- The following example shows msgsubscribe used before the application logic is ready to read the messages that force the JMS client to hold messages. The application subscribes:

```
select msgsubscribe ('subscription_1')
```

The client consumes the message multiple times, and uses other application logic not related to messaging. It is then ready to read messages, and it receives all the messages that have arrived since msgsubscribe was called:

```
select msgconsume('subscription_1')
select msgconsume('subscription_1')
```

The client application is finished with this subscription, and unsubscribes:

```
select msgunsubscribe('subscription_1')
```

## msgunsubscribe

Description	JMS only – provides a SQL interface to unsubscribe a topic for the current Adaptive Server session.
Syntax	<pre>msg_unsubscribe::=msgunsubscribe (subscription_name [with {remove   retain}]) subscription_name::=basic_character_expression</pre>
Parameters	<p><i>subscription_name</i> is the name of the subscription to which you are subscribing. A <i>basic_character_expression</i>.</p> <p>with {<i>remove</i>   <i>retain</i>} removes or retains the durable subscription from the JMS message provider.</p>
Examples	<p>Tells the JMS messaging provider to stop holding messages published to the topic registered as “subscription_1”:</p> <pre>select msgunsubscribe('subscription_1')</pre>
Usage	<ul style="list-style-type: none"> <li>Before you specify a subscription with <code>msgsubscribe</code> or <code>msgunsubscribe</code>, you must register the subscription with <code>sp_msgadmin</code>. This example registers the durable subscription “subscription_1”:</li> </ul> <pre>sp_msgadmin 'register', 'subscription', 'subscription_1', ' my_jms_provider?topic=topic.sample,user=user1,password=pwd', 'Supplier=12345', null, 'durable1', 'client1'</pre> <ul style="list-style-type: none"> <li><code>msgunsubscribe</code> stops any current subscription for the current Adaptive Server session to the endpoint and filter specified by <i>subscription_name</i>. It returns a 0 if it succeeds, or 1 if it fails.</li> <li>If you specify with <code>retain</code>, the connection to the JMS messaging provider is terminated so that another subscription can connect, using the same subscriber <i>client_id</i> specified in the subscription. The durable subscriber remains defined within Adaptive Server and within the JMS message provider. If you specify with <code>remove</code>, the durable subscriber definition is removed from the JMS message provider. The default value is with <code>retain</code>.</li> </ul> <p>When a user logs out of Adaptive Server, all subscriptions in that Adaptive Server session become unsubscribed. The effect is same as running <code>msgunsubscribe</code> using the with <code>retain</code> option.</p> <p>When you unsubscribe a durable subscription using with <code>remove</code>, the subscriber definition is removed from JMS message provider, causing all the messages held by the subscriber definition to be missed:</p>

```
<login>
select msgsubscribe('subscription_1')
```

```

select msgconsume('subscription_1')
...
select msgconsume('subscription_1')
select msgunsubscribe('subscription_1' WITH REMOVE)
<logout>

----Messages published to the topic registered as subscription_1 are no
----longer held by the JMS provider

<login>
select msgsubscribe('subscription_1')
select msgconsume('subscription_1')
...
select msgconsume('subscription_1')
select msgunsubscribe('subscription_1' WITH REMOVE)

```

In a separate scenario, a SQL session releases a subscription so that another session can consume messages. This example shows Session 1 releasing the subscription, so that Session 2 can begin consuming from it.

**Table 3-22: SQL sessions**

Session 1	Session 2
<pre> select msgunsubscribe ('subscription_1' WITH RETAIN)  selectmsgconsume ('subscription_1') ... selectmsgconsume ('subscription_1')  select msgunsubscribe ('subscription_1' WITH RETAIN) </pre>	<pre> select msgsubscribe('subscription_1')  select msgconsume('subscription_1') ... select msgconsume('subscription_1')  select msgunsubscribe('subscription_1' WITH RETAIN) </pre>

- The following example shows msgsubscribe used before the application logic is ready to read the messages that force the JMS client to hold messages. The application subscribes:

```
select msgsubscribe ('subscription_1')
```

The client consumes the message multiple times, and uses other application logic not related to messaging. It is then ready to read messages, and it receives all the messages that have arrived since `msgsubscribe` was called:

```
select msgconsume('subscription_1')
select msgconsume('subscription_1')
```

The client application is finished with this subscription, and unsubscribes:

```
select msgunsubscribe('subscription_1')
```

## endpoint

**Description** (MQ) specifies the general syntax and processing for *endpoint* for WebSphere MQ. Individual options are described in the functions and stored procedures that accept an *endpoint* argument.

---

**Note** JMS endpoints are opaque to Adaptive Server, and are not inspected for correctness or validity. Instead, they are sent directly to the JMS provider.

---

**Syntax**

```

service_provider_uri ::= provider_name?qmgr=qmgr_name,destination
                        provider_name ::= local_name | full_name
                        local_name ::= identifier
                        full_name ::= service_provider_class:service_provider_url
                        service_provider_class ::= ibm_mq
                        service_provider_url ::= [channel]/tcp/hostname(port)
                        channel ::= channel_name[(channel_security)]
                        channel_name ::= identifier
                        channel_security ::= ssl:SSLCIPH=channel_ciph
                        channel_ciph ::= identifier
                        hostname ::= identifier
                        port ::= integer

qmgr_name ::= identifier
destination ::= [remote_qmgr,]queue=queue_name
remote_qmgr ::= remote_qmgr=remote_qmgr_name
remote_qmgr_name ::= identifier
queue_name ::= identifier

```

**Parameters**

*local\_name*

is the name of a registered publisher or subscriber.

*qmgr\_name*

is the name of a MQ queue manager. MQ limits the length of a queue manager name to 48 characters (bytes).

*ibm\_mq*

defines the service provider class. It can be uppercase or lowercase.

*channel\_name*

is optional for Adaptive Server 15.0.2 ESD #1 and later, and is the name of the MQ server-connection channel. MQ limits the length of a channel name to 20 characters (bytes). If you do not define *channel\_name*, Active Messaging uses the server-connection channel "SYSTEM.DEF.SRVCONN" to connect to the queue manager.

*channel\_security*

is the security property of the channel. If you do not specify *channel\_security*, Adaptive Server communicates with WebSphere MQ without any security protocols. The valid value for *channel\_security* is *ssl*.

*channel\_ciph*

works with *channel\_security*, and specifies the SSLCIPH property value of the server connection channel, and must be a valid **CipherSpec** value for a WebSphere MQ client. The valid values for *channel\_ciph* are

**Table 3-23: Valid CipherSpec names for channel\_ciph**

CipherSpec name	Hash algorithm	Encryption algorithm	Encryption bits
NULL_MD5 <sup>1</sup>	MD5	None	0
NULL_SHA <sup>1</sup>	SHA	None	0
RC4_MD5_EXPORT <sup>1</sup>	MD5	RC4	40
RC4_MD5_US <sup>2</sup>	MD5	RC4	128
RC4_SHA_US <sup>2</sup>	SHA	RC4	128
RC2_MD5_EXPORT <sup>1</sup>	MD5	RC2	40
DES_SHA_EXPORT <sup>1</sup>	SHA	DES	56
RC4_56_SHA_EXPORT1024 <sup>3, 4, 5</sup>	SHA	RC4	56
DES_SHA_EXPORT1024 <sup>3, 4, 5, 6</sup>	SHA	DES	56
TRIPLE_DES_SHA_US <sup>4</sup>	SHA	3DES	168
TLS_RSA_WITH_AES_128_CBC_SHA <sup>7</sup>	SHA	AES	128
TSL_RSA_WITH_AES_256_CBC_SHA <sup>7</sup>	SHA	AES	256
AES_SHA_US <sup>8</sup>	SHA	AES	128

1 On OS/400, available when either AC2 or AC3 is installed.

2 On OS/400, available only when AC3 is installed.

3 Not available for z/OS.

4 Not available for OS/400.

5 Specifies a 1024-bit handshake key size.

6 Not available for Windows.

7 Available only for AIX, HP-UX, and Linux for Intel platform.

8 Available only for OS/400, AC3..

*tcp*

is the transport protocol, and it can be uppercase or lowercase. Specify *tcp* to communicate with MQ through SSL.

*hostname*

is the host name of the machine where the MQ listener is running.

*port*

is the port number where the MQ listener is listening.

---

**Note** You cannot exceed 264 bytes in the combined length of *hostname(port)*.

---

*queue\_name*

is the name of a MQ queue. MQ limits the length of a queue name to 48 characters (bytes).

*remote\_qmgr\_name*

is the name of remote MQ queue manager that contains the target queue definition. MQ limits the length of a queue manager name to 48 characters (bytes). When using:

- `msgsend` – if you omit this option, the local queue manager is used to locate the queue objects. Omit this option to benefit from workload balancing a cluster queue.
- `msgreceive` – Adaptive Server ignores this option.

Unlike with JMS support, you cannot specify a user name and password with the endpoint. MQ checks the authority of the related OS login. See “MQ security” on page 36.

## Examples

**Example 1** Sends a message to the queue manager, where the communication is through the SSL-enabled CH1 channel, and the cipher suite is NULL\_MD5:

```
select msgsend('e',
  'ibm_mq:CH1(ssl:sslciph=NULL_MD5)/tcp/linuxxm11:1105?qmgr=MASTER_QM1,
  queue=Q2')
```

**Example 2** Sends the message, “hello world 1” to a local queue, which is already available on the queue manager once MQ is installed:

```
select msgsend('hello world 1',
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,
  queue=SYSTEM.DEFAULT.LOCAL.QUEUE')
```

**Example 3** Sends the message, “hello world 2” to a queue:

```
select msgsend('hello world 2',
  'ibm_mq:channel2/tcp/host2(5678)?qmgr=QM2,
  queue=SYSTEM.DEFAULT.QUEUE')
```

**Example 4** Sends the message, “hello world 3” to a queue:

```
select msgsend('hello world 3',
  'ibm_mq:channel2/tcp/host2(5678)?qmgr=QM2,
```



```
remote_qmgr=QM3,queue=QM3.Q')
```

## option\_string

Description	Specifies the general syntax and processing for <i>option_string</i> . Individual options are described in the functions that reference them.
Syntax	<pre><i>option_string</i> ::= <i>basic_character_expression</i> <i>option_string_value</i> ::= <i>option_and_value</i> [ [,] <i>option_and_value</i> ] <i>option_and_value</i> ::= <i>option_name</i> = <i>option_value</i> <i>option_name</i> ::= <i>simple_identifier</i> <i>option_value</i> ::= <i>simple_identifier</i>                       <i>quoted_string</i>   <i>integer_literal</i>   <i>float_literal</i>   <i>byte_literal</i>                       true   false   null</pre>
Parameters	<p><i>option_string</i> is the string describing the option you want to specify.</p> <p><i>simple_identifier</i> is the string that identifies the value of an <i>option</i>.</p> <p><i>quoted_string</i> is the string formed using the normal SQL conventions for embedded quotation marks.</p> <p><i>integer_literal</i> is the literal specified by normal SQL conventions.</p> <p><i>float_literal</i> is the literal specified by normal SQL conventions.</p> <p>true is a Boolean literal.</p> <p>false is a Boolean literal.</p> <p>null is a null literal.</p> <p><i>byte_literal</i> has the form 0xHH, where each H is a hexadecimal digit.</p>
Usage	For <i>option_string</i> usage, see <i>msgsend</i> on page 103.

## sizespec

Description	(MQ only) Message options and property values that accept a <i>size</i> accept the following syntax as a size specification.
Syntax	<pre>sizespec ::= integer_number [ sizespec_units ] sizespec_units ::= { M   K }</pre>
Parameters	<p><i>integer_number</i> is the size.</p> <p>K or k is kilobytes.</p> <p>M or m is megabytes.</p> <p><i>sizespec_units</i> is the size specification in megabytes (M) or kilobytes (K), or bytes.</p> <p>If you do not provide <i>sizespec_units</i>, the default is bytes.</p>

**Examples**                   **Example 1** Shows the size specification for 100MB:

```
-- Specify buffer length to be 100 megabytes
select msgrecv('ibm_mq:channel1/tcp/host1(5678)?'
  + 'qmgr=QM1,queue=SYSTEM.DEFAULT.LOCAL.QUEUE'
  option 'bufferLength=100M')
```

**Example 2** Shows the size specification for 300K:

```
-- Specify buffer length to be 300 kilobytes
select msgrecv(
  'ibm_mq:channel2/tcp/host2(5678)?qmgr=QM2,remote_qmgr=QM3,queue=QM3.Q'
  option 'bufferLength=300K')
```

**Example 3** (MQ) shows the size specification for 1MB:

```
-- bufferLength specified as 1 megabyte
select msgrecv(
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=DEFAULT.QUEUE'
  option 'bufferLength=1M')
```

**Example 4** (MQ) shows the size specification for 10K:

```
-- bufferLength specified as 10K
select msgrecv(
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=DEFAULT.QUEUE'
  option 'bufferLength=10K')
```

## timespec

Description	Message options and property values that accept a time interval using the <code>timespec</code> function accept the following syntax as a time specification for both MQ and JMS.
Syntax	<pre>'timeout=<i>timespec</i>'       <i>timespec</i> ::= <i>integer_number</i> [ <i>timespec_units</i> ]       <i>timespec_units</i> ::= { <i>dd</i>   <i>hh</i>   <i>mi</i>   <i>ss</i>   <i>ms</i> }</pre>
Parameters	<p><i>dd</i> is days.</p> <p><i>hh</i> is hours.</p> <p><i>mi</i> is minutes.</p> <p><i>ss</i> is seconds.</p> <p><i>ms</i> is milliseconds.</p> <p><i>timespec_units</i> is milliseconds. If you do not provide <i>timespec_units</i>, the default is milliseconds.</p>

**Examples**                    **Example 1** Shows the time specification for 100 days:

```
-- timeout specified as 100 days
select msgrcv('ibm_mq:channel2/tcp/host2(5678)?'
  + 'qmgr=QM2,remote_qmgr=QM3,queue=QM3.Q'
  option 'timeout=100dd')
```

**Example 2** Shows the time specification for 300 minutes:

```
-- timeout specified as 300 minutes
select msgrcv('ibm_mq:channel1/tcp/host1(5678)?'
  + 'qmgr=QM1,queue=SYSTEM.DEFAULT.LOCAL.QUEUE'
  option 'timeout=300mi')
```

**Example 3** Shows the time specification for 1,024 milliseconds:

```
-- timeout specified as 1,024 milliseconds
select msgrcv(
  'ibm_mq:channel2/tcp/host2(5678)?'
  + 'qmgr=QM2,queue=SYSTEM.DEFAULT.LOCAL.QUEUE')
```

```
option 'timeout=1024ms')
```

**Example 4** (MQ) shows the time specification for 30 seconds:

```
-- timeout specified as 30 seconds
select msgrecv(
  'ibm_mq:channel1/tcp/host1(5678)?qmgr=QM1,queue=DEFAULT.QUEUE'
  option 'timespec=30ss')
```

**Example 5** (JMS) shows the time specification for 30 minutes:

```
-- timeout specified as 30 minutes
select msgrecv(
  'tibco)_jms:tcp://localhost:7222?queue=queue.sample'
  option 'timeout=30mi')
```

See also `msgconsume`, `msgpublish`, `msgrecv`, `msgsend`



This chapter describes sample code that illustrates the messaging functionality that is distributed with the Active Messaging option.

Topic	Page
Sybase directories	153
Using code samples with SQL	154
Using code samples with Java/JDBC	154

## Sybase directories

The SYBASE directory contains three subdirectories:

- *functionstring* – scripts to generate Replication Server function strings, for converting the default SQL template into calls to the messaging system.
- *sql* – SQL scripts with samples using Active Messaging.
- *jdbc* – JDBC samples using Active Messaging.

You can find the code samples in the `$$SYBASE/$SYBASE_ASE/samples/messaging` directory.

Each subdirectory contains a *README* file, which explains the purpose of each code sample, provides a procedure for running it, and gives any installation instructions necessary.

The operating system file names in Windows and other platforms are not identical. For example, *queue\_listener.bat* on a Windows platform may be simply *queue\_listener* on a UNIX/Linux platform.

## Using code samples with SQL

The code samples in *\$\$SYBASE/\$SYBASE\_ASE/samples/messaging/sql* illustrate how you can write or modify SQL (stored procedures, triggers, and so forth), to publish customized messages to the messaging system.

These samples also illustrate how to use SQL code to consume messages from the message bus, using Adaptive Server as both a participant in messaging and as an application using the message bus.

## Using code samples with Java/JDBC

The code samples in *\$\$SYBASE/\$SYBASE\_ASE/samples/messaging/jdbc* describe how you can write or modify Java code to publish customized messages to the messaging system.

These samples also illustrate Java code that consumes messages from the message bus, using Adaptive Server as both a participant in messaging and as an application using the message bus.



# Glossary

The JMS- and MQ-related terms defined here are used throughout this document.

<b>asymmetric algorithms</b>	The cryptography algorithms that use one key for encryption and a different key for decryption. One of these must be kept secret, but the other can be public.
<b>broker</b>	A WebSphere MQ process that performs subscription resolution in a publish/subscribe model.
<b>channel</b>	A WebSphere MQ object that is a logical communication link.
<b>CipherSpec</b>	The WebSphere MQ combination of encryption algorithm and hash function applied to an SSL message after authentication completes.
<b>cipher suite</b>	A set of cryptographic algorithms used by an SSL connection.
<b>cluster</b>	A network of queue managers that are logically associated in some way.
<b>cluster queue</b>	A WebSphere MQ queue hosted by a cluster queue manager and made available to other queue managers in the cluster.
<b>cluster queue manager</b>	A WebSphere MQ queue manager that is a member of a cluster.
<b>cryptography</b>	The process of converting readable text, called plain text, and an unreadable form, called cipher text.
<b>decryption</b>	The process of converting cipher text messages back to their plain text form.
<b>digital certificate</b>	Provides protection against impersonation. A digital certificate binds a public key to its owner, whether that owner is an individual, a queue manager, or some other entity.
<b>durable subscription</b>	A JMS subscription that retains messages while a client is disconnected.
<b>encryption</b>	The process that converts a plain text message to cipher text.
<b>full repository</b>	A WebSphere MQ queue manager that hosts a complete set of information about every queue manager in the cluster.

<b>JMS</b>	Java Message Service.
<b>key repository</b>	The store for digital certificates and their associated private keys.
<b>local queue manager</b>	A WebSphere MQ queue manager that an application connects to.
<b>messaging client</b>	A JMS application that produces or consumes messages.
<b>MQ</b>	WebSphere MQ, the message-oriented middleware provided by IBM.
<b>MQ publish/subscribe</b>	WebSphere MQ publish-and-subscribe function.
<b>MQI</b>	WebSphere MQ message queue interface programming API.
<b>MQM</b>	WebSphere MQ message queue manager process that manages a queue.
<b>nondurable subscription</b>	A JMS subscription that retains messages only while a client is connected.
<b>partial repository</b>	In WebSphere MQ, refers to the queue managers in the cluster, which inquire about the information in the full repositories and build up their own subsets.
<b>payload</b>	A WebSphere MQ message body.
<b>private key</b>	The secret key that must be kept secret in asymmetric algorithms.
<b>public key</b>	The secret key that can be public in asymmetric algorithms.
<b>publication</b>	In WebSphere MQ, the information that is sent by a publisher.
<b>publisher</b>	In WebSphere MQ, the sender in a publish/subscribe model.
<b>queue</b>	In JMS, a domain for point-to-point messaging. In WebSphere MQ, an object that stores sent messages.
<b>remote queue manager</b>	In WebSphere MQ, a different queue manager from the one the application is connected to.
<b>RF header</b>	The WebSphere MQ rules and formatting header used by MQ publish/subscribe. All messages sent to the MQ publish/subscribe broker or to the stream queue must have an RF header. The RF header conveys control information to the MQ publish/subscribe broker. In MQ publish/subscribe messages, the message payload contains a RF header, followed by the application data.
<b>RFH</b>	The WebSphere MQ rules and formatting header; the portion of the message header that provides rules and formatting information for that message

<b>service provider</b>	A Tibco JMS message provider. For instance, Tibco JMS is a service provider, called a messaging provider in this document.
<b>SSL</b>	An industry standard protocol for transmitting data in a secure manner over an unsecured network.
<b>shared key</b>	The same secret key used by symmetric algorithms.
<b>stream</b>	In WebSphere MQ, the grouping of related MQ topics.
<b>subscriber</b>	In WebSphere MQ, the receiver in a publish/subscribe topology.
<b>subscription</b>	A Tibco JMS domain for publishing or consuming one-to-many messaging.
<b>symmetric algorithms</b>	Cryptography algorithms that require both parties to use the same secret key.
<b>topic</b>	<p>In Tibco JMS, similar to queues, but used for one-to-many messaging.</p> <p>In WebSphere MQ, the subject of a publication. WebSphere MQ publish/subscribe topics and JMS topics are different. In JMS, a topic is a publish/subscribe endpoint, whereas in WebSphere MQ, publish/subscribe topics and JMS topics are different.</p>



# Index

## Symbols

@@. *See* global variable.

## A

Adaptive Server-specific message properties 50  
alias queue object (MQ) 12  
ASE message types 99  
ASE\_MSBODY\_SCHEMA message property 51  
ASE\_MSGBODY message property 51  
ASE\_ORIGIN message property 51  
ASE\_RTMS\_CHARSET message property 50  
ASE\_RTMS\_VERSION message property 51  
ASE\_SPID message property 51  
ASE\_TIMESTAMP message property 51  
ASE\_VERSION message property 51  
ASE\_VERSION\_FORMATS message property 51  
asymmetric algorithms defined 155  
asynchronous messaging 2  
audience for the book v

## B

binary value of datatypes 99  
broker command queue in MQ 4  
broker, defined 155  
built-ins. *See* functions, including individual function names.  
**byte** message type 99  
byte ordering 99

## C

channels defined 155  
cipher suite defined 155  
CipherSpec defined 155

cluster queue managers defined 155  
cluster queue object (MQ) 12  
cluster queues defined 155  
clusters defined 155  
code samples  
    using with Java/JDBC 154  
    using with SQL 154  
concepts of messaging 1  
consuming messages from a JMS topic 8  
conventions, syntax xi  
creating queues and topics 52  
cryptography defined 155

## D

datatypes, binary value of 99  
decryptions defined 155  
descriptions  
    broker 155  
    channels 155  
    durable subscriptions 3  
    **endpoint** syntax segment 144  
    message-oriented middleware 1  
    messaging concepts 1  
    MQ 11  
    MQ alias queue object 12  
    MQ cluster queue object 12  
    MQ local queue object 11  
    MQ message body 13  
    MQ message header 13  
    MQ model queue object 12  
    MQ remote queue object 12  
    **msgconsume** function 74  
    *msgheader* XML documents 49  
    *msgproperties* XML documents 49  
    **msgsend** function 103  
    **msgsubscribe** function 139  
    **msgunsubscribe** function 141  
    nondurable subscriptions 3

- option\_string** syntax segment 148
- queue manager 11
- queues 156
- sizespec** syntax segment 149
- sp\_configure 'enable real time messaging'** stored procedure 54
- sp\_engine** stored procedure 58
- sp\_msgadmin** stored procedure 62
- timespec** syntax segment 150
- XML documents 49
- digital certificates defined 155
- directories
  - functionstring* 153
  - jdbc* 153
  - sql* 153
- documentation
  - related documents ix
- durable subscriptions 3
  - defined 155

## E

- encryption defined 155
- endpoint** syntax segment 144–146
  - described 144
  - examples 146
  - parameters 144
  - syntax 144
- examples
  - endpoint** syntax segment 146
  - global variables 48
  - messaging interface 9
  - MQ publish and subscribe process 16
  - msgconsume** function 75
  - msgheader* XML documents 49
  - msgsend** function 107–111
  - msgsubscribe** function 139
  - msgunsubscribe** function 141
  - sp\_configure 'enable real time messaging'** stored procedure 54
  - sp\_engine** stored procedure 59
  - sp\_msgadmin** stored procedure 71
  - timespec** syntax segment 150
  - XML documents 49

## F

- file names, different on different platforms 153
- font conventions xi
- full repositories defined 155
- functions
  - described 52
  - list of 52
  - list of functions 52
  - msgconsume** 74–76
  - msgpropcount** 77
  - msgproplist** 78–79
  - msgpropname** 80
  - msgproptype** 81–82
  - msgpropvalue** 83
  - msgpublish** 84–87
  - msgrecv** 88–102
  - msgsend** 103–138
  - msgsubscribe** 139
  - msgunsubscribe** 141
  - rtrim** for removing trailing blanks 49
  - functionstring* subdirectory in *\$SYBASE* directory 153

## G

- global variables
  - @msgcorrelation* 42
  - @msgcreplyqmgr* 46
  - @msgheader* 42
  - @msgid* 45
  - @msgmsgschema* 47
  - @msgproperties* 45
  - @msgreplytoinfo* 46
  - @msgstatus* 47
  - @msgstatusinfo* 47
  - @msgtimestamp* 48
  - examples 48
  - setting 42
  - usages 49

## I

- IBM WebSphere MQ. *See* MQ.
- installing MQ client on Adaptive Server host machines

37

internationalization 34–35

## J

Java Message Service. *See* JMS.

Java Technologies Web site ix

Java/JDBC, using code samples with 154

*jdbc* subdirectory in *\$SYBASE* directory 153

### JMS

defined 156

message bus 2

message properties 5

message selectors 5

**msgrecv** *option\_string* values 98

**msgrecv** *property\_option\_clause* values 125

**msgsend** *option\_string* values 113

queue description 3

queue, messages read from 8

reference documents ix

URL for ix

JMS topics, publishing and consuming messages 8

## K

key repositories defined 156

keywords 51

**message header** 51

**message property** 51

**message selector** 51

**transactional messaging full** 52

**transactional messaging none** 52

**transactional messaging simple** 52

**with remove** 52

**with retain** 52

## L

local queue managers defined 156

local queue object (MQ) 11

## M

### message

body 4

bus, TIBCO 2

formats 4

grouping in MQ 14

headers 4

interface, preview of 9

properties in JMS 5

properties in MQ 5

properties, working with 9

read from JMS queue 8

receivers in JMS 3

selectors in JMS 5

selectors in MQ 5

senders in JMS 3

types in MQ 13

### message

message type 99

message formats 4

**message header** keyword 51

message headers 4

message properties 8

*See also* **msgsend** function 8

Adaptive Server-specific 50

ASE\_MSBODY\_SCHEMA 51

ASE\_MSGBODY 51

ASE\_ORIGIN 51

ASE\_RTMS\_CHARSET 50

ASE\_RTMS\_VERSION 51

ASE\_SPID 51

ASE\_TIMESTAMP 51

ASE\_VERSION 51

ASE\_VERSION\_FORMATS 51

JMS, in 5

MQ, in 5

**message property** keyword 51

Message Queue Interface (MQI) described 11

**message selector** keyword 51

message selectors 5

message types

binary 8

supported in **msgconsume** 76

text 8

message-related global variables 42

messages

## Index

- publishing and consuming from a topic 8
- sending and receiving from a queue 7
- sending with Transact SQL applications 7
- messaging
  - concepts 1
  - models 3, 4
- messaging clients defined 156
- messaging global variables
  - `@@msgcorrelation` 42
  - `@@msgheader` 42
  - `@@msgid` 45
  - `@@msgmsgschema` 47
  - `@@msgproperties` 45
  - `@@msgreplyqmgr` 46
  - `@@msgreplytoinfo` 46
  - `@@msgstatus` 47
  - `@@msgstatusinfo` 47
  - `@@msgtimestamp` 48
  - char datatypes 49
- messaging models
  - JMS 3
  - MQ 4
  - MQ publish and subscribe 4
  - MQSeries-defined 4
  - point-to-point 3
  - publish and subscribe 3
- messaging provider 2
  - creating, deleting, and accessing queues and topics 52
- messaging systems, asynchronous 2
- model queue object (MQ) 12
- models, messaging 3, 4
- MQ
  - alias queue object described 12
  - authorizations 38
  - broker command queue 4
  - cluster queue object described 12
  - defined 156
  - installing client on Adaptive Server host machines 37
  - local queue object described 11
  - message body described 13
  - message grouping 14
  - message header described 13
  - message properties 5
  - Message Queue Interface (MQI) 11
  - message types 13
  - messaging models 4
  - model queue object described 12
  - msgrecv** function, usage for 100
  - msgrecv** *option* and *option\_string* values 92
  - msgsend** *option\_string* values 113
  - msgsend** properties if **rfhCommand** is set to **deletePublications** 126
  - msgsend** *property\_option\_clause* values 116
  - overview 11
  - publish and subscribe description 16
  - publish and subscribe examples 21
  - publish and subscribe messaging model 4
  - publish and subscribe process examples 16
  - publisher and subscriber identities 20
  - querying 39
  - remote queue object described 12
  - RF headers 5
  - security and 36
  - shared libraries in MQ client 37
  - syntax for topics 19
  - URL ix
  - MQ client shared libraries and directories 37
  - MQ message selectors 5
  - MQ publication/subscription process 18
  - MQ publish/subscribe defined 156
  - MQ queue manager, connecting 36
  - MQI (Message Queue Interface) 11
    - defined 156
    - description 11
  - MQM defined 156
  - msgconsume** function 8, 74–76
    - calling, results of 76
    - described 74
    - examples 75
    - message types supported 76
    - parameters 74
    - syntax 74
    - unsupported message datatypes 76
    - usage 75
  - `@@msgcorrelation` messaging global variable 42
  - `@@msgheader` messaging global variable 42
  - msgheader* XML document 49–50
  - `@@msgid` messaging global variable 45
  - msgpropcount** function 9, 77
  - `@@msgproperties` messaging global variable 45
  - msgproperties* XML document 49–50
    - described 49



**msgproplist** function 9, 78–79  
**msgpropname** function 9, 80  
**msgproptype** function 9, 81–82  
**msgpropvalue** function 9, 83  
**msgpublish** function 8, 84–87  
**msgpublish** *option\_string* values 86  
**msgpublish** *properties\_clause* values 86  
**msgrecv** function 88–102
 

- parameters 88
- permissions 102
- syntax 88
- usage 99
- usage for MQ 100

**@@msgreplymgr** messaging global variable 46  
**@@msgreplytoinfo** messaging global variable 46  
**@@msgschema** messaging global variable 47  
**msgsend** function 103–138
 

- behavior in a transactions 35
- described 103
- examples 107–111
- JMS *option\_string* values 113
- JMS *property\_option\_clause* values 125
- MQ *option\_string* values 113
- MQ *property\_option\_clause* values 116
- msgsend** properties if **rfhCommand** is set to **deletePublications** 126
- parameters 103–107
- permissions 138
- syntax 103
- usage 111–138

**@@msgstatus** messaging global variable 47  
**@@msgstatusinfo** messaging global variable 47  
**msgsubscribe** function 8, 139  
**@@msgtimestamp** messaging global variable 48  
**msgunsubscribe** function 8, 141

## N

nondurable subscriptions 3, 156

## O

option strings 52  
**option\_string** syntax segment 148

## P

parameters

- endpoint** syntax segment 144
- msgconsume** function 74
- msgpropcount** function 77
- msgrecv** function 88
- msgsend** function 103–107
- msgsubscribe** function 139
- msgunsubscribe** function 141
- option\_string** syntax segment 148
- sizespec** syntax segment 149
- sp\_configure 'enable real time messaging'** stored procedure 54
- sp\_engine** stored procedure 58
- sp\_msgadmin** stored procedure 67
- timespec** syntax segment 150

partial repositories defined 156  
 payloads defined 156  
 performing messaging operations described 2  
 permissions
 

- msgrecv** function 102
- msgsend** function 138
- sp\_engine** stored procedure 61
- sp\_msgadmin** stored procedure 73

point-to-point messaging models 3
 

- JMS 3
- MQSeries 4

point-to-point queues
 

- JMS 3
- MQ 4

preview, examples 9  
 previewing message interface 9  
 private keys defined 156  
 provider, messaging 2  
 public keys defined 156  
 publication, defined 156  
 publish-and-subscribe
 

- described 16
- examples 21
- JMS messaging model 3
- messaging model 3
- MQ messaging model 4

publisher and subscriber identities in MQ 20  
 publisher, defined 156  
 publishing messages from a JMS topic 8

## Q

- queue manager description 11
- queue manager, connecting 36
- queues
  - defined 156
  - for one-to-one messaging 156
  - sending and receiving messages from 7
- queues and topics, creating, deleting, accessing 52

## R

- receiving messages 7
- referenced documents ix
  - TIBCO EMS ix
  - WebSphere MQ ix
- related documents ix
- remote queue managers defined 156
- remote queue object (MQ) 12
- requeue**, using for incorrect message types 99
- RF headers 5
  - defined 156
- RFH, defined 156
- RFH. *See* RF headers.
- rtrim** function 49
- rules and formatting headers. *See* RF headers.

## S

- samples 153
  - overview 153
  - Sybase directories 153
- security and MQ 36
- sending messages 7
- service provider 157
- set transactional messaging** command 35
- shared key, defined 157
- shared libraries in MQ client 37
- sizespec** syntax segment 149
- sp\_configure 'enable real time messaging'** stored procedure 54–55
- sp\_engine** stored procedure 58–61
  - described 58
  - examples 59
  - parameters 58
  - permissions 61
  - syntax 58
  - usage 60
- sp\_msgadmin** and MQSeries 52
- sp\_msgadmin** stored procedure 8, 62–73
  - described 62
  - examples 71
  - parameters 67
  - permissions 73
  - syntax 62
  - usage 72
- SQL
  - commands in a transaction 35
  - functions described 52
  - functions with message properties 9
  - using code samples with 154
- sql* subdirectory in *\$SYBASE* directory 153
- SSL, defined 157
- stored procedures
  - list of 52
  - preparing WebSphere MQ to use **sp\_msadmin** 'show' 39
  - sp\_configure 'enable real time messaging'** 54–55
  - sp\_engine** 58–61
  - sp\_msgadmin** 62–73
- stream, defined 157
- style conventions xi
- subscriber, defined 157
- subscriptions
  - defined 157
  - durable 3
  - nondurable 3
- symmetric algorithms, defined 157
- syntax
  - endpoint** syntax segment 144
  - msgconsume** function 74
  - msgprocount** function 77
  - msgrecv** function 88
  - msgsubscribe** function 139
  - msgunsubscribe** function 141
  - option\_string** syntax segment 148
  - sizespec** syntax segment 149
  - sp\_configure 'enable real time messaging'** stored procedure 54
  - sp\_engine** stored procedure 58

**sp\_msgadmin** stored procedure 62  
**timespec** syntax segment 150  
 syntax conventions xi  
 syntax for topics in MQ 19  
 syntax segments  
   **endpoint** 144–146  
   list of 53  
   **option\_string** 148  
   **sizespec** 149  
   **timespec** 150

## T

tables

  @@*msgheader* global variable fields and descriptions 42  
 Adaptive Server-specific message properties 50  
 double and triple keywords in RTDS 51  
 font and syntax conventions xi  
 JMS @@*msgheader* fields and descriptions 44  
 MQ client shared libraries and directories 37  
 MQ **msgsend** properties if **rfhCommand** is set to **registerPublisher** 132  
 MQ **msgsend** properties if **rfhCommand** is set to **registerSubscriber** 134  
 MQ **msgsend** properties if **rfhCommand** is set to **requestUpdate** 136  
 MQ principle/groups and their authorizations 38  
**msgconsume** *option* and *option\_string* parameter values 74  
**msgpublish** *option\_string* values 86  
**msgpublish** *properties\_clause* values 86  
**msgrecv** *option* and *option\_string* values for MQ 92  
**msgrecv** *option\_string* values for JMS 98  
**msgrecv** *property\_option\_clause* values for JMS 125  
**msgsend** *option\_string* values for JMS 113  
**msgsend** *option\_string* values for MQ 113  
**msgsend** properties if **rfhCommand** is set to **deletePublications** for MQ 126  
**msgsend** properties if **rfhCommand** is set to **deregisterPublisher** 127  
**msgsend** properties if **rfhCommand** is set to **deregisterSubscriber** 128

**msgsend** *property\_option\_clause* values for MQ 116  
 send properties if **rfhCommand** is set to **publish** 129  
 valid CipherSpec names for **channel\_ciph** 145  
 valid **sp\_msgadmin** 'show' option *option\_string* types and values 69  
**text** message type 99  
 text messaging 30–31  
 TIBCO EMS  
   message bus 2  
   URL ix  
 TIBCO EMS reference documents ix  
**timespec** syntax segment 150  
   described 150  
   examples 150  
   parameters 150  
   syntax 150  
 topics  
   defined 157  
   publishing and consuming messages from 8  
 trailing blanks, removing with **rtrim** 49  
 transactional behavior, controlling with **set transactional messaging** 35  
**transactional messaging full** keyword 52  
**transactional messaging none** keyword 52  
**transactional messaging simple** keyword 52  
 transactions  
   committing 35  
   database, effect on messages 35  
   SQL commands 35  
 Transact-SQL, sending messages with 7

## U

URLs  
 Apache log4j logging services 63  
 IBM Publication Center 39  
 IBM WebSphere MQ ix  
 Java at Sun ix, 64  
 Java Technologies ix  
 TIBCO EMS ix  
 WebSphere MQ ix  
 usages  
   global variables 49

## Index

**msgconsume** function 75  
**msgrecv** function 99  
**msgsend** function 111–138  
**msgsend** syntax 103  
**msgsubscribe** function 139  
**msgunsubscribe** function 141  
**option\_string** syntax segment 148  
**sp\_configure** 'enable real time messaging' stored procedure 55  
**sp\_engine** stored procedure 60  
**sp\_msgadmin** stored procedure 72  
XML documents 50

## W

WebSphere MQ  
  reference documents ix  
  *See also* MQ  
  URL ix  
**with remove** keyword 52  
**with retain** keyword 52

## X

XML documents  
  description 49  
  examples 49  
  *msgheader* 49–50  
  *msgproperties* 49–50  
  usage 50