



**Tutorial: iOS Object API Application  
Development**

---

**Sybase Unwired Platform 2.1**

**ESD#2**

DOCUMENT ID: DC01213-01-0212-01

LAST REVISED: March 2012

Copyright © 2012 by Sybase, Inc. All rights reserved.

This publication pertains to Sybase software and to any subsequent release until otherwise indicated in new editions or technical notes. Information in this document is subject to change without notice. The software described herein is furnished under a license agreement, and it may be used or copied only in accordance with the terms of that agreement.

Upgrades are provided only at regularly scheduled software release dates. No part of this publication may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical, or otherwise, without the prior written permission of Sybase, Inc.

Sybase trademarks can be viewed at the Sybase trademarks page at <http://www.sybase.com/detail?id=1011207>. Sybase and the marks listed are trademarks of Sybase, Inc. ® indicates registration in the United States of America.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world.

Java and all Java-based marks are trademarks or registered trademarks of Oracle and/or its affiliates in the U.S. and other countries.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.

All other company and product names mentioned may be trademarks of the respective companies with which they are associated.

Use, duplication, or disclosure by the government is subject to the restrictions set forth in subparagraph (c)(1)(ii) of DFARS 52.227-7013 for the DOD and as set forth in FAR 52.227-19(a)-(d) for civilian agencies.

Sybase, Inc., One Sybase Drive, Dublin, CA 94568.

# Contents

|  |           |
|--|-----------|
| <b>Sybase Unwired Platform Tutorials .....</b>                                   | <b>1</b>  |
| <b>Task Flow .....</b>   | <b>3</b>  |
| <b>Getting Started with Unwired Platform .....</b>                               | <b>5</b>  |
| Installing Sybase Unwired Platform .....   | 5         |
| Starting Sybase Unwired Platform Services .....                                  | 6         |
| Starting Sybase Unwired WorkSpace .....  | 6         |
| Connecting to Sybase Control Center .....  | 6         |
| Learning Unwired WorkSpace Basics .....  | 7         |
| <b>Developing an iOS Application .....</b>                                       | <b>11</b> |
| Generating Object API Code .....   | 12        |
| Setting Up an iOS Client Application in Xcode .....                              | 13        |
| Adding Source Code Files, Libraries, and<br>Resources to the Xcode Project ..... | 14        |
| Configuring the Build Settings .....   | 16        |
| Registering the Application Connection in Sybase<br>Control Center .....         | 17        |
| Viewing the SUP101CallbackHandler File .....                                     | 18        |
| Creating the User Interface .....  | 18        |
| Viewing the SubscribeController View Controller<br>.....                         | 19        |
| Creating the CustomerListController .....  | 28        |
| Adding the DetailController and Configuring the<br>View .....                    | 29        |
| Deploying the Device Application .....   | 31        |
| <b>Learn More About Sybase Unwired Platform .....</b>                            | <b>35</b> |
| <b>Index .....</b>   | <b>37</b> |

# Contents

# Sybase Unwired Platform Tutorials

The Sybase® Unwired Platform tutorials demonstrate how to develop, deploy, and test mobile business objects, device applications, and mobile workflow packages. You can also use the tutorials to demonstrate system functionality and train users.

---

**Tip:** If you want to see the final outcome of a tutorial without performing the steps, the associated example project is available on SAP® SDN: <http://www.sdn.sap.com/irj/sdn/mobile?rid=/webcontent/uuid/40ea4956-b95c-2e10-11b3-e68c73b2280e>.

---

- Learn mobile business object (MBO) basics, and use this tutorial as a foundation for the Object API application development tutorials:
  - *Tutorial: Mobile Business Object Development*
- Create native Object API mobile device applications:
  - *Tutorial: Android Object API Application Development*
  - *Tutorial: BlackBerry Object API Application Development*
  - *Tutorial: iOS Object API Application Development*
  - *Tutorial: Windows Mobile Object API Application Development*
- Create a mobile business object, then develop a mobile workflow package that uses it:
  - *Tutorial: Mobile Workflow Package Development*



# Task Flow

Use this tutorial to develop, deploy, and test a mobile device application on a simulator or an emulator.

| Task  | Goals   | Steps  |
|---|---|--|
| Getting started                             | <ul style="list-style-type: none"> <li>• Install Sybase Mobile SDK and Sybase Unwired Platform Runtime.</li> <li>• Start Unwired Server and other platform services, if not already started.</li> <li>• Start Sybase Control Center.</li> <li>• Start Sybase Unwired WorkSpace, open the Mobile Development perspective, and become familiar with the views of the perspective and the Mobile Application Diagram.</li> </ul> | <ul style="list-style-type: none"> <li>• Installing Sybase Unwired Platform</li> <li>• Starting Unwired Platform Services</li> <li>• Starting Sybase Unwired WorkSpace</li> <li>• Connecting to Sybase Control Center</li> <li>• (Optional) Learning Unwired WorkSpace Basics</li> </ul> <p>These steps are prerequisites for the rest of this tutorial. You need to perform them only once.</p>   |
| Developing database mobile business objects | <ul style="list-style-type: none"> <li>• Create a mobile application project and a connection to the database.</li> <li>• Create two mobile business objects, and create a relationship between them.</li> <li>• Deploy the mobile business objects to Unwired Server.</li> </ul>   | <p>Complete the <i>Tutorial: Mobile Business Object Development</i>, or obtain the completed example project.</p> <hr/> <p><b>Note:</b> This tutorial is a prerequisite for the remaining steps. You need to perform it only once. If you want to download the final outcome of a tutorial without performing it, the associated example project is available on SAP® SDN: <a href="http://www.sdn.sap.com/irj/sdn/mobile?rid=/webcontent/uuid/40ea4956-b95c-2e10-11b3-e68c73b2280e">http://www.sdn.sap.com/irj/sdn/mobile?rid=/webcontent/uuid/40ea4956-b95c-2e10-11b3-e68c73b2280e</a></p> |

## Task Flow

| Task                                   | Goals  | Steps  |
|--|--|--|
| Developing a native device application | <ul style="list-style-type: none"><li>• Create an iOS device application, and run it on the iOS simulator.</li></ul> | <ul style="list-style-type: none"><li>• Generate the Object API code</li><li>• Set up the iOS client application in Xcode</li><li>• Register the application connection in Sybase Control Center</li><li>• Create the user interface</li><li>• Deploy the application to the simulator</li></ul> |



# Getting Started with Unwired Platform

Install and learn about Sybase Unwired Platform and its associated components.

Complete the following tasks for all tutorials, but you need to perform them only once.

**1. *Installing Sybase Unwired Platform***

Install Sybase Mobile SDK and Sybase Unwired Platform Runtime.

**2. *Starting Sybase Unwired Platform Services***

Start Unwired Server, Sybase Control Center, the sample database, the cache database (CDB), and other essential services.

**3. *Starting Sybase Unwired WorkSpace***

Start the development environment, where you can perform tasks that include creating mobile business objects (MBOs), managing database and server connections, developing Mobile Workflow applications, and generating Object API code.

**4. *Connecting to Sybase Control Center***

Open the Sybase Control Center administration console to manage Unwired Server and its components.

**5. *Learning Unwired WorkSpace Basics***

Sybase Unwired WorkSpace features are well integrated in the Eclipse IDE. If you are not familiar with Eclipse, you can quickly learn the basic layout of Unwired WorkSpace and the location of online help.

## Installing Sybase Unwired Platform

---

Install Sybase Mobile SDK and Sybase Unwired Platform Runtime.

Before starting this tutorial, be sure you have all the requisite Unwired Platform components installed. For complete installation instructions, see the Sybase Unwired Platform documentation at <http://sybooks.sybase.com/nav/summary.do?prod=1289>.

- *Release Bulletin for Sybase Mobile SDK*
- *Installation Guide for Sybase Mobile SDK*
- *Release Bulletin for Runtime*
- *Installation Guide for Runtime*

**1. Install these Unwired Platform Runtime components:**

- Data Tier (included with single-server installation)
- Unwired Server

**2. Install Mobile SDK, which includes:**

## Getting Started with Unwired Platform

- Development support for Native Object API applications, HTML5/JS Hybrid (Mobile Workflow) applications, and OData SDK applications.
- Sybase Unwired WorkSpace, the Eclipse-based development environment for MBOs and mobile workflows.

## Starting Sybase Unwired Platform Services

---

Start Unwired Server, Sybase Control Center, the sample database, the cache database (CDB), and other essential services.

How you start Unwired Platform services depend on the options you selected during installation. In some cases, you may need to manually start Unwired Platform services. Select **Start > Programs > Sybase > Unwired Platform > Start Unwired Platform Services**.

The Unwired Server services enable you to access the Unwired Platform runtime components and resources.

## Starting Sybase Unwired WorkSpace

---

Start the development environment, where you can perform tasks that include creating mobile business objects (MBOs), managing database and server connections, developing Mobile Workflow applications, and generating Object API code.

Select **Start > Programs > Sybase > Unwired Platform > Unwired WorkSpace**.

The Sybase Unwired WorkSpace opens in the Mobile Development perspective. The Welcome page displays links to the product and information.

### Next

To read more about Unwired WorkSpace concepts and tasks, select **Help > Help Contents**.

## Connecting to Sybase Control Center

---

Open the Sybase Control Center administration console to manage Unwired Server and its components.

From Sybase Control Center, you can:

- View servers and their status
- Start and stop a server
- View server logs
- Deploy a mobile application package
- Register application connections
- Set role mappings

For information on configuring, managing, and monitoring Unwired Server, click **Help > Online Documentation**.

1. Select **Start > Programs > Sybase > Sybase Control Center**.

---

**Note:** If the Sybase Control Center service does not open, make sure that the service is started. See the *Installation Guide for Runtime*.

---

2. In Sybase Control Center, log in by entering the credentials set during installation. Sybase Control Center gives you access to the Unwired Platform administration features that you are authorized to use.

## Learning Unwired WorkSpace Basics

---

Sybase Unwired WorkSpace features are well integrated in the Eclipse IDE. If you are not familiar with Eclipse, you can quickly learn the basic layout of Unwired WorkSpace and the location of online help.

- To access the online help, select **Help > Help Contents**. Some documents are for Sybase Unwired Platform, while others are for the Eclipse development environment.
- The Welcome page provides links to useful information to get you up and running.
  - Reopen the Welcome page by selecting **Help > Welcome**.
  - To close the Welcome page, click **X**.
  - To learn about tasks you must perform, select the **Development Process** icon.
- In Unwired WorkSpace, look at the area (window or view) that you will use to access, create, define, and update mobile business objects (MBOs).

| Window                   | Description  |
|--------------------------|--|
| WorkSpace Navigator view | Use this view to create Mobile Application projects, and review and modify MBO-related properties.<br><br>This view displays mobile application project folders, each of which contains all project-related resources in subfolders, including MBOs, datasource references to which the MBOs are bound, personalization keys, and so on. |
| Enterprise Explorer view | A view that provides functionality to connect to various enterprise information systems (EIS), such as database servers, SAP® back ends, and Unwired Server.   |

| Window                            | Description  |
|-----------------------------------|--|
| <p>Mobile Application Diagram</p> | <p>The Mobile Application Diagram is a graphical editor where you create and define mobile business objects.</p> <p>Use the Mobile Application Diagram to create MBOs (including attributes and operations), then define relationships with other MBOs. You can:</p> <ul style="list-style-type: none"> <li>• Create MBOs in the Mobile Application Diagram using Palette icons and menu selections – either bind or defer binding to a data source, when creating an MBO. For example, you may want to model your MBOs before creating the data sources to which they bind. This MBO development method is sometimes referred to as the top-down approach.</li> <li>• Drag items from Enterprise Explorer and drop them (drag and drop) onto the Mobile Application Diagram to create the MBO – quickly creates the operations and attributes automatically based on the datasource artifact being dropped on the Mobile Application Diagram.</li> </ul> <p>Each new mobile application project generates an associated mobile application diagram.</p> |
| <p>Palette</p>                    | <p>The Palette is accessed from the Mobile Application Diagram and provides controls, such as the ability to create MBOs, add attributes and operations, and define relationships, by dragging-and-dropping the corresponding icon onto the Mobile Application Diagram or existing MBO.</p>  |
| <p>Properties view</p>            | <p>Select an object in the Mobile Application Diagram to display and edit its properties in the Properties view. While you cannot create an MBO from the Properties view, most development and configuration is performed here.</p>  |
| <p>Outline view</p>               | <p>Displays an outline of the active file and lists structural elements. The contents are editor-specific.</p>   |
| <p>Problems view</p>              | <p>Displays problems, errors, or warnings that you may encounter. This is a valuable source for collecting troubleshooting information.</p>  |

| <b>Window</b>  | <b>Description</b>  |
|----------------|---|
| Error Log view | Displays error log information. This is a valuable source for collecting troubleshooting information. |



# Developing an iOS Application

Generate Object API code for the iOS platform, develop a universal iOS device application with code, and test its functionality. The device application communicates with the database MBOs that are deployed to Unwired Server.

## Prerequisites

Complete these tasks:

1. Install Sybase Unwired Platform Mobile SDK and Runtime as indicated in *Getting Started* on page 5.
2. Complete *Tutorial: Mobile Business Object Development*, which provides the foundation tasks for this tutorial.
3. Open the SUP101 mobile application project. In WorkSpace Navigator, right-click the SUP101 folder and select **Open in Diagram Editor**.
4. Be sure you are using the Advanced developer profile.

## Task

---

**Note:** This tutorial was developed using Mac OS X 10.6 (Snow Leopard), Xcode 4.2, and iOS SDK 5.0. If you use a different version of Xcode, some steps may vary. For more information on Xcode, refer to the Apple Developer Connection: <http://developer.apple.com/technologies/tools/whats-new.html>.


---

1. *Generating Object API Code*  
Launch the code generation wizard and generate the object API code for a message-based iOS application.
2. *Setting Up an iOS Client Application in Xcode*  
Set up an iOS client application in the Xcode IDE.
3. *Registering the Application Connection in Sybase Control Center*  
Register the iPhone Simulator in Sybase Control Center.
4. *Viewing the SUP101CallbackHandler File*  
In Xcode, view and understand the SUP101CallBackHandler file.
5. *Creating the User Interface*  
Use Interface Builder to create and configure the user interface for the SUP101 application.
6. *Deploying the Device Application*  
Deploy the SUP101 application to the iPhone simulator for testing.

## Generating Object API Code

Launch the code generation wizard and generate the object API code for a message-based iOS application.

1. In Unwired WorkSpace, open the SUP101 mobile application project.  
In WorkSpace Navigator, right-click the SUP101 folder and select **Open in Diagram Editor**.
2. Right-click in the SUP101 Mobile Application Diagram and select **Generate Code**.
3. Make sure the Customer and Sales\_order MBOs are selected, then click **Next**.
4. Enter these configuration options and click **Next**:





| Option   | Description  |
|--|--|
| Language   | Select <b>Objective C</b> .  |
| Platform   | Accept the default, <b>iOS</b> .   |
| Unwired server   | Select <b>My Unwired Server</b> .  |
| Server domain  | Accept <b>default</b> . If you are not connected to Unwired Server, this field is empty. Connect to Unwired Server to proceed. |
| Name prefix  | The prefix for the generated files. Leave blank.   |
| Project path   | Accept the default or enter a different location for the generated project files.  |
| (Optional) Clean up destination before code generation | Select this option to delete all items in the destination folder before generating the device client files.                    |

5. Click **Finish**.

Objective-C code is generated into the specified output location.

## Setting Up an iOS Client Application in Xcode

---

Set up an iOS client application in the Xcode IDE.

### Prerequisites

- Generate Objective-C code in to an output location.
- Ensure the directory where Sybase Unwired Platform is installed is a shared directory so you can access it from your Mac.
- Obtain the header and Objective-C source code files you need to build the user interface from the `SUP_iOS_Custom_Dev_Tutorial_code.zip` file. This way, you can easily copy and paste the code into the corresponding files that are created in Xcode.
  - If you are viewing this guide as a PDF, you can obtain the files from the Sybase Product Documentation Web site at <http://sybooks.sybase.com/nav/summary.do?prod=1289&lang=en&submit=%A0Go%A0&prodName=Sybase+Unwired+Platform&archive=0>. Navigate to this topic in the tutorial, then click the link for the zip file to access the provided source code files.
  - If you are viewing this guide online from the Sybase Product Documentation Web site, click `SUP_iOS_Custom_Dev_Tutorial_code.zip` to access the source code files.

### Task

1. On your Mac, start Xcode and select **Create a new Xcode project**.

2. Select **iOS Application** and **Window-based Application** as the project template, and then click **Next**.
3. Enter SUP101 as the **Product Name**, MyCorp as the **Company Identifier**, select **Universal** as the **Device Family** product.  
Unselect **Include Unit Tests**, and then click **Next**.
4. Select a location to save the project and click **Create** to open it.  
  
Xcode creates a folder, SUP101, to contain the project file, SUP101.xcodeproj and another SUP101 folder, which contains a number of automatically generated files.
5. Delete some of the automatically generated files created by default for the Xcode project.
  - a) Delete SUP101AppDelegate.h and SUP101AppDelegate.m.
  - b) Under **Supporting Files**, delete the main.m file.
6. Copy the files from the SUP101 folder on your Windows machine in to the SUP101 folder on your Mac that Xcode created to contain the the SUP101 project.
  - a) Connect to the Microsoft Windows machine where Sybase Unwired Platform is installed
  - b) From the Apple Finder menu, select **Go > Connect to Server**.
  - c) Enter the name or IP address of the machine, for example, smb://<machine DNS name> or smb://<IP Address>, then click **Connect**.  
  
You see the shared directory.
  - d) Copy the \UnwiredPlatform\MobileSDK\ObjectAPI\iOS folder from the Unwired Platform installation directory to the SUP101 folder on your Mac. Rename this folder ObjectiveC.
  - e) On your Windows machine, navigate to the SUP101 mobile application project and copy the Generated Code folder to the SUP101 directory on your Mac.
  - f) To prepare for adding the source code files to the Xcode project, unzip the SUP\_iOS\_Custom\_Dev\_Tutorial\_code.zip archive.

### Next

Add libraries, resources, and source code to the SUP101 Xcode project.

### See also

- *Registering the Application Connection in Sybase Control Center* on page 17

## Adding Source Code Files, Libraries, and Resources to the Xcode Project

Once you set up the initial project in Xcode, you need to add files from the Sybase Unwired Platform folders you copied from your Windows machine.

1. In the Xcode Project Navigator, **Control-click** the SUP101 folder, then select **Add Files to "SUP101"**.

Select the Generated Code folder, unselect **Copy items into destination group's folder (if needed)**, and click **Add**.

The Generated Code folder is added to the project in the Project Navigator.

2. **Control-click** the SUP101 folder, then select **Add Files to "SUP101"**.
  - a) In the ObjectiveC folder you copied from the Sybase Unwired Platform installation, navigate to the Libraries/Debug-iphonesimulator directory.
  - b) Select the libclientrt.a, libSUPObj.a, libMO.a, libsupcore.a, and libAfariaSSL.a libraries.
  - c) Be sure **Copy items into destination group's folder (if needed)** is unselected.
  - d) Click **Add**.

The libraries are added to the project in the Project Navigator.


---

**Note:** The library version corresponds to the configuration you are building. In this tutorial, you work with the libraries for the Debug version of the iPhone simulator.

---

3. **Control-click** the SUP101 folder, then select **New Group**, then rename it to **Resources**.
4. Add the source code files from the SUP\_iOS\_Custom\_Dev\_Tutorial\_code.zip archive.
  - a) **Control-click** the SUP101 folder, then select **Add Files to "SUP101"**.
  - b) Select all files, then click **Add**.

The project now looks like this:



## Next

Configure the build settings.


## Configuring the Build Settings

Configure the build settings for the Xcode project, then build the project.

1. In the right pane, click the **Build Settings** tab, then scroll down to the **Search Paths** section, then enter the location of the iPhone simulator libraries in the **Header Search Paths** and **Library Search Paths** fields.

\$SRCROOT is a macro that expands to the directory where the Xcode project file resides. This tutorial project was created in the /SUP/SUP101 directory.

- In **Header Search Paths**, enter the path to the ObjectiveC/includes directory. In this example, the path is indicated as "\$SRCROOT/SUP101/ObjectiveC/includes/\*\*".
- In **Library Search Paths**, enter the path to the ObjectiveC/Libraries/Debug-iphonesimulator directory. In this example, the path is indicated as "\$SRCROOT/SUP101/ObjectiveC/Libraries/Debug-iphonesimulator".



2. In the right pane, select the **Build Phases** tab, then expand the **Link Binary with Libraries** section.

Click the + icon below the list, select the following libraries, and then click **Add** to add them from the SDK to the project:

- `AddressBook.framework`
- `CoreFoundation.framework`
- `libcucore.A.dylib`
- `libstdc++.dylib`
- `libz.1.2.5.dylib`
- `QuartzCore.framework`
- `Security.framework`
- `CFNetwork.framework`
- `MobileCoreServices.framework`
- `SystemConfiguration.framework`

3. Select **Product > Clean**, then **Product > Build** to test the initial set up of the project. If you correctly followed this procedure, you see a **Build Succeeded** message.

## Registering the Application Connection in Sybase Control Center

---

Register the iPhone Simulator in Sybase Control Center.

### Prerequisites

Connect to Sybase Control Center.

### Task

1. Log in to Sybase Control Center using the credentials you indicated during installation.
2. In Sybase Control Center, select **View > Select > Unwired Server Cluster Management View**.
3. In the left pane, select **Applications**.
4. In the right pane, click **Application Connections**.
5. Click **Register**.
6. In the Register Application Connection window, enter the required information:
  - User name – `user1`
  - Server name – `<localhost.sybase.com>`

---

**Note:** The information should match the input on the client and "localhost.sybase.com" should be the actual name of your machine and domain.

---

- Port – the Unwired Server port, 5001.
- Farm ID – 0
- Activation code – 123
- Application ID – SUP101
- Domain – default

7. Click **OK**.

### **Next**

In Xcode, view the application source files and walk through how they are created.

### **See also**

- *Setting Up an iOS Client Application in Xcode* on page 13

---

## **Viewing the SUP101CallbackHandler File**

---

In Xcode, view and understand the SUP101CallbackHandler file.

SUP101CallbackHandler is a subclass of SUPDefaultCallbackHandler, and is used to listen for events sent from the server. The header, SUP101CallbackHandler.h, is referenced in a number of classes in this application, so you would create it first. You can create new Objective-C class files from the main menu: **File > New > New File**.

There are two threads involved in the SUP101 application — the main thread, which is driven by the client application user interface controller, and the mobile object client access thread, which takes charge of message transportation with the server and synchronization with the application through the mobile object. In iOS, all code that updates the user interface must be called on the main thread, so it is a good idea to send notifications that might trigger changes to the interface from the main thread.

1. Click the SUP101CallbackHandler.h file to view the provided source code.
2. Click the SUP101CallbackHandler.m file to view the provided source code.

---

## **Creating the User Interface**

---

Use Interface Builder to create and configure the user interface for the SUP101 application.

The SUP\_iOS\_Custom\_Dev\_Tutorial\_code.zip contains the source code for the user interface for the sample application. Although the user interface is already built once you add the source files to the Xcode project, you can walk through the rest of the tasks and view the source code to see how to use Interface Builder to build the sample application.

**See also**

- *Deploying the Device Application* on page 31

**Viewing the SubscribeController View Controller**

A view controller functions as the root view screen for the SUP101 mobile application.

When you create the user interface, you assign a target action to a control object — in this example a Subscribe button so that a message (the action) is sent to another object (the target) in response to a user event, for example, a touch on the button. The view controller manages and configures the view when asked.

In Xcode, you can create the view controller by creating a new file using the **UIViewController subclass**. Be sure to indicate **With XIB for user interface**. Xcode creates the corresponding `.h`, `.m`, and `.xib` files.

1. In the SUP101 Xcode project, click `SubscribeController.m` to view the logic for the view controller.
2. Click `SubscribeController.h` to view the header file.

**See also**

- *Creating the CustomerListController* on page 28
- *Adding the DetailController and Configuring the View* on page 29

**Viewing the SUP101AppDelegate Files**

The `SUP101AppDelegate.h` and `SUP101AppDelegate.m` files are created when you create the Xcode project; however, you deleted the automatically generated versions and replaced them with the ones added from the source code zip file.

The `SUP101AppDelegate` files make use of the `SUPApplication` and `SUPDataVault` APIs to show how to store and retrieve sensitive data (such as Sybase Unwired Platform credentials) using a PIN.

The `applicationDidFinishLaunching:` method checks to see if the application has been run before, then shows a dialog to have the device user enter a PIN to unlock the application. If running for the first time, the Sybase Unwired Platform user's password is also requested.

Control passes to the `initializeSUP101` method. This code sample does one of two things depending on whether the application has been run before:

- If the application is running for the first time, it creates a new `SUPDataVault` secured with the user-provided PIN, to store the password and other items.
- If the application has been run before, it tries to unlock the existing vault with the provided PIN. If this fails, the application displays an error dialog and exits.

```
if(self.firstrun)
{
```

```

NSLog(@"Running the app for the first time.");

// If the application is being run for the first time, we do the
// following:
// 1. Remove the messaging data vault created by earlier
// versions of the application, if it exists.
// 2. Remove the SUP101 data vault created by earlier versions
// of the application, if it exists.
// 3. Create the messaging vault using the PIN as the password,
// leaving it unlocked for use by the messaging layer.
// 4. Create the SUP101 data vault using the PIN as the
// password, and store the SUP username/password credentials
// and a database encryption key in the vault.
//
//
@try
{
    NSLog(@"Delete preexisting messaging vault");
    [SUPDataVault deleteVault:kMessagingDataVaultID];
}
@catch(NSError *e)
{
    // Ignore any exception
}
@try {
    NSLog(@"Delete preexisting SUP101 data vault");
    [SUPDataVault deleteVault:kSUP101DataVaultID];
}
@catch(NSError *e)
{
    // Ignore any exception
}

@try {
    NSLog(@"Create new SUP101 data vault and store credentials and a
generated encryption key");
    sup101vault = [SUPDataVault createVault:kSUP101DataVaultID
withPassword:self.pin withSalt:kSUP101DataVaultSalt]; // creates the
vault
    [sup101vault setString:@"password" withValue:self.SUPPassword];
    [sup101vault lock];
}
@catch (NSError *exception) {
    NSLog(@"Exception in creating new SUP101 data vault: %@: %@",
[exception name], [exception reason]);
}
@try {
    NSLog(@"Create new messaging vault and leave it unlocked");
    messagingvault = [SUPDataVault createVault:kMessagingDataVaultID
withPassword:self.pin withSalt:kDVStandardSalt];
}
@catch (NSError *exception) {
    NSLog(@"Exception in creating new messaging data vault: %@: %@",
[exception name], [exception reason]);
}
}

```



```

}
else
{
    // If the application has been run before, we get the PIN from the
    // user, and use it to unlock the existing messaging data vault
    // (otherwise the messaging layer cannot start).
    //
    //
    NSLog(@"App has been run before.");
    @try {
        NSLog(@"Unlock messaging vault");
        messagingvault = [SUPDataVault getVault:kMessagingDataVaultID];
        [messagingvault unlock:self.pin withSalt:kDVStandardSalt];
    }
    @catch (NSEException *exception) {
        NSLog(@"Exception unlocking messaging data vault: %@: %@",
[exception name],[exception reason]);
        [self showNoTransportAlert:kSUP101ErrorBadPin];
    }
}
}

```

This code sample sets up the Application API settings for connection to the Unwired Server and registers with the Unwired Server.

```

// Start up the messaging client. This will attempt to connect to the
// server. If a connection was
// established we can proceed with login. See onConnectFailure: for
// more information about handling connection failure.
[[NSNotificationCenter defaultCenter] addObserver:self
selector:@selector(onConnectSuccess:) name:ON_CONNECT_SUCCESS
object:nil];
[[NSNotificationCenter defaultCenter] addObserver:self
selector:@selector(onConnectFailure:) name:ON_CONNECT_FAILURE
object:nil];
self.connectStartTime = [NSDate date];
SUPApplication* app = [SUPApplication getInstance];

@try {
    sup101vault = [SUPDataVault getVault:kSUP101DataVaultID];
    [sup101vault unlock:self.pin withSalt:kSUP101DataVaultSalt];

    app.applicationIdentifier = @"sup101";
    SUP101CallbackHandler *ch = [SUP101CallbackHandler getInstance];
    [ch retain];
    [app setApplicationCallback:ch];

    SUPConnectionProperties* props = app.connectionProperties;
    [props setServerName:self.SUPServerName];
    [props setPortNumber:[self.SUPServerPort intValue]];
    [props setUrlSuffix:@""];
    [props setFarmId:self.SUPFarmID];
}

```

```
SUPLoginCredentials* login = [SUPLoginCredentials getInstance];
if(self.SUPManualRegistration)
{
    login.username = self.SUPConnectionName;
    login.password = nil;
    props.activationCode = self.SUPActivationCode;
}
else
{
    login.username = self.SUPUserName;
    login.password = [sup101vault getString:@"password"];
    props.activationCode = nil;
}
props.loginCredentials = login;

[app registerApplication:30];
```

This code sample does one of two things depending on whether the application has been run before:

- If the application is running for the first time, it creates the SUP101 database, generates an encryption key, and stores it in the data vault.
- If the application has been run before, it retrieves the encryption key from the data vault, and sets it in the connection profile so the database can be used again.

```
// Normally you would not delete the local database. For this simple
// example, though,
// deleting and creating an empty database will cause all data to be
// sent from the
// server, and we can use [CallbackHandler onImportSuccess:] to know
// when to proceed.
[SUP101SUP101DB deleteDatabase];
[SUP101SUP101DB createDatabase];
SUPConnectionProfile *cp = [SUP101SUP101DB getConnectionProfile];
[cp.syncProfile setDomainName:@"default"];
[cp enableTrace:NO];
[cp.syncProfile enableTrace:YES];

// Generate an encryption key for the database.
[SUP101SUP101DB generateEncryptionKey];
[SUP101SUP101DB closeConnection];
// Store the encryption key in the data vault for future use.
[sup101vault setString:@"encryptionkey" withValue:[cp
getEncryptionKey]];

// Since we are creating the database from scratch, we set the
// encryption key for the new database

// If we were using the database from a previous run of the app and
// not creating it each time, an application should run the code below
// instead.
// To successfully access a previously encrypted database, we set the
// key used by the connection profile.
NSString *key = [sup101vault getString:@"encryptionkey"];
NSLog(@"Got the encryption key: %@",key);
[cp setEncryptionKey:key];
```

```
[SUP101SUP101DB closeConnection];

[SUP101SUP101DB setApplication:app];

while([app registrationStatus] != SUPRegistrationStatus_REGISTERED)
{
    [NSThread sleepForTimeInterval:1.0];
}
while([app connectionStatus] != SUPConnectionStatus_CONNECTED)
{
    [NSThread sleepForTimeInterval:1.0];
}
```

Once the server connection is made, the `onConnectionStatusChanged:` method in the callback handler posts an `ON_CONNECT_SUCCESS` notification, and the `SUP101AppDelegate`'s `onConnectSuccess:` method is called. This performs a login to the Unwired Server, using the username from the application settings, and the password from the data vault.

### **Configuring the SubscribeController View**

Use Interface Builder to configure the `SubscribeController.xib` file and create the user interface. Although the provided XIB file is already configured, you can walk through the steps to see how to create the interface.

1. Click the `SubscribeController.xib` file to reveal a view of the (presently empty) screen in the right pane and the following three items represented by icons in the middle pane:

- **File's Owner** – the object that is set to be the owner of the user interface, which is typically the object that loads the interface. In this tutorial, this is the `SubscribeController`.




- **First Responder** – the first responder proxy object handles events. Connecting an action to the first responder means that when the action is invoked, it is dynamically sent to the responder chain.



- **View** – displayed in a separate window to allow you to edit it.




2. Select the **File's Owner** icon, select **View > Utilities > Identity Inspector**, and make sure `SubscribeController` appears in the **Class** field under **Custom Class**.




This tells Interface Builder the class of the object to allow you to make connections to and from the File's Owner.


3. Click the **View** icon, and in the Identity Inspector panel, and make sure `UIView` appears in the **Class** field under **Custom Class**.



4. To create a Subscribe button, select **View > Utilities > Object Library**.
  - a) In the Object Library panel, select the **Round Rect Button** item, drag it onto the view.




- b) Double-click it and enter `Subscribe` and press **Return**.
5. In the Accessibility section of the Identity Inspector, make sure **Enabled** is unselected. Disable the button because the application cannot subscribe to the server for updates until it is connected.



6. Control-click the **Subscribe** button to show the inspector.


7. Drag from the circle to the right of **Touch Up Inside** to the **File's Owner** icon and release, then click on **buttonPressed** to establish a connection between the **Subscribe** button and the button's action method:




### Making Connections

Add Navigation Controllers to `MainWindow_iPhone.xib` and `MainWindow_iPad.xib` and create a connection from the AppDelegate to the Navigation Controller.


1. In the left pane, under the iPhone folder, click the `MainWindow_iPhone.xib` file. If you do not see the Navigation Controller in the middle pane, drag it from **Objects** to the middle pane:



2. Under **Objects** in the middle pane, control-drag from the **AppDelegate** icon to the **Navigation Controller** icon to create a **navController** outlet.



3. Click on the expansion arrow at the bottom of the middle pane to switch to list view, select **Navigation Controller > View Controller**, and in the Identity Inspector, select **SubscribeController** in the **Class** field.



Once the class is selected, the **ViewController** name in the hierarchy changes to **SubscribeController** and the connection from the AppDelegate to the Navigation Controller is created.

4. Repeat these steps to add a navigation controller to `MainWindow_iPad.xib`.

### Creating the CustomerListController

Create the customer list view.

The source files you added from the `SUP_iOS_Custom_Dev_Tutorial_code.zip` file contain the `CustomerListController.h`, `CustomerListController.m`, and `CustomerListController.xib` files that create the customer list view. To create these files manually in Xcode, you would create a new file using the **UIViewController subclass** template, then indicate it is a subclass of `UITableViewController`. Be sure to indicate **With XIB for user interface**.

1. View the `CustomerListController.h` file.
2. View the `CustomerListController.m` file.

`CustomerListController.m` is a table view controller that displays the customer data in the client database. The `viewWillAppear` method uses the Object API to query the database for a list of all Customer objects, and builds an `NSArray` that is used by this class as the data source for displaying the table view.



If a row is tapped, the `accessoryButtonTappedForRowWithIndexPath` method is run, which pushes a `DetailController` onto the stack to display additional information and allow the data to be modified.

### See also

- *Viewing the `SubscribeController View Controller` on page 19*
- *Adding the `DetailController` and Configuring the View on page 29*

## Adding the `DetailController` and Configuring the View

Create the `DetailController.xib`.

The detail controller view displays information about a single customer in the client database. The source files you added from the `SUP_iOS_Custom_Dev_Tutorial_code.zip` file contain the `DetailController.h`, `DetailController.m`, and `DetailController.xib` files that create the customer detail view. To create these files manually in Xcode, you would create a new file using the **UIViewController subclass** template, then indicate it is a subclass of `UIViewController`. Be sure to indicate **With XIB for user interface**.

Although the provided XIB file is already configured, you can walk through the steps to see how to create the interface.

1. Click the `DetailController.xib` file to open Interface Builder.
2. Select **View > Utilities > Object Library**.
3. In the Object Library panel, select the **Text Field** item, drag it onto the view three times to create three text fields aligned vertically to the right of the screen.  
You can resize the text fields using the resize handles and position the button by dragging it to the desired location.
4. In the Object Library panel, select the **Label** item, drag it onto the view three times to create three labels to the left of and aligned with the three text fields. Replace the default Label text with:
  - First Name
  - Last Name
  - Phone
5. In the Object Library panel, select the **Round Rect Button** item, drag it onto the view, and rename it to `Submit`.

To make connections to the user interface from the view controller, the `DetailController.h` file contains the outlets, property declarations for the instance variables, and a declaration for the action method.

```
#import <UIKit/UIKit.h>
#import "SUP101Customer.h"

@interface DetailController : UIViewController {
```

```
@property (nonatomic, retain) IBOutlet UITextField *fname;
@property (nonatomic, retain) IBOutlet UITextField *lname;
@property (nonatomic, retain) IBOutlet UITextField *phone;
@property (nonatomic, retain) SUP101_Customer *originalObj;
@property (nonatomic, retain) IBOutlet UIButton *submitButton;

-(IBAction)buttonPressed:(id)sender;

@end
```


**6.** View the `DetailController.m` file.

This class displays detailed information about a single customer in the client database. The information can be edited. If the data is changed and the Submit button is pressed, the `buttonPressed` method uses Object API calls to save the changes in the client database, send the changes to the server, and disable the Submit button.

If the server accepts the changes, the callback handler posts an `ON_REPLAY_SUCCESS` notification, which causes the `onReplaySuccess` notification handler to run. The cached UI data is refreshed from the database and the Submit button is re-enabled.

This class also registers for the `ON_REPLAY_FAILURE` notification to handle the case where the server rejects the changes, or an error occurs on the server side.

- 7.** Click the `DetailController.xib` file to open it in Interface Builder, click the **First Name** text field, and select **View > Utilities > Attributes Inspector**.
- 8.** In the Attributes Inspector panel, scroll to the **View** section and enter 1 in the **Tag** field.
- 9.** Set the tags for the **Last Name** and **Phone** text fields to 2 and 3 respectively.
- 10.** Control-drag from the **File's Owner** icon in the middle pane to each of the text fields and select the **fname**, **lname**, and **phone** outlets, respectively, to create connections between the text fields and the outlets defined in the `DetailController.m` file.
- 11.** Select **View > Utilities > Connections Inspector** to confirm that the outlets have been correctly configured:



12. Control-drag from the **File's Owner** icon in the middle pane to the **Submit** button and select **submitButton**.

#### See also

- *Viewing the `SubscribeController` View Controller* on page 19
- *Creating the `CustomerListController`* on page 28

## Deploying the Device Application

---

Deploy the SUP101 application to the iPhone simulator for testing.


#### Prerequisites

Register an application connection in Sybase Control Center.

You must be connected to the server where the mobile application project is deployed.

#### Task

1. In the upper-left corner of XCode, make sure that the **Scheme** is set to **SUP101 | iPhone 5.0 Simulator**.



2. Select **Product > Build** and then **Product > Run**  
The project is built and the iPhone simulator starts.
3. In the iPhone applications screen, open the **SUP101** application.  
When you run the application for the first time, it exits immediately with a dialog asking you to enter the application settings in the Settings application. These settings include the server name, port number, Sybase Unwired Platform user name, and other settings.
4. In the iPhone simulator, go to **Settings > SUP101** to enter the connection settings.
  - **SUP Server** – the machine that hosts the server where the SUP101 mobile application project is deployed.
  - **SUP Server Port** – Unwired Server port number. The default is **5001**.
  - **Farm ID** – the company ID you entered when you registered the device in Sybase Control Center, in this case, 0.
  - **SUP Username** – the user to be authenticated, supAdmin.



If the "Manual registration" switch is set to "Off", the application will attempt to perform an automatic registration, creating an application registration with the same name as the SUP Username ("supAdmin" in this example). This feature allows a client with a valid SUP username and password to connect and register with the server without a need for a manual registration to be created in advance.

If the "Manual registration" switch is set to "On", then the connection name and activation code need to be filled in, and must match an application connection that has already been created in Sybase Control Center (see *Register an application connection in Sybase Control Center*).

5. In the iPhone applications screen, reopen the **SUP101** application.  
You are prompted for a PIN to use to securely store your Sybase Unwired Platform password, and a database encryption key that is generated when the application launches. For subsequent launches of the application, only the PIN is required.
6. Enter a PIN, and enter the password for the SUP username that was entered in step 4.
7. Click **Subscribe**.  
The customer list appears.
8. Select a customer record from the customer list and double-click to open the detail view.  
The customer detail shows the fields: **First Name**, **Last Name**, and **Phone**.
9. Change the **First Name** to something else, and click **Submit**.

### See also

- *Creating the User Interface* on page 18

# Learn More About Sybase Unwired Platform

Once you have finished, try some of the other samples or tutorials, or refer to other development documents in the Sybase Unwired Platform documentation set.

Check the Sybase Product Documentation Web site regularly for updates: <http://sybooks.sybase.com/nav/summary.do?prod=1289>, then navigate to the most current version.

## *Tutorials*

Try out some of the other getting started tutorials available on Product Documentation to get a broad view of the development tools available to you.

## *Example Projects*

Example projects are available for download, if you want the finished tutorial without going through the steps. Download example projects from: <http://www.sdn.sap.com/irj/sdn/mobile?rid=/webcontent/uuid/40ea4956-b95c-2e10-11b3-e68c73b2280e>.

## *Samples*

Sample applications are fully developed, working applications that demonstrate the features and capabilities of Sybase Unwired Platform.

Check the SAP® Development Network (SDN) Web site regularly for new and updated samples: <https://cw.sdn.sap.com/cw/groups/sup-apps>.

## *Online Help*

See the online help that is installed with the product, or the Product Documentation Web site.

## *Developer Guides*

Learn best practices for architecting and building device applications:

- *Mobile Data Models: Using Data Orchestration Engine* – provides information about using Sybase Unwired Platform features to create DOE-based applications.
- *Mobile Data Models: Using Mobile Business Objects* – provides information about how to develop mobile business objects (MBOs) to fully maximize their potential.

Learn about using the API to create device applications:

- *Developer Guide: Android Object API Applications*
- *Developer Guide: BlackBerry Object API Applications*
- *Developer Guide: iOS Object API Applications*
- *Developer Guide: Windows and Windows Mobile Object API Applications*
- *Developer Guide: Mobile Workflow Packages*

Customize and automate:

## Learn More About Sybase Unwired Platform

- *Developer Guide: Unwired Server Management API* – customize and automate system administration features.

Javadoc and HeaderDoc are also available in the installation directory.



# Index

## A

application connection 17

## C

callback handler 18  
 connection, creating 26  
 customer list view 28  
 CustomerListController 28

## D

delegate file 19  
 DetailController.xib 29

## E

example projects 1

## G

generating object API code 12

## I

iOS application, developing 11  
 iPhone simulator 31

## M

MainWindow\_iPad.xib 26  
 MainWindow\_iPhone.xib 26  
 mobile business object tutorial 1  
 Mobile Workflow package tutorial 1

## N

navigation controllers 26

## O

Object API tutorials 1

Objective-C code, generating 12

## S

samples, how to download 35  
 SubscribeController view 23  
 SUP\_iOS\_Custom\_Dev\_Tutorial\_code.zip 13  
 SUP101AppDelegate files 19  
 SUP101CallbackHandler file 18  
 Sybase Control Center 17  
 Sybase Control Center, connecting to 6  
 Sybase Mobile SDK  
   installing 5  
 Sybase Unwired Platform  
   documentation resources 35  
   getting started 5  
   installing 5  
 Sybase Unwired Workspace  
   basics 7  
   how to access online help 7  
   starting 6

## T

task flow 3  
 troubleshooting information 7  
 tutorials 1  
 tutorials, how to download 35

## U

UITableViewController subclass 19  
 Unwired Platform Runtime  
   installing 5  
 Unwired Platform services 6  
 Unwired Workspace basics 7

## V

view controller, adding 19

## Index

### **X**

Xcode project

add libraries and resources 14

add source code 14

build settings 16

set up 13